

THE INTENT OF THIS WORK IS TO CREATE A 1-HR FIRE RATED ENCLOSURE AROUND MEDICAL RECORDS #140. EXTEND EXISTING METAL STUD WALL FRAMING TO UNDERSIDE OF EXISTING ROOF DECK. APPLY 5/8" TYPE "X" GWB FROM TOP OF EXISTING GWB TO UNDERSIDE OF EXISTING ROOF DECK - FIRESEAL TOP OF WALL AS REQUIRED PER UL DESIGN DETAILS TO MAINTAIN 1-HR FIRE RATING. INFILL, PATCH, AND REPAIR EXISTING WALL ASSEMBLY AS REQUIRED TO MEET 1-HR FIRE RATING.

MASTER SYMBOLS LEGEND


	BUILDING SECTION		ELEVATION LEVEL/CONTROL POINT
	WALL SECTION		REMOVALS NOTE/TOILET ACCESSORIES NOTE
	INTERIOR ELEVATION		SPECIFIC NEW WORK NOTE
	EXTERIOR ELEVATION		REVISION
	DETAIL CALLOUT		WINDOW TYPE
	COLUMN GRID		DOOR TAG (NON-FIRE RATED)
			DOOR TAG (FIRE RATED)
			ROOM TAG
			PARTITION TAG; REFERENCE PARTITION SCHEDULE AND LEGEND FOR ADDITIONAL INFORMATION
			EXISTING WALL/PARTITION TO REMAIN
			NEW WALL/PARTITION
			INDICATES FIRE RATED WALL ASSEMBLY. REFERENCE PARTITION SCHEDULE AND LIFE SAFETY PLAN.
			INDICATES 1-HOUR FIRE-RATED SMOKE COMPARTMENT SMOKE BARRIER. REFERENCE PARTITION SCHEDULE AND LIFE SAFETY PLAN.
			SEMI-RECESSED FIRE EXTINGUISHER CABINET
			WALL MOUNTED FIRE EXTINGUISHER
			CORNER GUARDS

SPECIFIC NEW WORK NOTES:

- 01 PROVIDE 4' CORNER GUARDS AT EXTERNAL WALL PARTITION CORNERS. SET BOTTOM AT TOP OF WALL BASE.
- 02 DASHED LINE INDICATES IPC WALL PANEL COVER FROM FINISHED FLOOR TO 48" A.F.F. REFERENCE A2.3 FOR BASE OF WALL INFORMATION.
- 03 DASHED LINE INDICATES IPC WALL PANEL COVER FROM TOP OF WALL BASE TO 96" A.F.F. REFERENCE A2.3 FOR BASE OF WALL INFORMATION.
- 04 PROVIDE 3' CORNER GUARDS AT ALL EXTERNAL WALL PARTITION CORNERS. TYPICAL THROUGHOUT THE ENTIRE FACILITY WHETHER TAGGED OR NOT. CORNER GUARD HEIGHT VARIES. REFERENCE DETAILS CWS-1/A6.5 & AG-4/A6.5 FOR FURTHER INFORMATION.
- 05 SEMI-RECESSED FIRE EXTINGUISHER CABINET AND FIRE EXTINGUISHER AS SPECIFIED.
- 06 PATCH, TAPE AND MUD EXTERIOR WALL AS REQUIRED DUE TO CEILING HEIGHT CHANGE


GENERAL NEW WORK NOTES:

- 1. INFILL, PATCH AND REPAIR EXISTING GWB WALL ASSEMBLY AS REQ'D. - ALIGN GWB FINISH WITH EXISTING FINISHES, TYP.
- 2. INFILL, PATCH AND REPAIR GWB WALL FINISH AS REQ'D. @ JAMB EXTEND WALL BASE WITHIN OPENING, PROVIDE ADDITIONAL WALL FRAMING MEMBERS TO SUPPORT NEW GWB FINISH AS REQ'D.
- 3. CONTRACTOR TO PROVIDE NEW PAINT APPLICATIONS THROUGHOUT LIMITS OF WORK. REFERENCE ROOM FINISH SCHEDULE FOR FURTHER INFORMATION.
- 4. CONTRACTOR SHALL PROVIDE SOLID WOOD BLOCKING FOR ALL CABINETS AND WALL MOUNTED EQUIPMENT AS REQUIRED. REMOVE EXISTING GWB FINISHES AS REQUIRED FOR BLOCKING INSTALLATIONS. PATCH & REPAIR THESE AREA'S AS REQUIRED.
- 5. REF. A2.3 FOR WALL COVERING AND ACCENT PAINT LOCATIONS.
- 6. REF. AG-2 AND AG-3 ON SHEET A6.5 FOR WALL MOUNTED COMPONENTS AND ACCESSORY MOUNTING HEIGHT ELEVATIONS.
- 7. ALL WORK ASSOCIATED WITH FMC CORRIDOR 103 SHALL BE DONE ON OFF HOURS. THIS INCLUDES BUT IS NOT LIMITED TO NEW WALL, CEILING AND DOOR INSTALLATIONS, NEW FINISHES, ETC.



CWS
Architects
434 Cumberland Avenue
Portland, ME 04101
Phone: (207) 774-4441
Fax: (207) 774-4016
www.CWSarch.com

Dialysis Clinic Fit-up:
SOUTHERN MAINE DIALYSIS
1600 CONGRESS STREET
PORTLAND, MAINE 04102
1190



Drafted By: CWS ARCH

Checked By: CWS - GTL

Date Drawn: 03/06/12

Project #: CWS# 11418

REV #	DATE	REVISION DESCRIPTION
1	3/14/2012	ISSUED FOR 100% CONSTRUCTION



A2.2

Sheet Number

ENLARGED NEW WORK FLOOR PLAN
SCALE: 1/4" = 1'-0"