PLUMBING FIXTURE CONNECTION SCHEDULE

TAG	DESCRIPTION	SAN	VENT	CW	HW	GAS
** P1	ADA COUNTERTOP STAINLESS STEEL SINK	2"	1½"	½"	½"	
-	-	-	-	-	-	

MINIMUM SIZE OF BELOW SLAB SANITARY & VENT PIPING SHALL BE 2".
* - FROM TRAP PRIMER. ** - SINK TO HAVE PUMPED WASTE AND SEMI-INSTANTANEOUS WATER HEATER.

PLUMBING SCHEDULES
N.T.S.

STATE OF MAINE
STEPHEN P. DOEL
No. 3807
LICENSED
PROFESSIONAL ENGINEER

CWS
Architects
Phone: (207)774-4441

BENNETT ENGINEERING
MECHANICAL • ELECTRICAL
(207) 865-9475

Dialysis Clinic Fit-up:
SOUTHERN MAINE DIALYSIS
1600 CONGRESS STREET
PORTLAND, MAINE 04102
#1190

Drafted By: SP Doel
Checked By: SP Doel
Date Drawn: 03/14/12
Project #: CWS# 11418

REV #	DATE	REVISION DESCRIPTION
	03/14/12	Issued for Construction

P1.0
Sheet Number

N:\2011 to 2014\2011\Southern Maine Dialysis Expansion\Drawings\P-01
3/12/2012 2:31 PM