DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK

BUILDING PERMI

ITY OF PORTLAN





This is to certify that

DIVERSIFIED PROPERTIES INC

Located at

55 Riverview St

PERMIT ID: 2015-03056 **ISSUE DATE:** 06/29/2016

CBL: 223 C013001

has permission to **Construct a 1,396 SF, two-story, single family home - three (3) bedrooms, 1.5 baths.** provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise clsoed-in. 48 HOUR NOTICE IS REQUIRED. A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

Fire Department

/s/ David Petruccelli

/s/ Tammy Munson

Fire Official

Building Official

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning Single Family Building InspectionsUse Group: R-3Type: 5BSingle FamilyENTIREMUBEC 2009

PERMIT ID: 2015-03056

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 (ONLY) or email: buildinginspections@portlandmaine.gov

Check the Status or Schedule an Inspection On-Line at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC). One set of printed approved stamped construction documents shall be kept at the site of work and shall be open to inspection by building officials.

REQUIRED INSPECTIONS:

Final - DRC Site VISIT Setbacks and Footings Prior to Pouring Foundation/Backfill Close-in Plumbing/Framing Electrical - Residential Certificate of Occupancy/Final

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

City of Portland, Maine - Building or Use Permit		Permit No:	Date Applied For:	CBL:		
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 87	74-8716	2015-03056	12/18/2015	223 C013001		
Proposed Use:	-	Project Description:				
New Single Family Home	Constru		o-story, single family	home - three (3)		
	eviewer:	Ann Machado	Approval Da	_		
Note: R-3 & Shoreland Zone Ok to Issue: ✓ Shoreland Zone - house lot is between the 75' setback and the 250' setback and is currently cleared Flood Map - Panel 12 - Zone X						
Conditions:						
1) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.						
2) This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.						
3) This permit is being issued with the condition that our office receive a copy of the recorded, revised survey and a recorded deed before the certificate of occupancy is recorded.						
4) Separate permits shall be required for future decks, sheds, pools, and/or garages.						
Dept: Building Inspecti Status: Approved w/Conditions Re	eviewer:	Tammy Munson	Approval Da	ite: 01/15/2016		
Note:				Ok to Issue: 🗹		
Conditions:						
 This permit is approved based upon information provided by the applicant or design professional. Any deviation from the final approved plans requires separate review and approval prior to work. 						
2) The attic scuttle opening must be 22" x 30".						
3) Carbon Monoxide (CO) alarms shall be installed in each area within or giving access to sleeping rooms. That detection must be powered by the electrical service (plug-in or hardwired) in the building and battery.						
4) The design load spec sheets for any engineered beam(s) / Trusses must be submitted to this office.						
5) Egress size windows are required (1) in each bedroom per IRC Sec. R310 or per the State Fire Marshal policies for existing buildings.						
6) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems, fire suppression and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.						
 Hardwired photoelectric interconnected battery backup smoke detectors shall be installed in all sleeping rooms, protecting outside these rooms, and on every level. 						
The same is required for existing buildings, where permanent wiring is feasible; or at the very least battery operated smoke detectors are required. Verification of this will be upon inspection.						
Dept: Fire Status: Approved w/Conditions Re	eviewer:	David Petruccelli	Approval Da	te: 01/22/2016		
Note:				Ok to Issue: 🗹		
Conditions:						
 Single-station Carbon Monoxide (CO) alarms are required. They backup and shall be interconnected. CO alarms shall be installed (1) Outside each separate dwelling unit sleeping area in the in (2) On every occupiable level of the dwelling unit, including 	d in the fol nmediate	lowing locations: vicinity of the bed	rooms	vice with battery		
2) A sprinkler system shall be installed in accordance with NFPA 12 required.	3D. A no	fee One- or Two-	family CITY Fire Sp	rinkler Permit is		

3) Single-station photoelectric smoke alarms are required. They shall be powered by the building's electrical service with battery backup and shall be interconnected. Smoke alarms shall be installed in the following locations:

(1) All sleeping rooms

(2) Outside each separate sleeping area, in the immediate vicinity of the sleeping rooms

(3) On each level of the dwelling unit, including basements.

5) A copy of the State Sprinkler permit with RMS date and signature shall be provided prior to scheduling of the final inspection.

Dept: DRC	Status: Approved w/Conditions	Reviewer: Philip DiPierro	Approval Date: 06/29/20)16
Note:			Ok to Issue:	✓

Conditions:

- 1) This permit is being issued with the condition that our office receive a copy of the recorded, revised survey and a recorded deed before the certificate of occupancy is recorded.
- 2) A sewer permit is required for your project. Please contact Carol Merritt at 874-8300, ext . 8822. The Wastewater and Drainage section of Public Services must be notified five (5) working days prior to sewer connection to schedule an inspector for your site.
- 3) A street opening permit(s) is required for your site. Please contact Carol Merritt ay 874-8300, ext. 8822. (Only excavators licensed by the City of Portland are eligible.)
- 4) All Site work (final grading, landscaping, loam and seed) must be completed prior to issuance of a certificate of occupancy.
- 5) The Development Review Coordinator reserves the right to require additional lot grading or other drainage improvements as necessary due to field conditions.
- 6) All Site Work will conform to the City of Portland ordinance on Shoreland Regulations (Division 26).
- 7) Erosion and Sedimentation control shall be established and inspected by the Development Review Coordinator prior to soil disturbance, and shall be done in accordance with Best Management Practices, Maine Department of Environmental Protection Technical and Design Standards and Guidelines. All Erosion and Sedimentation control measures must be inspected and maintaned daily.
- 8) The applicant shall have a licensed surveyor install, prior to the issuance of any Certificate of Occupancy, permanent mounumentation/pins identifying property corners.
- 9) This site must comply with the Landscape Preservation Standards outlined in the Land Use Ordinance, section 14-526(b)2a, stating that a minimum of 30% of existing trees, ten (10) inches DBH or greater, within the required setback, must be preserved. Trees that are designated to be saved are to be protected during excavation and construction. Tree protection fencing is to be installed around the tree canopy drip line prior to the start of any excavation. Tree protection measures are to be inspected and maintained daily.
- 10 A performance guarantee will be required to cover the cost of site work not completed due to seasonal conditions ie., finish grading, loaming, seeding, mulching, installation of street trees, etc. The performance guarantee must be reviewed, approved, and accepted by the Planning Authority prior to the release of a Temporary Certificate of Occupancy.
- 11 The site shall be developed and maintained as depicted in the approved site plan, written submission of the applicant, and these written conditions of approval. The modification of the approved site plan or alteration of a parcel which was the subject of site plan approval shall require the prior approval of a revised site plan by the Planning Authority.