



PILE PLAN
1/4" = 1'-0"

PILE NOTES:

1. DRIVE PILES IN ACCORDANCE WITH THE 1989 BOCA NATIONAL BUILDING CODE.
2. REFER TO THE REPORT ENTITLED "GEOTECHNICAL ENGINEERING EVALUATION PROPOSED MAINE ORTHOPAEDIC CENTER ON LAND BELONGING TO KENNEBEC COUNTY DATED NOVEMBER 14, 1990 FOR SUBSURFACE INVESTIGATION DATA AND ADDITIONAL INFORMATION.
3. MATERIAL: TIMBER CONFORMING TO ASTM D25, TREATED WITH CREOSOTE AT A RETENTION OF 12 POUNDS PER CUBIC FOOT.
4. PILE DESIGN CAPACITY: 16 TONS.
5. MINIMUM PILE TIP DIAMETER TO BE 8 INCHES, MINIMUM BLUNT DIAMETER TO BE 12 INCHES, ESTIMATED PILE LENGTH 40 FEET.

MAINE ORTHOPAEDIC CENTER
FROST STREET, PORTLAND, MAINE

WHIPPLE
CALLENDER
ARCHITECTS
351 CONGRESS ST.
PORTLAND
ME 04106
755-2696

PINKHAM & GREER
CONSULTING ENGINEERS, INC.
ARCHITECTS

DATE: SEPT. 2004
PROJECT NUMBER: 04331
SCALE: 1/4" = 1'-0"
DRAWN: MJB
CHECKED: JAM III
REVISED

CONTENTS
PILE PLAN

SHEET

S1