Location of Construction:	Owner:		Phone:		Permit No:
86 Patridge Circle	Matthew & Cather	ine Campbell	774-948		000732
Owner Address: same	Lessee/Buyer's Name:	Phone:	Business	sName:	Petmit Issued:
Contractor Name: en Weigel	Address: 12 Madokawando Ldg. Fa			4635 (o) 781-55	569
Past Use:	Proposed Use:	\$ 4500.00		PERMIT FEE: \$ 54.00	JUL - 7 2000
ingle family	same	FIRE DEPT. Signature:	Approved Denied	INSPECTION: Use Group: \$\textit{R}_3\text{Type} \$\text{BOC } \text{P}_9\text{Signature:}	Zone CBL: 228A-A-00
Proposed Project Description:		PEDESTRIAN Action:	Approved	ES DISTRICT (A.I.) with Conditions:	D.) Special Zone or Review
inlarge existing deck		Signature:	Denied	Date:	□ □ Wetland □ Flood Zone □ Subdivision aver 750
Permit Taken By: Gayle	Date Applied For: Jul				□ Site Plan maj □minor □r ₩ ₩ Zoning Appeal
2. Building permits do not include plumb	t started within six (6) months of the date of				☐ Variance ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
Please call when	ready		PF ¹	RMIT ISSUED	Historic Preservation Historic Preservation Dot in District or Landm Does Not Require Reviee Requires Review
			WITH	REQUIREMENTS	Action:
I hereby certify that I am the owner of reco authorized by the owner to make this applif if a permit for work described in the applicances covered by such permit at any reason	ication as his authorized agent and I agree tation is issued. I certify that the code office	sed work is authorized by to conform to all applica ial's authorized represent	tative shall h	mms Junisanomoni, in ac.	20111011,
		July 3,	2000	PHONE:	
SIGNATURE OF APPLICANT	ADDRESS:	DATE:		PHONE:	PERMIT ISSUED WITH REQUIREMENTS
				PHONE:	CEO DISTRICT

	BUILDING PERMIT REPORT
	DATE: 3 Jul-12000 ADDRESS: 86 Patridge Circle CBL: 228A-A-0
	REASON FOR PERMIT: ENlarge existing deck
	BUILDING OWNER: 1 be Campbells
	PERMIT APPLICANT: /CONTRACTOR Ben Woige
•	use group: $R-3$ construction type: 58 construction cost: 4500.00 permit fees: 54.6
•	The City's Adopted Building Code (The BOCA National Building code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
	CONDITION(S) OF APPROVAL
7	This permit is being issued with the understanding that the following conditions are met: */ *2 *// 3
Ĵ	
X^1	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approval from the Development Review Coordinator and Inspection Services must be obtained. (A
A-	24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
3	Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10
	percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not
	less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain
	tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations
	shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and
A	shall be covered with not less than 6" of the same material. Section 1813.5.2 Foundations anchors shall be a minimum of 12" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a
7	maximum 6' O.C. between bolts. Section 2305.17
5	
6 7	المنظل
	proper setbacks are maintained.
8	Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached
	side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
9.	All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical
	Code/1993). Chapter 12 & NFPA 211
¥ 11	O. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code. I. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the
3	purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42. In
	occupancies in Use Group A, B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of
	solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have
•	a height not less than than 36" and not more than 42". Handrail grip size shall have a circular cross section with an outside diameter of at least 1
	1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
12	. Headroom in habitable space is a minimum of 7'6". (Section 1204.0) . Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 "maximum rise. All other Use Group minimum 11" tread,
K12	7" maximum rise. (Section 1014.0)
14	. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15	Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door
	approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All
	egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum
	net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
16.	Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
17.	All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's.
18.	(Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0) The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling or by providing automatic
- ••	extinguishment. (Table 302.1.1)

7/3

- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations): In the immediate vicinity of bedrooms In all bedrooms In each story within a dwelling unit, including basements 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0) 21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard. 22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard. 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999) 24. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection 26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics). \$\display27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done. 28. All requirements must be met before a final Certificate of Occupancy is issued. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996). 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOÇA National Mechanical Code/1993). (Chapter M-16)
- Code/1996).

 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)

 This Deck Shall Not be closer Than 25 to Deck Shall Not be closer Than

Marge Schmuckal, Zoning Administrator

PSH 1/26/00

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

...THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

****CERTIFICATE OF OCCUPANCY FEE \$50.00

**** All Plans that require a professional designer's seal,(as per section114.0 Of the buildingcode) shall also be presented to this division on auto CAD LT.2000, or equivalent.

THIS IS NOT A BOUNDARY SURVEY

INCREATION OF BREMIERS	86 PARTRIDGE CIR.	4 - L - A	215-49
INSPECTION OF PREMISES		0 0 10 1 11 11 11 1	0 11-02
I HEREBY CERTIFY TO	PORTUND, ME.	Inspection Date:	<u> </u>
NORTHEAST LAND TITLE SCHAFFER MORTGAGE & ITS TITLE INSULETL		Scale: 1"=	60'
The monumentation is not in harmony with		\sim	
current deed description. The building setbacks are not in conformity		WENT	
with town zoning requirements.			
The dwelling does not appeared fall within the special flood hazard zone as delineated by the	ar	Of the last	
Federal Emergency Management Agency.	Ch) Kin	100'1	
The land does returnees fall within the special flood hazard zone as indicated on	0000	10	
special flood hazard zone as indicated on community-panel # 130051 0012 8.	51		
		R PUER	
- 1.1.22 ·		\times \	
BUYET?: CAMPBELL, MATTHE	NE, ?		
MORIN-CAMPBELL, CATI		\ \	
SFILEZ PLYMALE, CORBIN L.	F FRANKIE	<u> </u>	
		$ \bar{\omega} $	
	\	4/ /	
	<u>, </u>	\	
		\setminus \setminus	
		\ \ \	
	·		
•		14	* ·
98		7	
			. M
•	.1	251 regimed to 26 flow	ren 1
	27	25 10h	٠./
			$\mathcal{T}X$
	7	26 8 WW/	\ //
	THE CELL P		/ /
. \6	HOUSE WARD	D	•
123'1	CHOIGE CONTROL	,	
	FOUNDATION	/	
'`.		ur	
	• /	; 	
56.2			FyDawded
	/		Expanded areaso-F
9= 10412		•	
D. Can	227'	1	18012 10 1PF
ARTE	APPAREIT		
MAX OUT			existing
THE CILCLE	(BITUMINOUS)		Decb
PARTEIDA CICCLE			1 -
THIS PHOPERTY IS SUBJECT TO ALL	P. O TRINS,	1/1	/
RIGHTS AND EASEMENTS OF RECORD. THOSE THAT ARE EVIDENT ARE SHOWN.	7. E (101103)	// / // //	
THIS PLAN MIGHT NOT REVEAL		MIN	
CONFLICTS WITH ABUTTING DEEDS.		- W	
BRUCE R. BOWMAN, INC. 176 Gray Road PLAN BOOK	125 PAGE 21	LOT Y	21.4.3°
Cumberland, Maine 04021 (X) DEED BOOK	7522 PAGE 267	•	6 4 2
Phone: (207)829-3959 THIS PL	AN IS NOT FOR	RECORDING	Drawn by: MB

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application Additions/Alterations/Accessory Structures

To Detached Single Family Dwelling

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Tax Assessor's Chart, Block & Lot Number Chart# 228A Block# A Lot# 008	Owner: Mattew + Cartherine Compbell	Telephone#: 774-9485	
Owner's Address: 86 Partrudge Circle	Lessee/Buyer's Name (If Applicable)	Cost Of Work: Fee \$ 54.500.00 \$ 54.6	
Proposed Project Description:(Please be as specific as possible)	Deck By 100 sq F	ገ,	
Contractor's Name, Address & Telephon 776 Ben Wegel 12 Madoka	-4635 @ 781-5569 Reco	1By: NE	

•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
•All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

•All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
•HVAC(Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.
You must Include the following with you application:

1) A Copy of Your Deed or Purchase and Sale Agreement

2) A Copy of your Construction Contract, if available

3) A Plot Plan (Sample Attached)

If there is expansion to the structure, a complete plot plan (Site Plan) must include:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and required zoning district setbacks

4) Building Plans (Sample Attached)

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the

codes applicable to this permit.	<u> </u>		/				
Signature of applicant:	Kh	/rg/	Dat	te: 7	13/	100	14717F

Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.