Location of Construction: 86 Partridge Circle	Owner: ,	Catherine Morin- Pho Campbell	ne: 774-9485	Permit No: 991083
Owner Address:	Lessee/Buyer's Name:	Phone: Bus	inessName:	PERMIT ISSUED
Contractor Name:	Address: 12 Madokawando Landing	Falmouth Phone:	rakā 781-5569	Permit Issued:
Past Use:	Proposed Use:	COST OF WORK: \$ 32,000	PERMIT FEE: \$ 216.00	SEP 3 0 1999
1-Family	Same	FIRE DEPT. □ Approv □ Denied Signature:	ed INSPECTION: Use Group: 43 Type: 59 3003 96 Signature: 74	Zone: CBL: 228-A-A-008
Proposed Project Description:			TIES DISTRICT (P.A.D.)	Zoning Approval:
Complete existing rough-framed : small dormer over stairway .	family room over garage, pr	Action: Approv Approv Denied	ed	☐ Shoreland
Permit Taken By:	Date Applied For:	Signature:	Date:	☐ Site Plan maj ☐minor ☐mm ☐
 Building permits do not include plumbin Building permits are void if work is not station may invalidate a building permit and 	tarted within six (6) months of the date of	o: Ben Weigel Weigel Construction 12 Madokawando Lar Falmouth, ME 04105	ding	☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied Historic Preservation ☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review
			TH REQUIREMENTS	Action:
I hereby certify that I am the owner of record of authorized by the owner to make this applicate if a permit for work described in the application areas covered by such permit at any reasonab	ion as his authorized agent and I agree to is issued, I certify that the code official	o conform to all applicable laws on all's authorized representative shal	of this jurisdiction. In addition,	□Denied
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	
RESPONSIBLE PERSON IN CHARGE OF W	/ORK, TITLE e-Permit Desk Green-Assessor's (Canary_D PW Pink_Public Fil	PHONE:	CEO DISTRICT

COMMENTS

	de la companya de la	
1/22/99 - FRAMING is all in good condit	our and within Code - windows mest ego	ess and
Stairs have 103/4 inch TREAD (Rouch) and	you and within Code - windows mest ego 7-71/2 rise, Wanting for electrical inspo	Hon byene
closing in. Tom M.		
Those Chedren addition stains	snot Detil Bedroon winders OK ovled OK to Close perut anii	· Le-10-
1900 good 200 11 8/1 10-1	and OK & Chan me &	
graye mi 181 such	and or for your	
Programme and the support of the sup		
ADEN ANDERSE EN		
	Inspection Record	
	Type	Date
	Framing:	
	Framing: Plumbing:	
	Final:	
	Other:	

BUILDING PERMIT REPORT
DATE: 23 Sep 1.99 ADDRESS: 86 Partinge Circle CBL: 228-11-10-668: REASON FOR PERMIT: 10 Con plate room over garage.
REASON FOR PERMIT: To Complete room over garage.
BUILDING OWNER: Campbell- Campbell
PERMIT APPLICANT: /Contractor Weige Const.
USE GROUP R-3 CONSTRUCTION TYPE 53
The City's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions are met: $\frac{13 \times 13 \times 13 \times 13}{13 \times 13 \times 13}$ Approved with the following conditions:
Approved what the force was a substitution of the substitution of
This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained.
(A 24 hour notice is required prior to inspection)" ALL LOT LINES SHALL BE CLEARLY WARRED
BEFORE CALLING."

- Foundation drain shall be placed around the perimeter of a foundation that consists of gr 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the 3. footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2 Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and 4.
- a maximum 6' o.c. between bolts. (Section 2305.17) Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- Precaution must be taken to protect concrete from freezing. Section 1908.0

It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify

that the proper setbacks are maintained.

Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)

All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National 9.

Mechanical Code/1993). Chapter 12 & NFPA 211

Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building 10.

Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use **∡**11. Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of

stairway. (Section 1014.7) Headroom in habitable space is a minimum of 7'6". (Section 1204.0)

Stair construction in Use Group R-3 & R-4is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" ¥12. ¥13. tread, 7" maximum rise. (Section 1014.0)

The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4

Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

17.	directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1) All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)
18.	The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
₹ 19.	All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations):
	In the immediate vicinity of bedrooms
	In all bedrooms
	In each story within a dwelling unit, including basements
	In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.
20.	A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved
	type. (Section 921.0)
21.	The Fire Alarm System shall maintained to NFPA #72 Standard.
22.	The Sprinkler System shall maintained to NFPA #13 Standard.
23.	All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
24.	Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25.	The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26.	Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
₹ 27.	All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in or walls until all electrical (min.72 hours notice) and plumbing inspections have been done.
28.	All requirements must be met before a final Certificate of Occupancy is issued.
28. -X ²⁹ .	All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996)
30. 31) 32. 33. 34.	Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical
1	G-1-(1002) (Chaptar M 16)
(31)	Please read and implement the attached Land Use Zoning report requirements.
Ked	Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
-0.22.	Gless and alazing shall meet the requirements of Chapter 24 of the building code.
A33.	All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code
34.	An signage, shall be done in accordance with been of 5250 bights of the only 5 2510 bights of the only 6 2510 bights of th
	1996).
35.	
36.	THE STATE OF THE PARTY AND ASSESSED AND ASSESSED TO STATE OF THE PARTY AND ASSESSED TO STATE OF THE PARTY AND ASSESSED TO STATE OF THE PARTY ASSESSED.
37.	The state of the s
	· · · · · · · · · · · · · · · · · · ·
38.	THE RESIDENCE OF THE PROPERTY
J0,	
\sim	ALIA TO THE REPORT OF THE PROPERTY OF THE PROP
\mathcal{A}	1/1/4/
TAN	
(P Sanfu	en Horses, Building Inspector
1 /se: 1	Lt. McDougall, PFD
	Marge Schmuckal, Zoning Administrator
PSH 7/24/99	

Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits


16.

^{**}On the basis of plans submitted and conditions placed on these plans any



WEIGEL CONSTRUCTION


Ben Weigel • 12 Madokawando Ldg. • Falmouth, ME 04105 (207) 781-5569 Section Thrw. Dormer, over Stornwaw New 2x 8k 246 Celluiz Joists I'm plywood sultoor Existing 2x10 Floor Joists



Ben Weigel • 12 Madokawando Ldg. • Falmouth, ME 04105 (207) 781-5569

Campbell 1/4 = 10 h 20'
exsuez Ridere wish New Rock 5/12 pidch Existing 1ST Floor wall

43 PERLACE I SECTION I SECTION 31370 Range Run.



LAND USE - ZONING REPORT

al Patil () 0 = 0/32/99
ADDRESS: 86 PATridge Cuelq DATE: 9/30/99
REASON FOR PERMIT: Add downer, complete AreA over gArage BUILDING OWNER: MATThew a CA Penne Morin-Compbell C-B-L: 228A-A-8
BUILDING OWNER: MAThew & CA Penne Man C-B-L: 228A-A-8
PERMIT APPLICANT: Wigel Const.
APPROVED: with condutions DENIED:
#1, #6, #10 CONDITION(S) OF APPROVAL
This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.
2. During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be maintained.
3. The footprint of the existing shall not be increased during maintenance reconstruction.
4. All the conditions placed on the original, previously approved, permit issued onare still in effect for this amendment.
Your present structure is legally nonconforming as to rear and side setbacks. If you were to demolish the building on your own volition, you will <u>not</u> be able to maintain these same setbacks. Instead you would need to meet the zoning setbacks set forth in today's ordinances. In order to preserve these legally non-conforming setbacks, you may only
rebuild the in place and in phases. This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.
7. Our records indicate that this property has a legal use of units. Any change in this approved use shall require a separate permit application for review and approval.
o Separate permits shall be required for any signage.
Separate permits shall be required for future decks, sheds, pool(s), and/or garage. This is <u>not</u> an approval for an additional dwelling unit. You <u>shall not</u> add any additional kitchen equipment, such as stoves, microwaves, refrigerators, or kitchen sinks, etc. without special approvals.
11. Other requirements of condition
Marge Schmuckal, Zoning Administrator

THIS IS NOT A BOUNDARY SURVEY INSPECTION OF PREMISES 86 PARTRIDGE CIR. Job Number: PORTAND, ME, I HEREBY CERTIFY TO Inspection Date: _ NORTHEAST LAND TITLE SCHAFFER MORTGAGE ! ITS TITLE INSULEIL Scale: 1"= STROUDWATER PROIT The monumentation is not in harmony with current deed description. The building setbacks are not in conformity with town zoning requirements. The dwelling does not appeared fall within the special flood hazard zone as delineated by the Federal Emergency Management Agency. The land does received fall within the special flood hazard zone as indicated on community-panel # 230051 001 BUYET: CAMPBELL, MATTHEW E, & MORIN-CAMPBELL, CATHERINE PLYMALE, CORBIN L. & FRANKIF Wat ! 12311 thick'TE GAPAGE PARTEIDSE CICCLE (BITUMINOUS) 227'1 APPARENT RIW THIS PROPERTY IS SUBJECT TO ALL . IP= O TRANS. RIGHTS AND EASEMENTS OF RECORD. THOSE THAT ARE EVIDENT ARE SHOWN. THIS PLAN MIGHT NOT REVEAL CONFLICTS WITH ABUTTING DEEDS. BRUCE R. BOWMAN, INC. PLAN BOOK 125 PAGE 21 LOT 176 Gray Road DEED BOOK 1522 PAGE 267 COUNTY (UMBER LAND) Cumberland, Maine 04021 Phone: (207)829-3959 THIS PLAN IS NOT FOR RECORDING Drawn by: ME Fax: (207)829-3522

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application Additions/Alterations/Accessory Structures

To Detached Single Family Dwelling

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Tax Assessor's Chart, Block & Lot Number 000 Chart# Block# Lot# Dock#	Owner: Mat THEW Campbell Catherine - Morin - Campbe	Telephone#: 11 7749485
Owner's Address: 86 Partridge Circle	Lessee/Buyer's Name (If Applicable)	Cost Of Work: Fee \$ 32,000. \$ 214
Proposed Project Description (Please he as specific as possible)	COMPlede (Existing &	lough-Framed
Proposed Project Description: (Please be as specific as possible) Fumily 2m over gava	ge) Provide Small Dorner	over Stairway

• All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

•All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III. •HVAC(Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code. You must Include the following with you application:

> 1) A Copy of Your Deed or Purchase and Sale Agreement 2) A Copy of your Construction Contract, if available

3) A Plot Plan (Sample Attached)

If there is expansion to the structure, a complete plot plan (Site Plan) must include:

The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures. **DEPT, OF BUILDING INSPECTION**

Scale and required zoning district setbacks

4) Building Plans (Sample Attached)

CITY OF PORTLAND, ME

A complete set of construction drawings showing all of the following elements of construction FP 2 2 1999

Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures

Floor Plans & Elevations

Window and door schedules

Foundation plans with required drainage and dampproofing

Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit

codes applicable to this permit.			
Signature of applicant:	M	Date: 9/21/0	79
D 11: D 4E 620.00 C 4/	71 4 0 1 0 0 0 0 0 0 0 0 0 0 0 0 1	000 00 4 4'- '	

Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

O:\INSP\CORRESP\MNUGENT\APADSFD.WPD

Inspection Services Michael J. Nugent Manager

Department of Urban Development Joseph E. Gray, Jr. Director

CITY OF PORTLAND



Building or Use Permit Application Additions/Alterations/Accessory Structures To Detached Single Family Dwelling

As an applicant for a building permit, you are about to enter into a relationship with our Office. We welcome any questions, comments or suggestions that will make the process more efficient. Attached you will find an application and some samples of the submissions you will provide at application time. Please read <u>ALL</u> of the information and if you need any further assistance please call 874-8703 or 874-8693.

