

GENERAL NOTES:

- SEE G1001 FOR PROJECT GENERAL NOTES.

| | | | | | | | |
|----|---|----|---|--|---|----------------|--|
| | | | | <p>COLUMN SHALL BE GYPSUM WRAPPED AND SEALED TIGHT AT SLAB BELOW & AT DECK ABOVE TO ESTABLISH 1-HR FIRE RATING BEFORE CONSTRUCTION OF ALL ABUTTING PARTITIONS</p> <p>DOOR FRAME, RE: SCHEDULE</p> <p>BUTT GLAZING SYSTEM, RE: AE620 SERIES DRAWINGS</p> <p>WOOD PANELING</p> <p>GWB</p> <p>WOOD PANELING</p> <p>GWB</p> | <p>CORNER BEAD</p> <p>5/8" GWB</p> <p>STL. COLUMN, RE: STRUCTURAL</p> <p>BATT INSUL.</p> <p>1 5/8" MTL. STUDS</p> | | |
| K1 | — | K4 | — | K7 | PLAN DETAIL | K10 | PLAN DETAIL |
| * | — | * | — | 1 1/2" = 1'-0" | — | 1 1/2" = 1'-0" | — |
| | | | | <p>COLUMN SHALL BE GYPSUM WRAPPED AND SEALED TIGHT AT SLAB BELOW & AT DECK ABOVE TO ESTABLISH 1-HR FIRE RATING BEFORE CONSTRUCTION OF ALL ABUTTING PARTITIONS</p> <p>BUTT GLAZING SYSTEM, RE: AE620 SERIES DRAWINGS</p> <p>WOOD PANELING</p> <p>WOOD CORNER TRIM W/ 1/2" CHAMFER, TYP.</p> <p>GWB</p> <p>ALUMINUM FRAME, RE: AE620 SERIES DRAWINGS</p> | <p>CORNER BEAD, TYP.</p> <p>3 5/8" MTL. STUDS</p> <p>STL. COLUMN, RE: STRUCTURAL</p> <p>6" BATT INSUL.</p> <p>COLUMN SHALL BE GYPSUM WRAPPED AND SEALED TIGHT SLAB BELOW & AT DECK ABOVE TO ESTABLISH 1-HR FIRE RATING</p> | | |
| G1 | — | G4 | — | G7 | PLAN DETAIL | G10 | PLAN DETAIL |
| * | — | * | — | 1 1/2" = 1'-0" | — | 1 1/2" = 1'-0" | — |
| | | | | <p>COLUMN SHALL BE GYPSUM WRAPPED AND SEALED TIGHT AT SLAB BELOW & AT DECK ABOVE TO ESTABLISH 1-HR FIRE RATING BEFORE CONSTRUCTION OF ALL ABUTTING PARTITIONS</p> <p>WOOD PANELING</p> <p>WOOD CORNER TRIM W/ 1/2" CHAMFER, TYP.</p> <p>GWB</p> <p>ALUMINUM FRAME, RE: AE620 SERIES DRAWINGS</p> | <p>WOOD PANELING</p> <p>GWB</p> <p>WOOD PANELING</p> <p>GWB</p> | | |
| D1 | — | D4 | — | D7 | PLAN DETAIL | D10 | TYP. PILASTER PLAN DETAIL |
| * | — | * | — | 1 1/2" = 1'-0" | — | 1 1/2" = 1'-0" | — |
| | | | | <p>SILL BELOW</p> <p>ALIGN</p> <p>CONT. SEALANT, TYP.</p> | <p>METAL STUDS, RE: PARTITION LEGEND</p> <p>INTERIOR SILL BELOW</p> <p>FACE OF FINISH BELOW SILL</p> <p>ALUMINUM DRYWALL END CLOSURE CENTERED ON MULLION</p> <p>ALUMINUM WINDOW FRAME, RE: AE620 SERIES DRAWINGS FOR ADD'L INFO.</p> <p>EXTERIOR SILL BELOW</p> | | |
| A1 | — | A4 | — | A7 | PLAN DETAIL @ INTERIOR/ EXTERIOR WALL ABUTMENT | A10 | PLAN DETAIL @ PARTITION/ MULLION ABUTMENT |
| * | — | * | — | 1 1/2" = 1'-0" | — | 1 1/2" = 1'-0" | — |

PROJECT TITLE:
**MAINE TURNPIKE AUTHORITY
ADMINISTRATION BUILDING**
PORTLAND, MAINE

CURRENT ISSUE STATUS:
ISSUED FOR BIDDING/CONSTRUCTION
7-9-07

| REV | DESCRIPTION | DATE |
|-----|----------------------|--------|
| 0 | BIDDING/CONSTRUCTION | 7-9-07 |

GRAPHIC SCALE:
0" 1"

SCALE: AS NOTED

PROJECT MANAGER: SLB

JC/DRAWN BY: TCM/TCM

A/E OF RECORD: SLB

CAD FILE: AE513-06016

PROJECT NO: 06016

DATE: 7-9-07

SHEET TITLE:
**PLAN
SECTIONS & DETAILS**

SHEET No.
AE513

© COPYRIGHT 2007 SMT INC.