



- NOTE:**
1. SEE SHEET M-001 FOR LEGEND AND ABBREVIATIONS.
- KEYED NOTE:**
- ① 4" STAND DRAIN FOR FIRE DEPARTMENT EQUIPMENT DRAINS. SEE DETAIL A12/PL501. (RE: FIRE PROTECTION PLANS).
- ② (5) 1-1/2" V-RISE  
(2) 2" V-RISE  
(2) 2" V-UP & RISE  
(2) 2" V-RISE  
4" V-RISE AND 4" S-DN  
2" V-RISE  
4" V-UP & RISE  
2" V-RISE
- ③ 2" V-RISE  
1-1/2" V-RISE  
4" S-DN
- ④ CONDENSATE DRAIN TRAPS SHALL BE LOCATED WITHIN THE BUILDING ENVELOPE.
- ⑤ CONNECT CONDENSATE DRAIN TO HUMIDIFICATION DISPERSION TUBE DRAIN ON ROOF.

SM  
RT

ARCHITECTURE ENGINEERING PLANNING  
SMART  
144 Fore Street/P.O. Box 618  
Portland, Maine 04104  
tel. (207) 772-3846  
fax. (207) 772-1070

PROJECT NORTH

PROJECT TITLE: MAINE TURNPIKE AUTHORITY  
ADMINISTRATION BUILDING  
PORTLAND, MAINE

CURRENT ISSUE STATUS:

| REV | DESCRIPTION          | DATE   |
|-----|----------------------|--------|
| 0   | BIDDING/CONSTRUCTION | 7-9-07 |

GRAPHIC SCALE:  
0" 1"

SCALE: 1/8"=1'-0"

PROJECT MANAGER: SLB  
JC/DRAWN BY: TCM/BGG  
A/E OF RECORD: RMW  
CAD FILE: PL103-06016  
PROJECT NO: 06016  
DATE: 7-9-07

SHEET TITLE:  
THIRD FLOOR  
DWG PIPING PLAN

SHEET No. **PL103**  
© COPYRIGHT 2007 SMART INC.