


- NOTE:**  
 1. SEE SHEET M-001 FOR LEGEND AND ABBREVIATIONS.
- KEYED NOTES:**
- ① 2" CW AND 3/4" HW-DROP. ROUTE FULL SIZE WITHIN CHASE. CONNECT 1/2" CW TO EWC. CONNECT 1/2" CW AND 1/2" HW TO EACH LAV. CONNECT 3/4" CW TO EACH UR. CONNECT 1" CW TO EACH WC. CONNECT 1/2" CW TO TRAP PRIMER VALVE IN VERTICAL. SEE DETAIL F12/PL501.
  - ② 1-1/4" CW AND 1/2" HW-DROP. ROUTE FULL SIZE WITHIN CHASE. CONNECT 1" CW TO WC. CONNECT 1/2" CW AND 1/2" HW TO LAV.
  - ③ ROUTE 1/2" CW UNDER COUNTER FOR COFFEE MAKER CONNECTION.
  - ④ PRESSURE REDUCING VALVE SHALL BE INSTALLED PER MANUFACTURERS WRITTEN INSTRUCTIONS, ACCESSIBLE. PROVIDE SEDIMENT TRAP PRIOR TO VALVE CONNECTION.

**SM RT**  
 ARCHITECTURE ENGINEERING PLANNING  
 SWRT  
 144 Fore Street/P.O. Box 618  
 Portland, Maine 04104  
 tel. (207) 772-3646  
 fax. (207) 772-1070



PROJECT TITLE: MAINE TURNPIKE AUTHORITY ADMINISTRATION BUILDING  
 PORTLAND, MAINE  
 CURRENT ISSUE STATUS: ISSUED FOR BIDDING/CONSTRUCTION  
 7-9-07

REV	DESCRIPTION	DATE
0	BIDDING/CONSTRUCTION	7-9-07

GRAPHIC SCALE: 1" = 1'-0"  
 SCALE: 1/8" = 1'-0"  
 PROJECT MANAGER: SLB  
 JC/DRAWN BY: TCM/BGG  
 A/E OF RECORD: RWW  
 CAD FILE: PL113-06016  
 PROJECT NO: 06016  
 DATE: 7-9-07

A1 THIRD FLOOR PLAN

1/8" = 1'-0"

SHEET TITLE: THIRD FLOOR SUPPLY PIPING PLAN  
 SHEET No. PL113  
 © COPYRIGHT 2007 SMRT