


This document
does not
supercede
stamped
structural
document.



PROJECT TITLE:
MAINE TURNPIKE AUTHORITY
ADMINISTRATION BUILDING
PORTLAND, MAINE

**ISSUED FOR BIDDING / CONSTRUCTION
7-9-07**

REV	DESCRIPTION	DATE
0	BIDDING/CONSTRUCTION	7-9-07

GRAPHIC SCALE:
0" = 1"

SCALE:
PROJECT MANAGER: SLB
JC/DRAWN BY: TKW/TDP
A/E OF RECORD: DAP
CAD FILE: MFA/SS-1/116-06
PROJECT NO.: 06016
DATE: 7-9-07

COLUMN GRID	A-3.1	A-3.3	A-3.7	A-3.9	B-1	B-2	B-3	B-4	B-5	B-6	C-1	C-6	D-1	E-1	D-6	F-2	E-5	E-6	F-3
COLUMN SIZE	HSS 4x4x1/4	HSS 4x4x1/4	HSS 4x4x1/4	HSS 4x4x1/4	HSS 8x8x5/16	HSS 8x8x5/16	HSS 8x8x5/8	HSS 8x8x5/8	HSS 8x8x1/2	HSS 8x8x5/16	HSS 8x8x1/2	HSS 8x8x1/2	HSS 8x8x1/2	HSS 8x8x1/2	HSS 8x8x5/16	HSS 8x8x1/2	HSS 8x8x1/2	HSS 8x8x5/16	HSS 8x8x5/8
ROOF STEEL LEVEL																			
3RD FLOOR STEEL LEVEL																			
2ND FLOOR STEEL LEVEL																			
1ST FLOOR SLAB ON GRADE																			
BOT OF BASE PLATE EL.	EL. 99'-1"	EL. 99'-1"	EL. 99'-1"	EL. 99'-1"	EL. 99'-1"	EL. 99'-1"	EL. 99'-1"	EL. 99'-1"	EL. 99'-1"	EL. 99'-1"	EL. 99'-1"	EL. 99'-1"	EL. 99'-1"	EL. 110'-6"	EL. 110'-6"	EL. 110'-6"	EL. 110'-6"	EL. 110'-6"	EL. 110'-6"
BASE PLATE TYPE (SEE DWG. SS.6)	TYPE 2	TYPE 2	TYPE 2	TYPE 2	TYPE 1	TYPE 1	TYPE 1	TYPE 1	TYPE 1	TYPE 1	TYPE 1	TYPE 1	TYPE 1	TYPE 1	TYPE 1	TYPE 1	TYPE 1	TYPE 1	TYPE 1
ANCHOR BOLT QTY / TYPE (SEE NOTE 2)	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1

COLUMN GRID	F-3.3	F-3.7	F-4	G-3	G-3.3	G-3.7	G-4	C-2	C-3	C-4	C-5	D-2	D-3	D-4	D-5
COLUMN SIZE	HSS 6x6x1/2	HSS 6x6x1/2	HSS 8x8x5/8	HSS 4x4x1/4	HSS 4x4x1/4	HSS 4x4x1/4	HSS 4x4x1/4	HSS 10x10x5/8	W10x88	W10x88	HSS 10x10x5/8	HSS 10x10x5/8	W10x88	W10x88	HSS 10x10x5/8
ROOF STEEL LEVEL															
3RD FLOOR STEEL LEVEL															
2ND FLOOR STEEL LEVEL															
1ST FLOOR SLAB ON GRADE															
BOT OF BASE PLATE EL.	EL. 110'-6"	EL. 110'-6"	EL. 110'-6"	EL. 113'-7"	EL. 113'-7"	EL. 113'-7"	EL. 113'-7"	EL. 98'-2"	EL. 98'-2"	EL. 99'-2"	EL. 98'-2"	EL. 98'-2"	EL. 99'-2"	EL. 99'-2"	EL. 98'-2"
BASE PLATE TYPE (SEE DWG. SS.6)	TYPE 1	TYPE 1	TYPE 1	TYPE 6	TYPE 6	TYPE 6	TYPE 6	TYPE 4	TYPE 5	TYPE 5	TYPE 4	TYPE 4	TYPE 5	TYPE 5	TYPE 4
ANCHOR BOLT QTY / TYPE (SEE NOTE 2)	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 1	4 / 2	4 / 2	4 / 2	4 / 2	4 / 2	4 / 2	4 / 2	4 / 2

NOTES:
1. Column caps required at all columns. Use 3/8" plate at W/dodge columns. See detail A8 / S5.3 for HSS columns.
2. See detail G1 / S3.2 for Type 1 Anchor Bolts. See detail G4 / S3.2 for Type 2 Anchor Bolts.

A1 COLUMN SCHEDULE