



TYPICAL SLAB DETAIL
N.T.S.

EXISTING SUB-GRADE. SEE GEOTECHNICAL REPORT FOR COMPACTION REQUIREMENTS




TYP. SLAB CONSTRUCTION JOINT DETAIL
N.T.S.

(LOCATE AT CONTROL JOINT, USE AT END OF DAYS PLACEMENT)




SLAB CONTROL JOINT DETAIL
N.T.S.

(SAW-CUTS TO BE MADE IMMEDIATELY AFTER FINISHING)




FOUNDATION WALL CONSTRUCTION JOINT DETAIL
N.T.S.

(LOCATE AT CONTROL JOINT, USE AT END OF DAYS PLACEMENT)




TYPICAL RETAINING WALL DETAIL
N.T.S.

(RETAINING WALL REINF. TO BE CONTINUOUS THROUGH COLUMN FOOTINGS)




TYPICAL FOUNDATION WALL DETAIL
N.T.S.

(WWF NOT SHOWN FOR CLARITY)




TYPICAL EARTHWORK DETAIL
N.T.S.



TYPICAL SLAB DETAIL @ O.H.D. OPENING
N.T.S.

(LOCATE AT CONTROL JOINT, USE AT END OF DAYS PLACEMENT)

CONTRACTOR NOTE:
ALL COLUMN PIERS ARE DESIGNED FOR HORIZONTAL THRUST BY COLUMN. AS A RESULT, ELEVATION BOTTOM OF FOOTING LOWER THAN INDICATED IS NOT ACCEPTABLE. CONTACT SRG ENGINEERING SO ALL FOUNDATIONS CAN BE REDESIGNED SHOULD ELEVATION BOTTOM OF FOOTING(S) NEED TO BE LOWER.



TYPICAL WALL PIER
N.T.S.

(WWF NOT SHOWN FOR CLARITY)

PROJECT NO.	07-083
EOR	SRG
DESIGN	SRG
CHKD	SRG
DRAWN	SRG

SRG ENGINEERING, INC.
P.O. BOX 925
GRAY, ME 04039
TEL: (207) 657-7323
FAX: (207) 657-7342
EMAIL: SRG@SRGENGINEERING.COM

DATE	09.10.2007
SCALE	N.T.S.

ISSUED FOR CONSTRUCTION

SECTION **4** ST
N.T.S.

SECTION **3** ST
N.T.S.

SECTION **2** ST
N.T.S.

FOUNDATION DETAILS AND SECTIONS
OF
CAMP BOW WOV
PORTLAND, MAINE
FOR
PATCO CONSTRUCTION
SANFORD, MAINE

SHEET 22 OF 2