ROOF FRAMING PLAN (T.O.S = 12'-6")

SCALE: 1/2"=1'-0"

FLOOR FRAMING PLAN (T.O.S. = 2'-0" U.N.O.)

SCALE: 1/2"=1'-0"

NOTES:

1. SEE DRAWING S-001 FOR STRUCTURAL NOTES.

LEGEND:

D1 — 1.5B20 ROOF DECKING, G90 COATING MIN. USE GALVANIZED #12 TEK SCREWS WITH 36/5 PATTERN AT SUPPORTS. USE (1)#10 TEK SCREWS PER SIDELAP SPAN BETWEEN SUPPORTS

P1 — INDICATES 8 FT SPAN OF 3/4"x4'x8' ADVANTECH PLYWOOD. FASTEN TO METAL JOIST WITH #8 GALVANIZED, WINGED SCREWS AT 12" O.C.

ISSUED FOR BID
NOT FOR CONSTRUCTION
JANUARY 5, 2017

PROJECT NORTH

Scale: 1/2" = 1'-0"

STATE OF MAINE — BRIAN J. BEAULIEU No. 12004 — LICENSED PROFESSIONAL ENGINEER

REV	DESCRIPTION	DWN	APP	DATE
C	RE-ISSUED FOR BID	AKG	BJB	01/05/17
B	RE-ISSUED FOR BID	AKG	BJB	10/28/16
A	ISSUED FOR BID	AKG	BJB	08/19/16

ecomaine
64 BLUEBERRY ROAD, PORTLAND, ME

SCALE HOUSE WITH INSULATED BLOCK CONSTRUCTION

FRAMING PLANS

PLEASE NOTE: THIS DOCUMENT MAY NOT ACCURATELY REPRESENT THE FINAL DOCUMENT. ONLY AN ENGINEER, ARCHITECT OR SURVEYOR SIGNED, SEALED AND DATED PAPER COPY, PROVIDED BY THIS OFFICE, MAY BE UTILIZED FOR BIDDING OR CONSTRUCTION PURPOSES.

Colby Company engineering
47A York Street
Portland, Maine 04101
207.553.7753
colbycoengineering.com

SIZE: ANSI D
DATE: 09/02/2016
DES BY: AKG
DWN BY: AKG
CKD BY: BJB

PROJECT NO. 162.002.002
SHEET 22 OF 40

DRAWING NO. S-103

Reviewed for Code Compliance Inspections Division Approved as Noted Date: 05/17/17

X:\162 EcoMaine\162.002.002 - Scale House with CMU\Drawings\Sheets\S-103.dwg - 1/5/2017 2:29 PM - ZACH JONES