Date: 03/06/18

• SEE GENERAL NOTES

| | | |
|---|---|---|
| PLUMBING CHASE WALL | | 228 |
| UNRATED | N.A. | |

• SEE GENERAL NOTES

| | | |
|---|---|---|
| 3 5/8" STEEL STUDS | | 224 |
| 1 HOUR RATED | U.L. No. U333 | |
| 6" STEEL STUDS | | 226 |
| 1 HOUR RATED | U.L. No. U333 | |

• SEE GENERAL NOTES

| | | |
|---|---|---|
| 3 5/8" STEEL STUDS | | 214 |
| UNRATED | N.A. | |
| 6" STEEL STUDS | | 216 |
| UNRATED | N.A. | |

• SEE GENERAL NOTES

| | | |
|---|---|---|
| 6" STEEL STUDS | | 236 |
| UNRATED | N.A. | |
| 3 5/8" STEEL STUDS | | 230 |
| UNRATED | N.A. | |

## GENERAL NOTES

1. PARTITIONS SHALL BE CARRIED TO THE FLOOR DECKING OF THE FLOOR ABOVE UNLESS NOTED OTHERWISE
2. IN BATH ROOMS, TOILET ROOMS, TRASH ROOMS, RECYCLING ROOMS, JANITOR ROOMS, MAINTENANCE ROOMS W/ GPDW WALLS, PROVIDE 5/8" MR GPDW IN LIEW OF REGULAR GPDW ON ALL PARTITIONS WITHIN THE ROOM
3. ALL GPDW TO BE TYPE-X GPDW
4. ALL MR GPDW TO BE TYPE-X MR GPDW
5. INSTALL A CONTINUOUS BEAD SEALANT BETWEEN ALL TOP AND BOTTOM WALL PLATES AND THE FLOOR & STRUCTURAL DECKING ABOVE.

010 — 2 HR RATED

010 — 1 HR RATED

STUD OR CMU SIZE

| | | |
|---|---|---|
| 2X4 WOOD STUDS | | 010 |
| 1 HR FIRE-RATED | U.L. No. U465 | |

PARTITION OR WALL TAG No.

FIRE-RATING

U.L. DESIGN No., IF APPLICABLE

## PARTITION LEGEND

NO SCALE

A1

ROBERT J. FOSTER ARCHITECT
36 Groveside Road, Portland, Maine 04102
(207) 761-3822

Project Title

# CROSS INSURANCE RENOVATIONS

2367 CONGRESS STREET
PORTLAND, MAINE

| Mark | Date | Description |
|---|---|---|
| | 01-29-18 | CONSTRUCTION DRAWINGS |

Issue Dates

Drawing Title

# CONSTRUCTION SYSTEMS

Drawing Number

# A40.1