

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK
CITY OF PORTLAND

Please Read
 Application And
 Notes, If Any,
 Attached

BUILDING INSPECTION

PERMIT

Permit Number: 06176

PERMIT ISSUED

JAN 17 2007

This is to certify that CBS REALTY LLC /Maine State Buildershas permission to Renovations of 3500 office spaceAT 66 HUTCHINS DR

238A B004001

provided that the person or persons who accept this permit shall comply with all of the provisions of the Statutes of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of buildings and structures, and of the application on file in this department.

Apply to Public Works for street line and grade if nature of work requires such information.

Notification of inspection must be given and when permission is procured before this building or part thereof is occupied or service is closed-in. 4
 YOUR NOTICE IS REQUIRED.

A certificate of occupancy must be procured by owner before this building or part thereof is occupied.

OTHER REQUIRED APPROVALS

Fire Dept. Greg Cass

Health Dept. _____

Appeal Board _____

Other _____

Department Name

Jaime Bonke 1/16/07
 Director - Building & Inspection Services

PENALTY FOR REMOVING THIS CARD

BUILDING PERMIT INSPECTION PROCEDURES

Please call 874-8703 or 874-8693 to schedule your inspections as agreed upon

Permits expire in 6 months, if the project is not started or ceases for 6 months.

The Owner or their designee is required to notify the inspections office for the following inspections and provide adequate notice. Notice must be called in 48-72 hours in advance in order to schedule an inspection:

By initializing at each inspection time, you are agreeing that you understand the inspection procedure and additional fees from a "Stop Work Order" and "Stop Work Order Release" will be incurred if the procedure is not followed as stated below.

A Pre-construction Meeting will take place upon receipt of your building permit.

- Footing/Building Location Inspection: Prior to pouring concrete
- Re-Bar Schedule Inspection: Prior to pouring concrete
- Foundation Inspection: Prior to placing ANY backfill
- Framing/Rough Plumbing/Electrical: Prior to any insulating or drywalling
- Final/Certificate of Occupancy: Prior to any occupancy of the structure or use. NOTE: There is a \$75.00 fee per inspection at this point.

Certificate of Occupancy is not required for certain projects. Your inspector can advise you if your project requires a Certificate of Occupancy. All projects **DO** require a final inspection

If any of the inspections do not occur, the project cannot go on to the next phase, REGARDLESS OF THE NOTICE OR CIRCUMSTANCES.

CERIFICATE OF OCCUPANICES MUST BE ISSUED AND PAID FOR, BEFORE THE SPACE MAY BE OCCUPIED

Bob Davenport 1-12-06
Signature of Applicant/Designee Date
Seleph 1-17-07
Signature of Inspections Official Date

CBL: 238AB 007 Building Permit #: 06-1761

City of Portland, Maine - Building or Use Permit Application

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 06-1751	Issue Date: PERMIT ISSUED JAN 17 2007	CBL: 238A B004001
--------------------	---	-------------------

Location of Construction: 66 HUTCHINS DR	Owner Name: CBS REALTY LLC	Owner Address: 10 ANDOVER RD	Phone:
Business Name:	Contractor Name: Maine State Builders	Contractor Address: 245 Warren Ave Portland	Phone: 2077735504
Lessee/Buyer's Name	Phone:	Permit Type: Alterations - Commercial	Zone: I-M

Past Use: Commercial	Proposed Use: Commercial renovation of 3500sf office space - medical offices	Permit Fee: \$2,010.00	Cost of Work: \$198,425.00	CEO District: 3
Proposed Project Description: Renovations of 3500 office space - medical offices		FIRE DEPT: <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied TO NFPA 101	INSPECTION: Use Group: B Type: 2B IBC-2003	

Signature: <i>Craig Carr</i>	Signature: <i>JMB 01/16/07</i>
PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)	
Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied	
Signature:	Date:

Permit Taken By: dmartin	Date Applied For: 12/06/2006	Zoning Approval
-----------------------------	---------------------------------	------------------------

<ol style="list-style-type: none"> This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules. Building permits do not include plumbing, septic or electrical work. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work.. 	Special Zone or Reviews <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan Maj <input type="checkbox"/> Minor <input type="checkbox"/> MM <input type="checkbox"/> Date: <i>12/6/06</i>	Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied Date:	Historic Preservation <input checked="" type="checkbox"/> Not in District or Landmark <input type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied Date:
	<i>OK w/ conditions</i> Date:		

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE		DATE	PHONE

City of Portland, Maine - Building or Use Permit

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 06-1761	Date Applied For: 12/06/2006	CBL: 238A B004001
-----------------------	---------------------------------	----------------------

Location of Construction: 66 HUTCHINS DR	Owner Name: CBS REALTY LLC	Owner Address: 10 ANDOVER RD	Phone:
Business Name:	Contractor Name: Maine State Builders	Contractor Address: 245 Warren Ave Portland	Phone (207) 773-5504
Lessee/Buyer's Name	Phone:	Permit Type: Alterations - Commercial	

Proposed Use: Commercial renovation of 3500sf medical office space	Proposed Project Description: Renovations of 3500 medical office space
---	---

Dept: Zoning **Status:** Approved with Conditions **Reviewer:** Marge Schmuckal **Approval Date:** 12/06/2006**Note:** **Ok to Issue:**

- 1) Separate permits shall be required for any new signage.
- 2) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.

Dept: Building **Status:** Approved with Conditions **Reviewer:** Jeanine Bourke **Approval Date:** 01/16/2007**Note:** **Ok to Issue:**

- 1) This permit is approved with the design revision keeping both bathrooms available for public access.
- 2) All existing fire separations must remain intact and penetrations must be sealed.
- 3) Separate permits are required for any electrical, plumbing, or HVAC systems. Separate plans may need to be submitted for approval as a part of this process.

Dept: Fire **Status:** Approved with Conditions **Reviewer:** Cptn Greg Cass **Approval Date:** 12/10/2006**Note:** **Ok to Issue:**


- 1) All construction shall comply with NFPA 101

Comments:

1/11/2007-jmb: Left voice msg. W/Anne C. For info on pre-existing layout and fixture count calculation

1/16/2007-jmb: Anne C. Called to refer to page A1.2 for the existing large room layout. She will fax a change for both bathrooms to be available for public use, essentially removing the storage closet to create a hall, page LSP1.

1/16/2007-jmb: Received revisions, ok to issue






WHIPPLE-CALLENDER ARCHITECTS

FAX TRANSMITTAL**DATE:** January 16, 2007**ATTENTION:** Jeanine Bourke**COMPANY:** City of Portland Inspection Services**FAX NUMBER:** 1.207.874.8716**SENT BY:** Anne Callender ext 105**NUMBER OF PAGES INCLUDING COVER SHEET:** 2**RE:** Bariatric Surgery Center, 66 Hutchens Drive

Hi Jeanine –

Here is a SK drawing of the revised layout to 66 Hutchens Drive to allow for access to both restrooms from the waiting area. If this isn't what you expected, please give me a call. Thanks for your help.

Best Regards,
Anne Callender



66 HUTCHENS DRIVE PORTLAND


JOB: BARIATRIC

DATE: 1/16/07

SK: 1

SCALE: 1/4" = 1'-0"

DESCRIPTION: CHANGES FOR PERMIT





General Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 10 ANDOVER ROAD		
Total Square Footage of Proposed Structure 9960 EXISTING		Square Footage of Lot 1.8 ACRES
Tax Assessor's Chart, Block & Lot Chart# Block# Lot# 238A B 4	Owner: CBS REALTY LLC	Telephone: 761-6642
Lessee/Buyer's Name (If Applicable) N/A	Applicant name, address & telephone:	Cost Of Work: \$ 198,425.⁰⁰ Fee: \$ 2000 C of O Fee: \$ _____
Current Specific use: MEDICAL OFFICE If vacant, what was the previous use? _____ Proposed Specific use: MEDICAL OFFICE		
Project description: RENOVATION OF 3,500 SF OFFICE SPACE FOR SECOND TENANT NO STRUCTURAL CHANGES TO BE MADE. EXISTING MECHANICAL SYSTEM TO BE RE-USED. BUILDING IS SPRINKLED.		
Contractor's name, address & telephone: MAINE STATE BUILDERS		
Who should we contact when the permit is ready: BILL SKOOLICAS OR BOB DAVENPORT Mailing address: _____ Phone: 773-5504 245 WARREN AVE PORTLAND ME 04103		


Please submit all of the information outlined in the Commercial Application Checklist. Failure to do so will result in the automatic denial of your permit.

In order to be sure the City fully understands the full scope of the project, the Planning and Development Department may request additional information prior to the issuance of a permit. For further information visit us on-line at www.portlandmaine.gov, stop by the Building Inspections office, room 315 City Hall or call 874-8703.

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: <i>Anne Callender</i>	Date: 12-4-06
ANNE CALLENDER OF WHIPPLE-CALLENDER ARCHITECTS	

This is not a permit. NO WORK SHALL BE DONE UNTIL THE PERMIT IS ISSUED.



*# 4994
1357*



CITY OF PORTLAND
BUILDING CODE CERTIFICATE
389 Congress St., Room 315
Portland, Maine 04101

TO: Inspector of Buildings City of Portland, Maine
Department of Planning & Urban Development
Division of Housing & Community Service

FROM: WHIPPLE CALLENDER ARCHITECTS

RE: Certificate of Design


DATE: 12.4.06

These plans and / or specifications covering construction work on:

TENANT FIT UP OF 3500 SF AT 10 ANDOVER ROAD

Have been designed and drawn up by the undersigned, a Maine registered Architect / Engineer according to the 2003 International Building Code and local amendments.

(SEAL)



Signature: Anne Cal d

Title: Registered Architect

Firm: Whipple Callender Architects

Address: 19 Commercial St
Portland ME 04101

As per Maine State Law

\$50,000.00 or more in new construction, repair expansion, addition, or modification for Building or Structures, shall be prepared by a registered design Professional.



CITY OF PORTLAND
BUILDING CODE CERTIFICATE
389 Congress St., Room 315
Portland, Maine 04101

ACCESSIBILITY CERTIFICATE

Designer: ANNE CALLENDER for WHIPPLE-CALLENDER ARCHITECTS

Address of Project: 10 ANDOVER ROAD

Nature of Project: RENOVATION OF TENANT SPACE
TENANT FIT-UP FOR MEDICAL
OFFICE

The technical submissions covering the proposed construction work as described above have been designed in compliance with applicable referenced standards found in the Maine Human Rights Law and Federal Americans with Disability Act.

Signature: Anne Calender


Title: Registered Architect

Firm: Whipple-Callender Architects

Address: 19 Commercial St.

Portland ME 04101

Phone: 207 ~~707~~ 775-2696 X105



NOTE: If this project is a new Multi Family Structure of 4 units or more, this project must also be designed in compliance with the Federal Fair Housing Act. On a separate submission, please explain in narrative form the method of compliance.

FROM DESIGNER: Anne Callender of Whipple Callender Architects
 DATE: 12.4.06
 Job Name: Bariatric Surgery Center
 Address of Construction: 10 Andover Road

2003 International Building Code

Construction project was designed according to the building code criteria listed below:

Building Code and Year original BOCA 1986 Use Group Classification(s) BUSINESS
 Type of Construction II B

Will the Structure have a Fire suppression system in Accordance with Section 903.3.1 of the 2003 IRC YES

Is the Structure mixed use? NO if yes, separated or non separated (see Section 302.3)

Supervisory alarm system? YES Geotechnical/Soils report required? (See Section 1802.2) ND

EXISTING STRUCTURAL - NO STRUCTURAL CHANGES


_____	Submitted for all structural members (108.1, 108.1.1)	_____	Live load reduction (1603.1.1, 1607.9, 1607.10)
_____	DESIGN LOADS ON CONSTRUCTION DOCUMENTS (1603)	_____	Roof live loads (1603.1.2, 1607.11)
_____	Uniformly distributed floor live loads (7603.11, 1607)	_____	Roof snow loads (7603.7.3, 1608)
_____	Floor Area Use	_____	Ground snow load, P_g (1608.2)
_____	Loads Shown	_____	If $P_g > 10$ psf, flat-roof snow load, P_f (1608.3)
_____		_____	If $P_g > 10$ psf, snow exposure factor, C_e (Table 1608.3.1)
_____		_____	If $P_g > 10$ psf, snow load importance factor, I_s (Table 1604.5)
_____		_____	Roof thermal factor, C_t (Table 1608.3.2)
_____		_____	Sloped roof snowload, P_s (1608.4)
_____	Wind loads (1603.1.4, 1609)	_____	Seismic design category (1616.3)
_____	Design option utilized (1609.1.1, 1609.6)	_____	Basic seismic-force-resisting system (Table 1617.8.2)
_____	Basic wind speed (1609.3)	_____	Response modification coefficient, R , and deflection amplification factor, C_d (Table 1617.8.2)
_____	Building category and wind importance factor, I_w (Table 1604.5, 1609.5)	_____	Analysis procedure (1616.6, 1617.5)
_____	Wind exposure category (1609.4)	_____	Design base shear (1617.4, 1617.5.1)
_____	Internal pressure coefficient (ASCE 7)	_____	Flood loads (1603.1.6, 1612)
_____	Component and cladding pressures (1609.1.1, 1609.6.2.2)	_____	Flood hazard area (1612.3)
_____	Main force wind pressures (7603.1.1, 1609.6.2.1)	_____	Elevation of structure
_____	Earthquakes design data (1603.1.5, 1614 - 1623)	_____	Other loads
_____	Design option utilized (1614.1)	_____	Concentrated loads (1607.4)
_____	Seismic use group ("Category") (Table 1604.5, 1616.2)	_____	Partition loads (1607.5)
_____	Spectral response coefficients, S_Ds & S_D1 (1615.1)	_____	Impact loads (1607.8)
_____	Site class (1615.1.5)	_____	Misc. loads (Table 1607.6, 1607.6.1, 1607.7, 1607.12, 1607.13, 1610, 1611, 2404)

SCHEMATIC FIRE ALARM FIXTURE SCHEDULE

CODE CL


- ⊗ → LIGHTED EMERGENCY EXIT SIGN w/ARROWS
- ⌞ EMERGENCY LIGHTS w/BATTERY - PER CODE, WIRED TO BLDG. SYSTEM
- ☒ FIRE EXTINGUISHER
- △ FIRE ALARM STROBE INDICATOR - PER CODE, WIRED TO BLDG. SYSTEM
- △₁₅ AUDIBLE HORN - PER CODE, WIRED TO BLDG. SYSTEM
- △ PULL STATION

NFPA TYPE
IBC TYPE IIB




1 LIFE SAFETY PLAN
LSP1 Scale: 1/4" = 1'-0"

GENERAL LEGEND




GENERAL NOTES:

1. VERIFY ALL DIMENSIONS IN THE FIELD. REPORT ALL DISCREPANCIES TO ARCHITECT PRIOR TO COMMENCEMENT WITH WORK.
2. NOTED DIMENSIONS TAKE PRECEDENT OVER SCALED DIMENSIONS. LARGE DETAILS TAKE PRECEDENT OVER SMALL SCALED DETAILS.
3. ALL DIMENSIONS ARE ROUGH OPENINGS UNLESS NOTED OTHERWISE. DIMENSIONS TO EXISTING WALL CONSTRUCTION ARE TO FINISH SURFACE.
4. PROVIDE SOLID BLOCKING FOR ALL CABINETS AND ACCESSORIES. REVIEW INTERIOR ELEVATIONS AND DETAILS FOR LOCATIONS.



EXISTING ENTR
DOORS TO RE
FOR USE OF
CLASSROOM




ROOM FINISH LEGEND


FLOORING MATERIAL FIRST NO. OF 4	BASEBOARD MATERIAL SECOND NO. OF 4	WALL FINISH THIRD NO. OF 4
0 EXISTING	0 NONE	0 NONE
1 CARPET	1 4" VINYL COVE	1 PAINT
2 VCT - 2 COLOR	2 WOOD	2 WALLPAPER
3 WALK-OFF MAT	3 TILE	3 WALLPAPER BELOW CHAIR RAIL, PAINT ABOVE

CARPET: 26 OZ. SOLUTION DYED LOOP, MANNINGTON CARTHAGE 4 OR SIMILAR
VCT: MANNINGTON DESIGNER ESSENTIALS, CHECKERBOARD PATTERN
WALK-OFF MAT: MATS INC, BERBER, GREY
PAINT: 1 COAT PRIMER, 2 COATS EGGSHELL FINISH


1 ENTR
A1.1 Scale: 1/4"




2 FIRST FLOOR PLAN
A1.1 Scale: 1/4" = 1'-0"



1 SOUTH ELEVATION
A2.1 Scale: 1/4" = 1'-0"




2 WEST ELEVATION
A2.1 Scale: 1/4" = 1'-0"




1 MTL. DOOR HEAD @ TYP. PARTITION
A3.1 Scale: 3" = 1'-0"

DOOR SCHEDULE					
ID	FROM ROOM	TO ROOM	W x H SIZE	PANEL THICKNESS	ORIENTAT
100	ENTRY	OUTSIDE	3'-6"x7'	1 3/4"	L
101	WAITING	ENTRY	3'-6"x7'	1 3/4"	L
101A	WAITING	CLASSROOM	3'-6"x7'	1 3/4"	R
102	WAITING	EXT G LAV. 1			
103	MAIN HALLWAY	WAITING	3'-6"x7'	1 3/4"	R
104	MAIN HALLWAY	BUSINESS OFFICE	3x7'	1 3/4"	L
104A	STORAGE	BUSINESS OFFICE	2'-6"x7'	1 3/4"	L
105	BUSINESS OFFICE	EXT G LAV. 2			
106	CHARTS	HALL TO CBS	3x7'	1 3/4"	L
107	MAIN HALLWAY	PATIENT CONF.	3'-6"x7'	1 3/4"	L
108	MAIN HALLWAY	EXAM 1	3'-6"x7'	1 3/4"	R
109	MAIN HALLWAY	EXAM 2	3'-6"x7'	1 3/4"	R
110	MAIN HALLWAY	EXAM 3	3'-6"x7'	1 3/4"	R
111	MAIN HALLWAY	EXAM 4	3'-6"x7'	1 3/4"	R
112	CBS	HALL TO CBS	3x7'	1 3/4"	R
114	STOR.	DICTATION	3x7'	1 3/4"	R
115	MAIN HALLWAY	EXAM 5	3'-6"x7'	1 3/4"	R
116	MAIN HALLWAY	OFFICE	3x7'	1 3/4"	R
117	MAIN HALLWAY	OFFICE	3x7'	1 3/4"	L
118	MAIN HALLWAY	OFFICE	3x7'	1 3/4"	R
119	MAIN HALLWAY	OFFICE	3x7'	1 3/4"	R
120	MAIN HALLWAY	LUNCH/CONF.	3x7'	1 3/4"	R
121	STOR.	MAIN HALLWAY	3x7'	1 3/4"	L
122	PHONE/DATA	MAIN HALLWAY	3x7'	1 3/4"	L
123	MAIN HALLWAY	OUTSIDE			


SOLID CORE BIRCH, CLEAR FINISH
ALUMINUM ENTRY SYSTEM TO MATCH EXISTING DOOR & COLOR




2 TENANT ENTRY HEAD
A3.1 Scale: 3" = 1'-0"




3 MTL. DOOR JAMB @ TYP. PARTITION
A3.1 Scale: 3" = 1'-0"




5 TENANT ENTRY JAMB
A3.1 Scale: 3" = 1'-0"




1 SINK BASE
A3.2 Scale: 1" = 1'-0"




2 BASE W/ DRAWER
A3.2 Scale: 1" = 1'-0"




3 DESK AT 30"
A3.2 Scale: 1" = 1'-0"




4 UPPER CAB
A3.2 Scale: 1" = 1'-0"




6 GYPSUM BOARD SOFFIT
A3.2 Scale: 1 1/2" = 1'-0"




7 GYPSUM BOARD SOFFIT @ ROOM DIVIDER
A3.2 Scale: 1 1/2" = 1'-0"



8 CHAIR RAIL
A3.2 Scale: 1 1/2" = 1'-0"




1 TYPICAL INTERIOR WALL




10 RECEPTION
A3.2 Scale: 1 1/2" = 1'-0"


9 WALL TYPES
A3.2 Scale: 3" = 1'-0"







1 WAITING - ROOM 101
A4.1 Scale: 1/2" = 1'-0"




2 CHECK IN - ROOM 101
A4.1 Scale: 1/2" = 1'-0"




3 LAVATORY 1 - ROOM 102, ROOM 105 SIMILAR
A4.1 Scale: 1/2" = 1'-0"





4 MAIN HALLWAY - ROOM 103
A4.1 Scale: 1/2" = 1'-0"






4 BUSINESS OFFICE
A4.1 Scale: 1/2" = 1'-0"






5 BUSINESS OFFICE - ROOM 104 (CONT.)
A4.1 Scale: 1/2" = 1'-0"










1 EXAM - ROOM 109; ROOM 108, 111, & 115 SIMILAR
A4.2 Scale: 1/2" = 1'-0"



2 EXAM - ROOM 110
A4.2 Scale: 1/2" = 1'-0"



3 DICTATION - ROOM 113
A4.2 Scale: 1/2" = 1'-0"



4 LUNCH - ROOM 120
A4.2 Scale: 1/2" = 1'-0"


ELECTRICAL SYMBOLS

- ⊕ DUPLEX OUTLET 18" A.F.F. UNLESS NOTED OTHERWISE
"C" INDICATES COUNTER HEIGHT
PROVIDE GFI @ SINK OUTLET
- ⊕ DOUBLE DUPLEX OUTLET 18" A.F.F. UNLESS NOTED OTHERWISE
"C" INDICATES COUNTER HEIGHT
- ⊕ SINGLE POWER OUTLET
- ▷ PHONE OUTLET 18" A.F.F.
- ▷ WALL PHONE JACK (HEIGHT AS NOTED)
- ▷ DATA OUTLET 18" A.F.F. UNLESS NOTED OTHERWISE
"C" INDICATES COUNTER HEIGHT
"TV" INDICATES CATV OUTLET
- ▷ COMBINATION PHONE AND DATA OUTLET 18" A.F.F. UNLESS NOTED OTHERWISE
"C" INDICATES COUNTER HEIGHT
- ⊕(M) WALL MOUNTED LIGHT FIXTURE

VOICE & DATA LINES TO BE CAT 5E

SCHEMATIC FIRE ALARM FIXTURE SC

- ⊗ LIGHTED EMERGENCY EXIT SIGN W
- ⊕ FIRE ALARM STROBE INDICATOR -
CODE, WIRED TO BLDG. SYSTEM
- ⊕ EMERGENCY LIGHTS W/BATTERY -
CODE, WIRED TO BLDG. SYSTEM
- ⊕ AUDIBLE HORN - PER
CODE, WIRED TO BLDG. SYSTEM
- ⊕ FULL STATION



1 FIRST FLOOR ELECTRICAL PLAN
E1.1 Scale: 1/4" = 1'-0"