CODE COMPLIANCE PLAN - LEVEL 1 (A1)
3/32" = 1'-0"

LIFE SAFETY LEGEND

- H2 — 2 HOUR RATED HORIZONTAL EXIT & SMOKE BARRIER
- O2 — 2 HOUR RATED OCCUPANCY SEPARATION & SMOKE BARRIER
- F2 — 2 HOUR RATED FIRE BARRIER
- F1 — 1 HOUR RATED FIRE BARRIER
- S2 — 2 HOUR RATED SMOKE BARRIER
- S1 — 1 HOUR RATED SMOKE BARRIER
- S0 — SMOKE PARTITION
- EXIT DISCHARGE
- S — SMOKE CONTAINMENT BARRIER
- STANDPIPE OR HOSE VALVE CABINET
- FIRE DEPT. CONNECTION
- 177' — TRAVEL DISTANCE
- FEC — FIRE EXTINGUISHER CABINET
- FE — FIRE EXTINGUISHER WALL HUNG
- EXIT — EGRESS DOOR
- ACCESSIBLE ENTRY/EGRESS
- F — FIRE ALARM VISIBLE ONLY NOTIFICATION INDICATOR
- F — FIRE ALARM AUDIBLE/VISIBLE NOTIFICATION INDICATOR
- EXIT SIGN
- TRAVEL PATH INDICATED BY PAINT STRIPING ON FLOOR
- 1-HOUR CEILING ABOVE

REV	DESCRIPTION	DATE
1	SUPPLEMENTAL INSTRUCTION 002	2-6-18
0	ISSUED FOR CONSTRUCTION	12-21-17

SUPPLEMENTAL INSTRUCTION 002
2-6-18

CURRENT ISSUE STATUS:

LICENSED ARCHITECT REBECCA S. CASEY No. 2915 STATE OF MAINE 12/21/17

PROJECT NORTH:

SMRT Architects and Engineers
144 Fore Street/P.O. Box 618
Portland, Maine 04104
ARCHITECTURE | ENGINEERING | PLANNING | INTERIORS | ENERGY

MAINE MEDICAL CENTER
M.M.C. HUTCHINS DRIVE RENOVATION
PROJECT LOCATION

CODE COMPLIANCE PLAN - LEVEL 1
SHEET TITLE:

SCALE: AS NOTED

PROJECT MANAGER:	RSC	PROJECT NO:	17123
A/E OF RECORD:	RSC		
JOB CAPTAIN:	SDL	A-101	
DRAWN BY:	SDL/JMM		
SMRT FILE:	A-101-17123	SHEET No.	

©COPYRIGHT 2017 SMRT INC