

DOOR AND FRAME SCHEDULE - 1000 FACILITIES

DOOR						FRAME					HARDWARE SET	FIRE RATING	DOOR #	REMARKS	
DOOR #	WIDTH	HEIGHT	THICK	MAT'L	ELEV	GLAZ	MAT'L	ELEV	HEAD	JAMB					SILL
1002A	3'-0"	7'-0"	0'-1 3/4"											1002A	EXISTING
1002B	3'-0"	7'-0"	0'-1 3/4"											1002B	EXISTING, CR
1003A	3'-10"	8'-2"	0'-1 3/4"											1003A	EXISTING, CR
1003B	3'-0"	7'-0"	0'-1 3/4"											1003B	EXISTING
1004A	3'-0"	7'-0"	0'-1 3/4"											1004A	EXISTING
1004B	3'-0"	7'-0"	0'-1 3/4"											1004B	EXISTING
1006	3'-0"	7'-0"	0'-1 3/4"											1006	EXISTING, CONFIRM/PROVIDE CLOSER & POSITIVE LATCH
1007	3'-0"	7'-0"	0'-1 3/4"	HM	F		HM	F1	N16/AE602	L16/AE602				1007	EXISTING, CONFIRM/PROVIDE CLOSER & POSITIVE LATCH
1014	6'-0"	7'-0"	0'-1 3/4"	HM	N	FIRE	HM	F1	N16/AE602	L16/AE602				1014	AO, CLOSER & POSITIVE LATCH
1020	3'-0"	7'-0"	0'-1 3/4"	HM	N	FIRE	HM	F1	N16/AE602	L16/AE602				1020	CR, CLOSER & POSITIVE LATCH
1021	3'-0"	7'-0"	0'-1 3/4"	HM	F		HM	F1	N16/AE602	L16/AE602				1021	CLOSER & POSITIVE LATCH
1022	3'-0"	7'-0"	0'-1 3/4"	HM	F		HM	F1	N16/AE602	L16/AE602				1022	CR, CLOSER & POSITIVE LATCH
1023	3'-0"	7'-0"	0'-1 3/4"	HM	F		HM	F1	N16/AE602	L16/AE602				1023	EXISTING, CONFIRM/PROVIDE CLOSER & POSITIVE LATCH
1025	6'-0"	7'-0"	0'-1 3/4"											1025	EXISTING, CONFIRM/PROVIDE CLOSER & POSITIVE LATCH
1031	3'-0"	7'-0"	0'-1 3/4"											1031	EXISTING, CONFIRM/PROVIDE CLOSER & POSITIVE LATCH
1032	3'-0"	7'-0"	0'-1 3/4"											1032	EXISTING, CONFIRM/PROVIDE CLOSER & POSITIVE LATCH

DOOR AND FRAME SCHEDULE - 1100 SHARED SPACES

DOOR						FRAME					HARDWARE SET	FIRE RATING	DOOR #	REMARKS	
DOOR #	WIDTH	HEIGHT	THICK	MAT'L	ELEV	GLAZ	MAT'L	ELEV	HEAD	JAMB					SILL
1102	3'-6"	7'-0"	0'-1 3/4"											1102	EXISTING
1103	6'-0"	7'-0"	0'-1 3/4"											1103	EXISTING
1106	3'-0"	7'-0"	0'-1 3/4"											1106	EXISTING
1107	3'-0"	7'-0"	0'-1 3/4"											1107	EXISTING
1108A	3'-0"	7'-0"	0'-1 3/4"											1108A	EXISTING, CR
1109	3'-0"	7'-0"	0'-1 3/4"											1109	EXISTING - REINSTALL @ NEW HEIGHT
1111	3'-0"	7'-0"	0'-1 3/4"											1111	EXISTING
1111A	3'-0"	7'-0"	0'-1 3/4"											1111A	EXISTING
1112	3'-0"	7'-0"	0'-1 3/4"											1112	EXISTING
1112A	3'-0"	7'-0"	0'-1 3/4"											1112A	EXISTING
1113	3'-0"	7'-0"	0'-1 3/4"											1113	EXISTING, CONFIRM/PROVIDE CLOSER & POSITIVE LATCH
1114A	4'-0"	7'-0"	0'-1 3/4"	WD	N	FIRE	HM	F1	N16/AE602	L16/AE602				1114A	EXISTING, CONFIRM/PROVIDE CLOSER & POSITIVE LATCH
1114B	4'-0"	7'-0"	0'-1 3/4"	HM	N	FIRE	HM	F1	N16/AE602	L16/AE602				1114B	EXISTING, CONFIRM/PROVIDE CLOSER & POSITIVE LATCH
1115	6'-0"	7'-0"	0'-1 3/4"											1115	EXISTING, CONFIRM/PROVIDE CLOSER & POSITIVE LATCH
1116	3'-0"	7'-0"	0'-1 3/4"	HM	F		HM	F1	N16/AE602	L16/AE602				1116	EXISTING

DOOR AND FRAME SCHEDULE - 1200 N.I.S. - 2

DOOR						FRAME					HARDWARE SET	FIRE RATING	DOOR #	REMARKS	
DOOR #	WIDTH	HEIGHT	THICK	MAT'L	ELEV	GLAZ	MAT'L	ELEV	HEAD	JAMB					SILL
1201A	3'-0"	7'-0"	0'-1 3/4"											1201A	EXISTING
1201B	3'-0"	7'-0"	0'-1 3/4"	HM	N	FIRE	HM	F1	N16/AE602	L16/AE602				1201B	EXISTING

DOOR AND FRAME SCHEDULE - 1300 N.I.S. - 4

DOOR						FRAME					HARDWARE SET	FIRE RATING	DOOR #	REMARKS	
DOOR #	WIDTH	HEIGHT	THICK	MAT'L	ELEV	GLAZ	MAT'L	ELEV	HEAD	JAMB					SILL
1301	6'-0"	7'-0"	0'-1 3/4"	HM	F		HM	F3	N16/AE602	L16/AE602				1301	EXISTING

DOOR AND FRAME SCHEDULE - 1400 N.I.S. - 1

DOOR						FRAME					HARDWARE SET	FIRE RATING	DOOR #	REMARKS	
DOOR #	WIDTH	HEIGHT	THICK	MAT'L	ELEV	GLAZ	MAT'L	ELEV	HEAD	JAMB					SILL
1401	6'-0"	7'-0"	0'-1 3/4"	HM	N	FIRE	HM	F1	N16/AE602	L16/AE602				1401	CLOSER & POSITIVE LATCH

DOOR AND FRAME SCHEDULE - 1500 PRINT SHOP

DOOR						FRAME					HARDWARE SET	FIRE RATING	DOOR #	REMARKS	
DOOR #	WIDTH	HEIGHT	THICK	MAT'L	ELEV	GLAZ	MAT'L	ELEV	HEAD	JAMB					SILL
1501A	3'-0"	7'-0"	0'-1 3/4"	HM	HG	TEMP	HM	F1	N16/AE602	L16/AE602				1501A	CLOSER & POSITIVE LATCH
1501B	6'-0"	7'-0"	0'-1 3/4"	HM	N	FIRE	HM	F1	N16/AE602	L16/AE602				1501B	AO, CLOSER & POSITIVE LATCH
1502	6'-0"	7'-0"	0'-1 3/4"											1502	EXISTING
1504	3'-0"	7'-0"	0'-1 3/4"	HM	HG	TEMP	HM	F1	N16/AE602	L16/AE602				1504	EXISTING
1505	3'-0"	7'-0"	0'-1 3/4"	HM	HG	TEMP	HM	F1	N16/AE602	L16/AE602				1505	EXISTING
1506	3'-0"	7'-0"	0'-1 3/4"	WD	F		HM	F1	N16/AE602	L16/AE602				1506	EXISTING

DOOR AND FRAME SCHEDULE - 1600 WAREHOUSE

DOOR						FRAME					HARDWARE SET	FIRE RATING	DOOR #	REMARKS	
DOOR #	WIDTH	HEIGHT	THICK	MAT'L	ELEV	GLAZ	MAT'L	ELEV	HEAD	JAMB					SILL
1601A	3'-0"	7'-0"	0'-1 3/4"											1601A	EXISTING
1601B	3'-0"	7'-0"	0'-1 3/4"											1601B	EXISTING
1601C	8'-0"	8'-0"	0'-2"											1601C	EXISTING
1601D	8'-0"	8'-0"	0'-2"											1601D	EXISTING
1601E	8'-0"	8'-0"	0'-2"											1601E	EXISTING
1601F	8'-0"	8'-0"	0'-2"											1601F	EXISTING
1602B	14'-0"	14'-0"	0'-3"											1602B	EXISTING
1603A	8'-0"	8'-0"	0'-2"											1603A	EXISTING
1603B	8'-0"	8'-0"	0'-2"											1603B	EXISTING
1603C	8'-0"	8'-0"	0'-2"											1603C	EXISTING
1603D	8'-0"	8'-0"	0'-2"											1603D	EXISTING
1603E	8'-0"	8'-0"	0'-2"											1603E	EXISTING
1603F	8'-0"	8'-0"	0'-2"											1603F	EXISTING
1603G	3'-0"	7'-0"	0'-1 3/4"			TEMP	HM	F1	N16/AE602	L16/AE602				1603G	CLOSER & POSITIVE LATCH
1604A	3'-0"	7'-0"	0'-1 3/4"											1604A	EXISTING, CONFIRM/PROVIDE CLOSER & POSITIVE LATCH
1604B	6'-0"	7'-0"	0'-1 3/4"	HM	N	TEMP	HM	F1	N16/AE602	L16/AE602				1604B	CLOSER & POSITIVE LATCH
1604C	3'-8"	7'-0"	0'-1 3/4"	HM	F		HM	F1	N16/AE602	L16/AE602				1604C	CLOSER & POSITIVE LATCH
1605	3'-0"	7'-0"	0'-1 3/4"											1605	EXISTING

DOOR AND FRAME SCHEDULE - N.I.S.

DOOR						FRAME					HARDWARE SET	FIRE RATING	DOOR #	REMARKS	
DOOR #	WIDTH	HEIGHT	THICK	MAT'L	ELEV	GLAZ	MAT'L	ELEV	HEAD	JAMB					SILL
1700A	6'-0"	7'-0"	0'-1 3/4"											1700A	EXISTING, CONFIRM/PROVIDE CLOSER & POSITIVE LATCH
1700B	3'-0"	7'-0"	0'-1 3/4"											1700B	EXISTING
1803	4'-0"	7'-0"	0'-1 3/4"											1803	EXISTING, CONFIRM/PROVIDE CLOSER & POSITIVE LATCH

DOOR AND FRAME SCHEDULE - 2000 FACILITIES

DOOR						FRAME					HARDWARE SET	FIRE RATING	DOOR #	REMARKS	
DOOR #	WIDTH	HEIGHT	THICK	MAT'L	ELEV	GLAZ	MAT'L	ELEV	HEAD	JAMB					SILL
2002	3'-0"	7'-0"	0'-1 3/4"											2002	EXISTING
2003	3'-0"	7'-0"	0'-1 3/4"											2003	EXISTING, CR
2004	3'-0"	7'-0"	0'-1 3/4"											2004	EXISTING, CR
2007	3'-0"	7'-0"	0'-1 3/4"											2007	EXISTING
2008	3'-0"	7'-0"	0'-1 3/4"	HM	F		HM	F1	N16/AE602	L16/AE602				2008	EXISTING
2010	3'-0"	7'-0"	0'-1 3/4"											2010	EXISTING, CONFIRM/PROVIDE CLOSER & POSITIVE LATCH
2011	3'-0"	7'-0"	0'-1 3/4"											2011	EXISTING, CONFIRM/PROVIDE CLOSER & POSITIVE LATCH
2022	3'-0"	7'-0"	0'-1 3/4"	HM	F		HM	F1	N16/AE602	L16/AE602				2022	EXISTING

DOOR AND FRAME SCHEDULE - 2100 SHARED SPACES

DOOR						FRAME					HARDWARE SET	FIRE RATING	DOOR #	REMARKS	
DOOR #	WIDTH	HEIGHT	THICK	MAT'L	ELEV	GLAZ	MAT'L	ELEV	HEAD	JAMB					SILL
2101	6'-0"	7'-0"	0'-1 3/4"											2101	EXISTING, CR

DOOR AND FRAME SCHEDULE - 2200 ADMINISTRATION

DOOR						FRAME					HARDWARE SET	FIRE RATING	DOOR #	REMARKS	
DOOR #	WIDTH	HEIGHT	THICK	MAT'L	ELEV	GLAZ	MAT'L	ELEV	HEAD	JAMB					SILL
2202	3'-0"	7'-0"	0'-1 3/4"											2202	EXISTING
2215A	3'-0"	7'-0"	0'-1 3/4"											2215A	REUSE EXISTING SALVAGED DOOR AND FRAME
2215B	3'-0"	7'-0"	0'-1 3/4"											2215B	REUSE EXISTING SALVAGED DOOR AND FRAME
2215C	5'-0"	7'-													