Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 02/09/18

	1/2" HW DROP, ROUTE 1/2" HW TO EACH LAV.
2	2" CW-DROP, RUN FULL LENGTH OF CHASE. ROUTE 1" CW TO WC-A. PROVIDE WATER HAMMER ARRESTOR PRIOR TO CONNECTION WITH SHUT-OFF VALVE - ACCESSIBLE. ROUTE 1/2" CW TO LAV-A. ROUTE 1/2" CW TO SK-A AND 1/2" CW TO REF. ROUTE 1/2" HW TO LAV-A. ROUTE 1/2" HW TO SK-A.
3	2" V-RISE, 4" S-DN

PLUMBING ROOF PART PLAN (A12)
1/8" = 1'-0"

SECOND FLOOR DWV PIPING PART PLAN (F7)
1/4" = 1'-0"

SECOND FLOOR SUPPLY PIPING PART PLAN (F1)
1/4" = 1'-0"

FIRST FLOOR DWV PIPING PART PLAN (A7)
1/4" = 1'-0"

FIRST FLOOR SUPPLY PIPING PART PLAN (A1)
1/4" = 1'-0"

REV.	DESCRIPTION	DATE
1	ADDENDUM 1	1-9-18
0	ISSUED FOR CONSTRUCTION	12-21-17

ISSUED FOR CONSTRUCTION
12-21-17

CURRENT ISSUE STATUS:

PROJECT NORTH:

STATE OF MAINE
KERRY D. DINEEN
13304
LICENSED
PROFESSIONAL ENGINEER
1-18-18

SMRT Architects and Engineers
144 Fore Street
Portland, Maine 04104
1.877.700.7678
www.smrtinc.com
ARCHITECTURE | ENGINEERING | PLANNING | INTERIORS | ENERGY
SMRT

MAINE MEDICAL CENTER
M.M.C. HUTCHINS DRIVE
RENOVATION
102 HUTCHINS DRIVE PORTLAND, ME

PLUMBING PART PLANS

SHEET TITLE:

0 1/4" 1/2" 1" 2" 3"

SCALE: AS NOTED

PROJECT MANAGER:	RSC	PROJECT NO:	17123
A/E OF RECORD:	KDD		
JOB CAPTAIN:	SDL		
DRAWN BY:	CWF		
SMRT FILE:	PL401-17123	SHEET No.	

PL401

© COPYRIGHT 2016 SMRT INC.

30x42