STANDARD MOUNTING HEIGHTS FOR MISCELLANEOUS WALL-MOUNTED ACCESSORIES

STANDARD HEIGHTS FOR TRANSACTION COUNTER/ SHELVING/ SEATING

STANDARD PLUMBING FIXTURES AND WALL-MOUNTED ACCESSORY MOUNTING HEIGHTS

GENERAL MOUNTING HEIGHTS (K1)
1/4" = 1'-0"

TYPE F3.a NON-RATED

ONE LAYER 5/8"GWB TAGGED SIDE OF 3 5/8" METAL STUDS.

TYPE F3.b NON-RATED

ONE LAYER 5/8"GWB TAGGED SIDE OF 3 5/8" METAL STUDS.

TYPE U2.1 1 HR FIRE RATED

(STC 45) CAVITY SHAFT WALL WITH 2 1/2" C-H STUDS, UL# U415

TYPE U4.1 1 HR FIRE RATED

(STC 45) CAVITY SHAFT WALL WITH 4" C-H STUDS, UL# U415

TYPE U6.1 1 HR FIRE RATED

(STC 45) CAVITY SHAFT WALL WITH 6" C-H STUDS, UL# U415

TYPE X3.1 1 HR FIRE RATED

(STC 45) ONE LAYER 5/8"GWBX EACH SIDE OF 3 5/8" METAL STUDS. UL# U419

TYPE X6.1 1 HR FIRE RATED

(STC 45) ONE LAYER 5/8"GWBX EACH SIDE OF 6" METAL STUDS. UL# U419

TYPE X1 1 HR FIRE RATED

UPGRADE EXISTING WALL ASSEMBLY TO 1 HOUR RATING. SEAL ALL PENETRATIONS

TYPE Y3.1 1 HR SMOKE RATED

(STC 45) ONE LAYER 5/8"GWBX EACH SIDE OF 3 5/8" METAL STUDS. UL# U419

TYPE Y6.1 1 HR SMOKE RATED

(STC 45) ONE LAYER 5/8"GWBX EACH SIDE OF 6" METAL STUDS. UL# U419

TYPE S3.a NON-RATED

(STC 45) ONE LAYER 5/8"GWB EACH SIDE OF 3 5/8" METAL STUDS.

TYPE S6.a NON-RATED

(STC 45) ONE LAYER 5/8"GWB EACH SIDE OF 6" METAL STUDS.

TYPE S3.b NON-RATED

(STC 45) ONE LAYER 5/8"GWB EACH SIDE OF 3 5/8" METAL STUDS TO 6" ABOVE CEILING.

TYPE S6.b NON-RATED

(STC 45) ONE LAYER 5/8"GWB EACH SIDE OF 6" METAL STUDS TO 6" ABOVE CEILING.

WALL TYPES (A1)
1 1/2" = 1'-0"

Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 02/09/18

REV	DESCRIPTION	DATE
0	ISSUED FOR CONSTRUCTION	12-21-17

ISSUED FOR CONSTRUCTION
12-21-17

CURRENT ISSUE STATUS:

LICENSED ARCHITECT REBECCA S. CASEY No. 2915 STATE OF MAINE

SMRT Architects and Engineers
144 Fore Street/P.O. Box 618
Portland, Maine 04104
ARCHITECTURE | ENGINEERING | PLANNING | INTERIORS | ENERGY

MAINE MEDICAL CENTER
M.M.C. HUTCHINS DRIVE RENOVATION
PROJECT LOCATION

GENERAL MOUNTING HEIGHTS AND WALL TYPES
SHEET TITLE:

SCALE: AS NOTED

PROJECT MANAGER:	RSC	PROJECT NO:	17123
A/E OF RECORD:	RSC		
JOB CAPTAIN:	SDL		
DRAWN BY:	SDL/JMM		
SMRT FILE:	GI002-17123	SHEET No.	GI002

©COPYRIGHT 2017 SMRT INC