

PERMIT ISSUED

City of Portland, Maine - Building or Use Permit Application
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 01-04784Y	Issue Date: 11 2001	CBL: 248 B015001
-------------------------	------------------------	---------------------

Location of Construction: 41 Pierce St	Owner Name: Apon Donato G & Angela T Jts	Owner Address: 41 Pierce St CITY OF PORTLAND	Phone: 207-774-3216
Business Name: n/a	Contractor Name: Cobleigh, Gary	Contractor Address: 68 Waterhouse Rd. Dayton	Phone: 2074997150
Lessee/Buyer's Name n/a	Phone: n/a	Permit Type: Additions - Dwellings	Zone: R-1

Past Use: Single Family	Proposed Use: Single Family / Garage with family room on existing foundation; 24' x 24'7" garage & 16'4" x 13'9" family room. **Call Donald Apon 774-3216.	Permit Fee: \$264.00	Cost of Work: \$40,000.00	CEO District: 3
Proposed Project Description: Build Garage & Family Room		FIRE DEPT: <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group: R-3 Type: 5B	

*DOC APPROVED
PERMIT ISSUED
WITH REQUIREMENTS*
Samuel [Signature]

Signature:	PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)
Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied	Signature: _____ Date: _____

Permit Taken By: gg	Date Applied For: 05/03/2001	Zoning Approval
------------------------	---------------------------------	------------------------

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules. 2. Building permits do not include plumbing, septic or electrical work. 3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..	Special Zone or Reviews <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan Maj <input type="checkbox"/> Minor <input type="checkbox"/> MM <input checked="" type="checkbox"/> Date: <i>5/10/01</i>	Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied Date: _____	Historic Preservation <input checked="" type="checkbox"/> Not in District or Landmark <input type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied Date: _____
	<i>single family only</i> <i>No kitchen</i> <i>Addn. facilities to be installed</i>		

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE
------------------------	---------	------	-------

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE	DATE	PHONE
---	------	-------

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 41 Pierce Ave.

Total Square Footage of Proposed Structure 1,900 Square Footage of Lot 34,345

Tax Assessor's Chart, Block & Lot Number
Chart# 248 Block# B Lot# 015
Owner: DONATO G. APON
Telephone#: 774-3216

Lessee/Buyer's Name (If Applicable)
Owner's/Purchaser/Lessee Address: 41 Pierce Ave.
Cost Of Work: \$20,000. Fee: \$264

Current use: RESIDENTIAL
If the location is currently vacant, what was prior use:
Approximately how long has it been vacant:
Proposed use: RESIDENTIAL
Project description: GARAGE/ADDITION (FOUNDATION WAS PUT IN 1995 WITH PERMIT)
Family Room


Contractor's Name, Address & Telephone: GARY COBLEIGH
68 WATERHOUSE RD
DAYTON, ME 04005 499-7150
Applicants Name, Address & Telephone: DONATO G. APON
41 Pierce Ave
774-3216

X

Call

Who should we contact when the permit is ready: DONATO G. APON
Telephone: 774-3216

If you would like the permit mailed, what mailing address should we use:
DONATO G. APON
41 Pierce Ave
PORTLAND, ME 04102



5/3/01
Ray

Rec'd By:

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

PLOT PLAN INCLUDES THE FOLLOWING:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches; a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and North arrow; Zoning District & Setbacks
- First Floor sill elevation (based on mean sea level datum);
- Location and dimensions of parking areas and driveways;
- Location and size of both existing utilities in the street and the proposed utilities serving the building;
- Location of areas on the site that will be used to dispose of surface water.
- Existing and proposed grade contours

A COMPLETE SET OF CONSTRUCTION DRAWINGS INCLUDES THE FOLLOWING:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
 - Floor Plans & Elevations
 - Window and door schedules
 - Foundation plans with required drainage and damp proofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

SEPARATE PERMITS ARE REQUIRED FOR INTERNAL & EXTERNAL PLUMBING, HVAC AND ELECTRICAL INSTALLATIONS

- All construction must be conducted in compliance with the 1999 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1999 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.


Minor/Minor Site Review Fee for New Single Family homes: \$300.00/Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

ONE SET OF SUBMISSIONS INCLUDING CONSTRUCTION AND SITE PLAN DRAWINGS MUST BE SUBMITTED ON PAPER NO LARGER THAN 11" x 17" BEFORE ANY BUILDING PERMIT WILL BE ISSUED

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:



Date: 05-03-01

BUILDING PERMIT REPORT

DATE: 8 MAY 2001 ADDRESS: 41 Pierce Street CBL: 248-B-115

REASON FOR PERMIT: To Construct Private garage & Family Room

BUILDING OWNER: The Apon's

PERMIT APPLICANT: _____ CONTRACTOR Gary Cableigh

USE GROUP: R-3 CONSTRUCTION TYPE: 5B CONSTRUCTION COST: 46,000.00 PERMIT FEES: \$264.00


The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: *1, *2, *4, *5, *8
*11, *13, *14, *15, *16, *20, *28, *30, *31, *33, *34, *35, *36, #32

- *1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- *2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) **"ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."**
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- *4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- *5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- *8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- *11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B, H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- *13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- *14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- *15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less than 36".
- *16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 25. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 29. All requirements must be met before a final Certificate of Occupancy is issued.
- 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 32. Please read and implement the attached Land Use Zoning report requirements. *See Attached - important*
- 33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 34. Bridging shall comply with Section 2305.16.
- 35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
- 36. All flashing shall comply with Section 1406.3.10.
- 37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).


 P. Samuel, Building Inspector
 cc: A. McDougall, PFD
 Marge Schmuckal, Zoning Administrator
 Michael Nugent, Inspection Service Manager

PSH 10/1/00

**This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.


*****THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)**

******ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.**

*******CERTIFICATE OF OCCUPANCY FEE \$50.00**

P. APPEN
41 PIERCE AVE
7743214


NOTE: THE
FOUNDATION HAS
BEEN PLACED
IN 1995 WITH
AN APPROVED
PERMIT.




LIVING AREA
378 sq ft - 24'

D. Apon
41 Pierce Ave
774-3216


NOTE: FOUNDATION
HAD BEEN PLACE
IN 1995 WITH
AN APPROVED
PERMIT.



D. ADDY
1774-3216



FRONT ELEVATION




D. APON
1754-32 16



REAR ELEVATION

D. ADOP
774-3216




LEVATION

4'-8" ±


RAFTERS/TRUSSES
BEAMS/HEADERS
 3-2X6 MAX. 40" SPAN
 3-2X8 MAX. 80" SPAN
 BEAMS AS INDICATED
 MIN 4" BEARING ALL BEAMS
INTERIOR FINISHES
 1/2" GYPBOARD OR AS
 INDICATED-WALLS/CEILING
 FLOORING AS INDICATED
 PAINT/STAIN AS INDICATED

P. APOA
 774-3216



'B' SECTION

D. ARON
1774-3216



5/4x6
2x6 R.T.
16" O.C.

'C' SECTION

'A'

D. ARON
774-3216

FRAME SPECIFICATIONS

FLOOR SYSTEM

JOISTS AS INDICATED
BRIDGING AT CENTER
2X6 PT SILL W/ SEALER
SUBFLOOR AS INDICATED

EXTERIOR WALLS

2X6 STUDS AS INDICATED
SHEATHING AS INDICATED
AIR INFILTRATION WRAP
VAPOR BARRIER
SIDING/FINISH AS INDICATED

INTERIOR WALLS

2X4 STUDS AT 16"OC
GYPSUM BOARD AS INDICATED

ROOF SYSTEM

RAFTERS/ TRUSSES AS INDICATED
SHEATHING AS INDICATED
15# UNDERLAYMENT
ICE SHIELD AT EAVES/VALLEYS
235# SHINGLES AS INDICATED

INSULATION

EXTERIOR WALLS-R19
ATTIC CAP-R38
SILLS-R19
FROST WALL-2" RIGID

VENTILATION


SOFFIT- 2" CONT. STRIP
RIDGES-CONT. SHINGLE
CIRCULATION VENTS BETWEEN
RAFTERS/TRUSSES

BEAMS/LEADERS

3-2X6 MAX. 40" SPAN
3-2X8 MAX. 80" SPAN
BEAMS AS INDICATED
MIN 4" BEARING ALL BEAMS

INTERIOR FINISHES

1/2" GYPSUM BOARD OR AS
INDICATED-WALLS/CEILING
FLOORING AS INDICATED
PAINT/STAIN AS INDICATED



LATES

D. APON
41 Pierce Ave
774-3216

N/E SNYDER

PROPOSED GARAGE ADDITION
AT 41 PIERCE AVE
FOUNDATION PLACED
IN 1995, WITH PERMIT

ROX LOCATION OF
CUMBERLAND &
ORD CANAL


AND PIPELINE Co.
V-BK 1646, P. 190

C & OF PIPELINE RW

JNEL

ORTLAND

DATE:




N/K SNYDER

OF
3 E

R-I zone

REAR: 25' - 100' sh
Sides 14' req - 50' sh
N/K MADORE

Frat N/A



Co.
190

ERW

LOT 5
34,345 SQ. FT.
(0.78 AC.)

100+

15' PEDESTRIAN
EASEMENT
(TYP.)

577°-37'-20" W

BUILDING SETBACK LINE
(TYP.)

SEE NOTE #6

LOT 4
21,181 SQ. FT.
(0.48 AC.)

N 87°-20'-00" E

PIERCE


N 77°-17'-53" E

LOT 3

94

MOVE DECK AND DOOR

2, 17 PM
41 Pierce Av.



Post-it* Fax Note	7671	Date	5-4-01	# of pages	1
To	GAYLE	From	DON APON		
Co./Dept	CITY OF PFD	Co.			
Phone #		Phone #	774-3216		
Fax #	874-8716	Fax #	878-2157		

PERMIT ISSUED

City of Portland, Maine - Building or Use Permit Application

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 01-04744	Issue Date: 11 2001	CBL: 248 B015001
------------------------	------------------------	---------------------

Location of Construction: 41 Pierce St	Owner Name: Apon Donato G & Angela T Jts	Owner Address: 41 Pierce St CITY OF PORTLAND	Phone: 207-774-3216
Business Name: n/a	Contractor Name: Cobleigh, Gary	Contractor Address: 68 Waterhouse Rd. Dayton	Phone: 2074997150
Lessee/Buyer's Name n/a	Phone: n/a	Permit Type: Additions - Dwellings	Zone: R-1

Past Use: Single Family	Proposed Use: Single Family / Garage with family room on existing foundation; 24' x 24'7" garage & 16'4" x 13'9" family room. **Call Donald Apon 774-3216.	Permit Fee: \$264.00	Cost of Work: \$40,000.00	CEO District: 3
----------------------------	---	-------------------------	------------------------------	--------------------

Proposed Project Description: Build Garage & Family Room	FIRE DEPT: <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group: A-3 Type: 5B
	Signature: <i>[Signature]</i>	
	PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)	
	Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied	
	Signature:	Date:

Permit Taken By: gg	Date Applied For: 05/03/2001	Zoning Approval	
------------------------	---------------------------------	------------------------	--

<ol style="list-style-type: none"> This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules. Building permits do not include plumbing, septic or electrical work. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work.. 	Special Zone or Reviews <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan Maj <input type="checkbox"/> Minor <input type="checkbox"/> MM <input checked="" type="checkbox"/> Date: <i>5/10/01</i>	Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied Date:	Historic Preservation <input checked="" type="checkbox"/> Not in District or Landmark <input type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied Date:
	<i>no kitchen Addition of facilities to be installed</i> <i>single family only</i>		

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE
------------------------	---------	------	-------

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE	DATE	PHONE
---	------	-------

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: <u>41 Pierce Ave.</u>		
Total Square Footage of Proposed Structure <u>1,900</u>	Square Footage of Lot <u>34,345</u>	
Tax Assessor's Chart, Block & Lot Number Chart# <u>248</u> Block# <u>B</u> Lot# <u>015</u>	Owner: <u>DONATO G. APON</u>	Telephone#: <u>774-3216</u>
Lessee/Buyer's Name (If Applicable)	Owner's/Purchaser/Lessee Address: <u>41 Pierce Ave.</u>	Cost Of Work: <u>\$40,000.</u> Fee: <u>\$264</u> ^C
Current use: <u>RESIDENTIAL</u>		
If the location is currently vacant, what was prior use: Approximately how long has it been vacant:		
Proposed use: <u>RESIDENTIAL</u>		
Project description: <u>GARAGE/ADDITION (FOUNDATION WAS PUT IN 1995 WITH PERMIT)</u> <u>Family Room</u>		
Contractor's Name, Address & Telephone: <u>GARY COBLEIGH</u> <u>68 WATERHOUSE RD</u> <u>DAYTON, ME 04005</u> <u>499-7150</u>		
Applicants Name, Address & Telephone: <u>DONATO G. APON</u> <u>41 Pierce Ave</u> <u>774-3216</u>		
Who should we contact when the permit is ready: <u>DONATO G. APON</u>		
Telephone: <u>774-3216</u>		
If you would like the permit mailed, what mailing address should we use: <u>DONATO G. APON</u> <u>41 Pierce Ave</u> <u>PORTLAND, ME 04102</u>		

MAY - 3 2001
5/3/01
2646
Rec'd By:

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

PLOT PLAN INCLUDES THE FOLLOWING:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches; a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and North arrow; Zoning District & Setbacks
- First Floor sill elevation (based on mean sea level datum);
- Location and dimensions of parking areas and driveways;
- Location and size of both existing utilities in the street and the proposed utilities serving the building;
- Location of areas on the site that will be used to dispose of surface water.
- Existing and proposed grade contours

A COMPLETE SET OF CONSTRUCTION DRAWINGS INCLUDES THE FOLLOWING:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
 - Floor Plans & Elevations
 - Window and door schedules
 - Foundation plans with required drainage and damp proofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

SEPARATE PERMITS ARE REQUIRED FOR INTERNAL & EXTERNAL PLUMBING, HVAC AND ELECTRICAL INSTALLATIONS


- All construction must be conducted in compliance with the 1999 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1999 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

Minor/Minor Site Review Fee for New Single Family homes: \$300.00/Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

ONE SET OF SUBMISSIONS INCLUDING CONSTRUCTION AND SITE PLAN DRAWINGS MUST BE SUBMITTED ON PAPER NO LARGER THAN 11" x 17" BEFORE ANY BUILDING PERMIT WILL BE ISSUED

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: 	Date: 05-03-01
---	----------------

BUILDING PERMIT REPORT

DATE: 8 MAY 2001 ADDRESS: 41 Pierce Street CBL: 248-B-115
 REASON FOR PERMIT: To Construct Private garage & Family Room
 BUILDING OWNER: The Apon's
 PERMIT APPLICANT: _____ (CONTRACTOR Gary Cableigh)
 USE GROUP: R-3 CONSTRUCTION TYPE: 5B CONSTRUCTION COST: 46,000.00 PERMIT FEES: 4264.00

The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
 The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: *1, *2, *4, *5, *8, *11, *13, *14, *15, *16, *20, *28, *30, *31, *33, *34, *35, *36, # 32, 1

- *1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- *2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) **"ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."**
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- *4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- *5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- *8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- *11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- *13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- *14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- *15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less than 36".
- *16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

17

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 25. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 29. All requirements must be met before a final Certificate of Occupancy is issued.
- 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 32. Please read and implement the attached Land Use Zoning report requirements. *See Attached - important*
- 33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 34. Bridging shall comply with Section 2305.16.
- 35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
- 36. All flashing shall comply with Section 1406.3.10.
- 37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

P. Barthelemy
 P. Barthelemy, Building Inspector
 cc: L. McDougall, PFD
 Marge Schmuckal, Zoning Administrator
 Michael Nugent, Inspection Service Manager

PSH 10/1/00

****This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.**


*****THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)**

******ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.**

*******CERTIFICATE OF OCCUPANCY FEE \$50.00**


41 PIERCE AVE
7743214

NOTE: THE
FOUNDATION HAS
BEEN PLACED
IN 1995 WITH
AN APPROVED
PERMIT.




W. RYON
41 PIERCE AVE
774-3216

NOTE: FOUNDATION
HAD BEEN PLACED
IN 1995 WITH
AN APPROVED
PERMIT.



D. ADON
1774-3216



FRONT ELEVATION

← 16'-0"


14'-2"

D. APON
1774-32 16



REAR ELEVATION


V. 1780P
774-3216



ELEVATION

1/8" = 1'


D. APPA
774-3216



A' SECTION


BEAMS/LEADERS
 3-2X6 MAX. 40" SPAN
 3-2X8 MAX. 80" SPAN
 BEAMS AS INDICATED
 MIN 4" BEARING ALL BEAMS
 INTERIOR FINISHES
 1/2" GYPBOARD OR AS
 INDICATED-WALLS/CEILING
 FLOORING AS INDICATED
 PAINT/STAIN AS INDICATED

P. ABON
 774-3216



'B' SECTION

P. ARON
774-3216



5/4x6
2x6 @ 16"
16" O.C.

'C' SECTION

'A'

D. Aaron
774-3216

FRAME SPECIFICATIONS

FLOOR SYSTEM

JOISTS AS INDICATED
BRIDGING AT CENTER
2X6 PT SILL W/ SEALER
SUBFLOOR AS INDICATED

EXTERIOR WALLS

2X6 STUDS AS INDICATED
SHEATHING AS INDICATED
AIR INFILTRATION WRAP
VAPOR BARRIER
SIDING/FINISH AS INDICATED

INTERIOR WALLS

2X4 STUDS AT 16"OC
GYPBOARD AS INDICATED

ROOF SYSTEM

RAFTERS/TRUSSES AS INDICATED
SHEATHING AS INDICATED
15# UNDERLAYMENT
ICE SHIELD AT EAVES/VALLEYS
235# SHINGLES AS INDICATED

INSULATION

EXTERIOR WALLS-R19
ATTIC CAP-R38
SILLS-R19
FROST WALL-2" RIGID

VENTILATION


SOFFIT-2" CONT. STRIP
RIDGES-CONT. SHINGLE
CIRCULATION VENTS BETWEEN
RAFTERS/TRUSSES

BEAMS/LEADERS

3-2X6 MAX. 40" SPAN
3-2X8 MAX. 80" SPAN
BEAMS AS INDICATED
MIN 4" BEARING ALL BEAMS

INTERIOR FINISHES

1/2" GYPBOARD OR AS
INDICATED-WALLS/CEILING
FLOORING AS INDICATED
PAINT/STAIN AS INDICATED



N/E SNYDER

R-I zone

REAR: 25' - 100' sh

SIDES: 14' req - 50' sh

N/E MADORE

FRONT N/A

DFW

10.70

RW

N 69°-30'-45"E - 111.18'

LOT 5
34,345 SQ. FT.
(0.78 AC.)

100+'

15' PEDESTRIAN
EASEMENT
(TYP.)

158.69'

S 77°-37'-20"W

BUILDING SETBACK LINE
(TYP.)

SEE NOTE #6

LOT 4

21,151 SQ. FT.
(0.48 AC.)

N 87°-20'-00"E

S 22°-42'-30"E

N 67°-54'-21"W

LOT 3

DRAINAGE
N 58°-19'-15"W

EASEMENT

R = 25.00'
A = 39.27'

S 58°-19'-15"E

PIERCE

3' OFFSET GRAN.
MON - TO BE SET

N 77°-17'-53"E

111.82'

56.46'

N 10°-30'-30"W

84.00'

179.47'

113+'

100+'

22'

18.00'

25.00'

24.99'

104.63'

137.00'

9.00'

186.91'

48.35'

50'

37' FROM ADJ

18.00'

22'

37' FROM PROP. LINE

100+'

100' SETBACK PER PLAT REF

113+'

TIE LINE

N 69°-30'-45"E - 111.18'

DFW

10.70

RW

LOT 5

34,345 SQ. FT.

(0.78 AC.)

100+'

15' PEDESTRIAN EASEMENT (TYP.)

158.69'

S 77°-37'-20"W

BUILDING SETBACK LINE (TYP.)

SEE NOTE #6

LOT 4

21,151 SQ. FT.

(0.48 AC.)

N 87°-20'-00"E

S 22°-42'-30"E

N 67°-54'-21"W

LOT 3

DRAINAGE

N 58°-19'-15"W

EASEMENT

R = 25.00'

A = 39.27'

S 58°-19'-15"E

PIERCE

3' OFFSET GRAN. MON - TO BE SET

N 77°-17'-53"E

111.82'

56.46'

N 10°-30'-30"W

84.00'

179.47'

113+'

100+'

22'

18.00'

25.00'

24.99'

104.63'

137.00'

9.00'

186.91'

48.35'

50'

37' FROM ADJ

18.00'

22'

37' FROM PROP. LINE

100+'

100' SETBACK PER PLAT REF

113+'

TIE LINE

N 69°-30'-45"E - 111.18'

DFW

10.70

RW

LOT 5

34,345 SQ. FT.

(0.78 AC.)

100+'

15' PEDESTRIAN EASEMENT (TYP.)

158.69'

S 77°-37'-20"W

BUILDING SETBACK LINE (TYP.)

SEE NOTE #6

LOT 4

21,151 SQ. FT.

(0.48 AC.)

N 87°-20'-00"E

S 22°-42'-30"E

N 67°-54'-21"W

LOT 3

DRAINAGE

N 58°-19'-15"W

EASEMENT

R = 25.00'

A = 39.27'

S 58°-19'-15"E

PIERCE

3' OFFSET GRAN. MON - TO BE SET

N 77°-17'-53"E

111.82'

56.46'

N 10°-30'-30"W

84.00'

179.47'

113+'

100+'

22'

18.00'

25.00'

24.99'

104.63'

137.00'

9.00'

186.91'

48.35'

50'

37' FROM ADJ

18.00'

22'

37' FROM PROP. LINE

100+'

100' SETBACK PER PLAT REF

113+'

TIE LINE

N 69°-30'-45"E - 111.18'

DFW

10.70

RW

LOT 5

34,345 SQ. FT.

(0.78 AC.)

100+'

15' PEDESTRIAN EASEMENT (TYP.)

158.69'

S 77°-37'-20"W

BUILDING SETBACK LINE (TYP.)

SEE NOTE #6

LOT 4

21,151 SQ. FT.

(0.48 AC.)

N 87°-20'-00"E

S 22°-42'-30"E

N 67°-54'-21"W

LOT 3

DRAINAGE

N 58°-19'-15"W

EASEMENT

R = 25.00'

A = 39.27'

S 58°-19'-15"E

PIERCE

3' OFFSET GRAN. MON - TO BE SET

N 77°-17'-53"E

111.82'

56.46'

N 10°-30'-30"W

84.00'

179.47'

113+'

100+'

22'

18.00'

25.00'

24.99'

104.63'

137.00'

9.00'

186.91'

48.35'

50'

37' FROM ADJ

18.00'

22'

37' FROM PROP. LINE

100+'

100' SETBACK PER PLAT REF

113+'

TIE LINE

N 69°-30'-45"E - 111.18'

DFW

10.70

RW

LOT 5

34,345 SQ. FT.

(0.78 AC.)

100+'

15' PEDESTRIAN EASEMENT (TYP.)

158.69'

S 77°-37'-20"W

BUILDING SETBACK LINE (TYP.)

SEE NOTE #6

LOT 4

21,151 SQ. FT.

(0.48 AC.)

N 87°-20'-00"E

S 22°-42'-30"E

N 67°-54'-21"W

LOT 3

DRAINAGE

N 58°-19'-15"W

EASEMENT

R = 25.00'

A = 39.27'

S 58°-19'-15"E

PIERCE

3' OFFSET GRAN. MON - TO BE SET

N 77°-17'-53"E

111.82'

56.46'

N 10°-30'-30"W

84.00'

179.47'

113+'

100+'

22'

18.00'

25.00'

24.99'

104.63'

137.00'

9.00'

186.91'

48.35'

50'

37' FROM ADJ

18.00'

22'

37' FROM PROP. LINE

100+'

100' SETBACK PER PLAT REF

113+'

TIE LINE

N 69°-30'-45"E - 111.18'

DFW

10.70

RW

LOT 5

34,345 SQ. FT.

(0.78 AC.)

100+'

15' PEDESTRIAN EASEMENT (TYP.)

158.69'

S 77°-37'-20"W

BUILDING SETBACK LINE (TYP.)

SEE NOTE #6

LOT 4

21,151 SQ. FT.

(0.48 AC.)

N 87°-20'-00"E

S 22°-42'-30"E

N 67°-54'-21"W

LOT 3

DRAINAGE

N 58°-19'-15"W

ELECTRICAL PERMIT

City of Portland, Me.



To the Chief Electrical Inspector, Portland Maine:
 The undersigned hereby applies for a permit to make electrical installations
 in accordance with the laws of Maine, the City of Portland Electrical Ordinance,
 National Electrical Code and the following specifications:

Date 8/29/01
 Permit # 1839
 CBL# 248 B 015

LOCATION: 39 PIERCE METER MAKE & # _____
 CMP ACCOUNT # _____ OWNER Donato Apou
 TENANT _____ PHONE # _____

OUTLETS	Receptacles	Switches	Smoke Detector	TOTAL EACH FEE
50	20	3		.20
FIXTURES	Incandescent	Fluorescent	Strips	.20
				2.20
SERVICES	Overhead	Underground	TTL AMPS <800	15.00
	Overhead	Underground	>800	25.00
Temporary Service	Overhead	Underground	TTL AMPS	25.00
METERS	(number of)			25.00
MOTORS	(number of)			1.00
RESID/COM	Electric units			2.00
HEATING	oil/gas units	Interior	Exterior	1.00
APPLIANCES	Ranges	Cook Tops	Wall Ovens	5.00
	Insta-Hot	Water heaters	Fans	2.00
	Dryers	Disposals	Dishwasher	2.00
	Compactors	Spa	Washing Machine	2.00
	Others (denote)			2.00
MISC. (number of)	Air Cond/win			3.00
	Air Cond/cent			10.00
	HVAC	EMS	Pools	5.00
	Signs		Thermostat	10.00
	Alarms/res			5.00
	Alarms/com			15.00
	Heavy Duty(CRKT)			2.00
	Circus/Carnv			25.00
	Alterations			5.00
	Fire Repairs			15.00
	E Lights			1.00
	E Generators			20.00
PANELS	Service	Remote	Main	4.00
TRANSFORMER	0-25 Kva			5.00
	25-200 Kva			8.00
	Over 200 Kva			10.00
				TOTAL AMOUNT DUE
				MINIMUM FEE 35.00
				35.00

INSPECTION: Will be ready 8/31 or will call _____

CONTRACTORS NAME John Macisso MASTER LIC. # 07055
 ADDRESS 28 Bismark St. LIMITED LIC. # _____
 TELEPHONE 879-0444

SIGNATURE OF CONTRACTOR John Macisso

ELECTRICAL PERMIT

City of Portland, Me.



#3 57F A.R.

To the Chief Electrical Inspector, Portland Maine:
 The undersigned hereby applies for a permit to make electrical installations
 in accordance with the laws of Maine, the City of Portland Electrical Ordinance,
 National Electrical Code and the following specifications:

Date 8/29/01
 Permit # 1839
 CBL# 248 B 015

LOCATION: 37 Pierce METER MAKE & # _____
 CMP ACCOUNT # _____ OWNER Donato Apao
 TENANT _____ PHONE # _____

							TOTAL EACH FEE		
OUTLETS	<u>50</u>	Receptacles	<u>20</u>	Switches	<u>3</u>	Smoke Detector		.20	
FIXTURES	<u>10</u>	Incandescent		Fluorescent	<u>2</u>	Strips		.20	<u>2.00</u>
SERVICES		Overhead		Underground		TTL AMPS	<800	15.00	
		Overhead		Underground			>800	25.00	
Temporary Service		Overhead		Underground		TTL AMPS		25.00	
METERS		(number of)						25.00	
MOTORS		(number of)						1.00	
RESID/COM		Electric units						2.00	
HEATING		oil/gas units		Interior		Exterior		5.00	
		Ranges		Cook Tops		Wall Ovens		2.00	
APPLIANCES		Insta-Hot		Water heaters		Fans		2.00	
		Dryers		Disposals		Dishwasher		2.00	
		Compactors	<u>1</u>	Spa		Washing Machine		2.00	<u>2.00</u>
MISC. (number of)		Others (denote)						2.00	
		Air Cond/win						3.00	
		Air Cond/cent				Pools		10.00	
		HVAC		EMS		Thermostat		5.00	
		Signs						10.00	
		Alarms/res						5.00	
		Alarms/com						15.00	
		Heavy Duty(CRKT)						2.00	
		Circus/Carnv						25.00	
		Alterations						5.00	
		Fire Repairs						15.00	
		E Lights						1.00	
		E Generators						20.00	
PANELS		Service	<u>1</u>	Remote		Main		4.00	<u>4.00</u>
TRANSFORMER		0-25 Kva						5.00	
		25-200 Kva						8.00	
		Over 200 Kva						10.00	
							TOTAL AMOUNT DUE		
							MINIMUM FEE	35.00	<u>35.00</u>

INSPECTION: Will be ready 8/31 or will call _____

CONTRACTORS NAME John Macisso MASTER LIC. # 07055
 ADDRESS 38 Bismark St. LIMITED LIC. # _____
 TELEPHONE 879-6444

SIGNATURE OF CONTRACTOR John Macisso

THS AR Department of Human Sciences
Division of Health Engineering

PLUMBING APPLICATION

PROPERTY ADDRESS

Town or Plantation: Portland
Street Subdivision Lot #: 41 Pierce St

PROPERTY OWNERS NAME

Last: APOLL First: DONATO

Applicant Name: NORMAN C MARTIN PH

Mailing Address of Owner/Applicant (If Different): 96 Shepherd Lane

Owner/Applicant Statement

I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspectors to deny a Permit.
Norman C Martin PH 8/28/01
Signature of Owner/Applicant Date

PORTLAND PERMIT # 7819 STATE COPY
Date Permit Issued: 8/28/01 \$ 310.00 Double Fee Charged
204 Local Plumbing Inspector Signature L.P.I. # 01124
THS B 015

Caution: Inspection Required
I have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules.
AR C Martin 9/01
Local Plumbing Inspector Signature Date Approved

PERMIT INFORMATION

This Application is for	Type of Structure To Be Served:	Plumbing To Be Installed By:
1. <input checked="" type="checkbox"/> NEW PLUMBING 2. <input type="checkbox"/> RELOCATED PLUMBING	1. <input checked="" type="checkbox"/> SINGLE FAMILY DWELLING 2. <input type="checkbox"/> MODULAR OR MOBILE HOME 3. <input type="checkbox"/> MULTIPLE FAMILY DWELLING 4. <input type="checkbox"/> OTHER - SPECIFY _____	1. <input checked="" type="checkbox"/> MASTER PLUMBER 2. <input type="checkbox"/> OIL BURNERMAN 3. <input type="checkbox"/> MFG'D. HOUSING DEALER/MECHANIC 4. <input type="checkbox"/> PUBLIC UTILITY EMPLOYEE 5. <input type="checkbox"/> PROPERTY OWNER LICENSE # <u>106163</u>

Hook-Up & Piping Relocation Maximum of 1 Hook-Up	Column 2 Type of Fixture		Column 1 Type of Fixture	
	Number	Type of Fixture	Number	Type of Fixture
<input type="checkbox"/> HOOK-UP: to public sewer in those cases where the connection is not regulated and inspected by the local Sanitary District. OR <input type="checkbox"/> HOOK-UP: to an existing subsurface wastewater disposal system.		Hosebibb / Sillcock	<u>1</u>	Bathtub (and Shower)
		Floor Drain	<u>1</u>	Shower (Separate)
<input type="checkbox"/> PIPING RELOCATION: of sanitary lines, drains, and piping without new fixtures.		Urinal		Sink
		Drinking Fountain	<u>2</u>	Wash Basin
<input type="checkbox"/> TRANSFER FEE (\$6.00)		Indirect Waste	<u>1</u>	Water Closet (Toilet)
		Water Treatment Softener, Filter, etc.		Clothes Washer
		Grease / Oil Separator		Dish Washer
		Dental Cuspidor		Garbage Disposal
		Bidet		Laundry Tub
		Other: _____		Water Heater
		Fixtures (Subtotal) Column 2	<u>5</u>	Fixtures (Subtotal) Column 1
			<u>5</u>	Fixtures (Subtotal) Column 2
				Total Fixtures
				Fixture Fee
				Transfer Fee

SEE PERMIT FEE SCHEDULE FOR CALCULATING FEE

PLUMBING APPLICATION

Department of Human Sciences
Division of Health Engineering

PROPERTY ADDRESS

Town or Plantation: Portland
 Street Subdivision Lot #: 41 Pierce St

PROPERTY OWNERS NAME

Last: APON First: DONATO

Applicant Name: NORMAN C. MARCHETTI
 Mailing Address of Owner/Applicant (If Different): 96 Shepherd Lane

Owner/Applicant Statement

I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspectors to deny a Permit.

Signature of Owner/Applicant: [Signature] Date: 5/12/2011

PORTLAND 7819 TOWN COPY

Date Permit Issued: 5/12/2011 \$ 3101014 Double Fee Charged

Local Plumbing Inspector Signature: [Signature]

L.P.I. # 011014

248 B 015

Caution: Inspection Required

I have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules.

Local Plumbing Inspector Signature

Date Approved

PERMIT INFORMATION

This Application is for

- 1. NEW PLUMBING
- 2. RELOCATED PLUMBING

Type of Structure To Be Served:

- 1. SINGLE FAMILY DWELLING
- 2. MODULAR OR MOBILE HOME
- 3. MULTIPLE FAMILY DWELLING
- 4. OTHER - SPECIFY _____

Plumbing To Be Installed By:

- 1. MASTER PLUMBER
 - 2. OIL BURNERMAN
 - 3. MFG'D. HOUSING DEALER/MECHANIC
 - 4. PUBLIC UTILITY EMPLOYEE
 - 5. PROPERTY OWNER
- LICENSE # 106165

Hook-Up & Piping Relocation Maximum of 1 Hook-Up

HOOK-UP: to public sewer in those cases where the connection is not regulated and inspected by the local Sanitary District.

OR

HOOK-UP: to an existing subsurface wastewater disposal system.

PIPING RELOCATION: of sanitary lines, drains, and piping without new fixtures.

OR

TRANSFER FEE
[\$6.00]

Number	Column 2 Type of Fixture	Number	Column 1 Type of Fixture
	Hosebibb / Sillcock		Bathtub (and Shower)
	Floor Drain		Shower (Separate)
	Urinal		Sink
	Drinking Fountain		Wash Basin
	Indirect Waste		Water Closet (Toilet)
	Water Treatment Softener, Filter, etc.		Clothes Washer
	Grease / Oil Separator		Dish Washer
	Dental Cuspidor		Garbage Disposal
	Bidet		Laundry Tub
	Other: _____		Water Heater
	Fixtures (Subtotal) Column 2	15	Fixtures (Subtotal) Column 1
			Fixtures (Subtotal) Column 2
		5	Total Fixtures
			Fixture Fee
			Transfer Fee
			Hook-Up & Relocation Fee
		30	Permit Fee (Total)

SEE PERMIT FEE SCHEDULE
FOR CALCULATING FEE

30
10
40