

FOUNDATION PLAN
1/8"=1'-0"


NOTES:

1. ARCHITECTURAL REFERENCE EL 0'-0" = CIVIL DATUM EL 70.25'. (SEE CIVIL/SITE DWGS).
2. ALL FOUNDATIONS SHALL BE PLACED ON 3'-0"± THICK CELLULAR CONCRETE FILL LAYER. (REF GEOTECH REPORT AND TYP DETAIL S2.1). T/FILL EL -3'-6". B/FILL EL -6'-3" MIN (OR 3'-0" BELOW EXIST GRADE, WHICHEVER IS LOWER).
3. BOTTOM OF FOOTING EL -3'-6" U.N.O. BY (X'-X").
4. P1, P2, ETC INDICATES CONCRETE PIER. (SEE PIER DETAILS DWG S2.1). TOP OF PIER EL -0'-8" U.N.O. BY (X'-X").
5. C.J. INDICATES CONTRACTION/CONSTRUCTION JOINT. (SEE TYP DETAILS DWG S2.1). SPACE ALL JOINTS EQUALLY BETWEEN COLUMN GRIDS U.N.O.
6. S.W. INDICATES PLYWOOD SHEATHED WOOD STUD SHEARWALL. SEE SCHEDULE DWG S3.1.
7. BF-1, BF-2, ETC. INDICATES BRACED FRAME. SEE BRACED FRAME ELEVATIONS DWG S1.5 FOR ADDL INFO.
8. H.D. INDICATES SIMPSON HOLDOWN ANCHOR. SEE SHEARWALL SCHEDULE DWG S3.4.
9. F.D. INDICATES FLOOR DRAIN. SEE ARCH/MEP DWGS FOR ADDL INFO.
10. PROVIDE THICKENED SLAB BENEATH STAIR STRINGER BEARING POINTS, W/ #5@12" O.C. E.W. BOT. (G.C. COORD SLAB EXTENTS W/STAIR DESIGNER).

FOOTING SCHEDULE

| MARK | SIZE | REINF |
|------|-------------------|------------|
| F4 | 4'-0"x4'-0"x1'-0" | 5#4 E.W.B. |
| F5 | 5'-0"x5'-0"x1'-0" | 6#5 E.W.B. |
| F8 | 8'-0"x8'-0"x1'-8" | 6#7 E.W.B. |

PROJECT NAME:
PATRONS OXFORD OFFICES
97 TECHNOLOGY PARK DRIVE
PORTLAND, MAINE 04102
UNITED STATES OF AMERICA



THIS DRAWING IS THE PROPERTY OF SCOTT SIMONS ARCHITECTS (SSA) AND IS NOT TO BE COPIED OR REPRODUCED IN PART OR WHOLE. © 2016 © SCOTT SIMONS ARCHITECTS, LLC

REVISION:

| NO. | DATE |
|-----|------|
| 1 | DATE |
| 2 | DATE |
| 3 | DATE |
| 4 | DATE |
| 5 | DATE |
| 6 | DATE |

DATE OF ISSUE: 14 JANUARY 2016
PROJECT NUMBER: 3565
STATUS: CONSTRUCTION DOCUMENTS

FOUNDATION PLAN