

Location of Construction: 930 Brighton Avenue
 Owner: Brighton/Portland, LLC
 Phone: 207-782-7372
 Permit No: 981258

Owner Address: 50 Alfred Plourde Blwy. Lewiston, ME 04241-1913
 Lessee/Buyer's Name: Mike and Cora
 Phone: 782-7372
 Business Name:
 Permit Issued: NOV 4 1998

Contractor Name: Gendron & Gendron
 Address: P.O. Box 1913 Lewiston, ME 04241-1913
 Phone: 782-7372

Past Use: Commercial
 Proposed Use: Vacant
 COST OF WORK: \$ 40,000
 PERMIT FEE: \$ 220.00
 FIRE DEPT. Approved Denied
 INSPECTION: Use Group: Type:
 Signature: Date:

Zone: CBL: 260-B-001
 Zoning Approval: Special Zone or Reviews:
 Shoreland
 Wetland
 Flood Zone
 Subdivision
 Site Plan maj minor mm

Zoning Appeal
 Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation
 Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:
 Approved
 Approved with Conditions
 Denied

Date: _____

CEO DISTRICT

Proposed Project Description:
 Demolish 2 structures
 Signature: _____ Date: _____
 PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)
 Action: Approved Approved with Conditions Denied
 Signature: _____ Date: _____
 Date Applied For: October 27, 1998

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT: _____ DATE: October 28, 1998
 ADDRESS: _____ PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE: _____ PHONE: _____
 White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

CITY OF PORTLAND, MAINE

PLANNING BOARD

John H. Carroll, Chair
Jaimey Caron, Vice Chair
Kenneth M. Cole III
Cyrus Y. Hagge
Deborah Krichels
Erin Rodriguez
Mark Malone

260-B-007
August 7, 1998

Mr. J. Robert Connor
Old Port Management Corp., Inc.
12 Brook Street
Wellesley, MA 02181-6601

RE: Rite-Aid Pharmacy, 930 Brighton Avenue

Dear Mr. Connor:

On July 28, 1998 the Portland Planning Board voted 5-1 (Krichels opposed; Malone abstaining) to approve the site plan for a Rite-Aid pharmacy located at 930 Brighton Avenue. The approval was granted for the project with the following condition(s):

- i. That the applicant will replace or repair any existing curb along Rowe Avenue as directed by Public Works.
- ii. That deliveries will be prohibited between 9:00 p.m. and 7:00 a.m.
- iii. that the applicant submit specific lighting information to Planning Staff for review and approval regarding height of poles and wall paks, voltage of lights, and catalogue specifications for fixture type.
- iv. that the sign details be revised to conform to the limits of the B-1 zone.
- v. that the applicant install a stormwater treatment system.

The approval is based on the submitted site plan and the findings related to site plan review standards as contained in Planning Report #21-98 and the July 28, 1998 memo, which is attached.

Please note the following provisions and requirements for all site plan approvals:

1. A performance guarantee covering the site improvements as well as an inspection fee payment of 1.7% of the guarantee amount and 7 final sets of plans must be submitted to and approved by the Planning Division and Public Works prior to the release of the building permit. If you need to make any modifications to the approved site plan, you must submit a revised site plan for staff review and

approval.

2. The site plan approval will be deemed to have expired unless work in the development has commenced within one (1) year of the approval or within a time period agreed upon in writing by the City and the applicant. Requests to extend approvals must be received before the expiration date.
3. A defect guarantee, consisting of 10% of the performance guarantee, must be posted before the performance guarantee will be released.
4. Prior to construction, a preconstruction meeting shall be held at the project site with the contractor, development review coordinator, Public Work's representative and owner to review the construction schedule and critical aspects of the site work. At that time, the site/building contractor shall provide three (3) copies of a detailed construction schedule to the attending City representatives. It shall be the contractor's responsibility to arrange a mutually agreeable time for the preconstruction meeting.
5. If work will occur within the public right-of-way such as utilities, curb, sidewalk and driveway construction, a street opening permit(s) is required for your site. Please contact Carol Merritt at 874-8300, ext. 8828. (Only excavators licensed by the City of Portland are eligible.)
6. The Development Review Coordinator (874-8300 ext. 8722) must be notified five (5) working days prior to date required for final site inspection. Please make allowances for completion of site plan requirements determined to be incomplete or defective during the inspection. This is essential as all site plan requirements must be completed and approved by the Development Review Coordinator prior to issuance of a Certificate of Occupancy. Please schedule any property closing with these requirements in mind.

If there are any questions, please contact the Planning Staff.

Sincerely,



John Carroll, Chair
Portland Planning Board

cc: Joseph E. Gray, Jr., Director of Planning and Urban Development
Alexander Jaegerman, Chief Planner
Kandice Talbot, Planner
P. Samuel Hoffses, Building Inspector
✓ Marge Schmuckal, Zoning Administrator
Tony Lombardo, Project Engineer
Development Review Coordinator
William Bray, Director of Public Works
Jeff Tarling, City Arborist
Penny Littell, Associate Corporation Counsel
Lt. Gaylen McDougall, Fire Prevention
Mary Gresik, Building Permit Secretary
Kathleen Brown, Director of Economic Development
Susan Doughty, Assessor's Office

Supply plates!!!
2 Bldgs. 930 BRIGHTON AVE
City Hall 874-8703
ESH 874-2711 NORTH 874-5789
623-8145 823-5774

City of Portland
 Inspection Services Division
 Demolition Call List

Site Address: 930 LISBON ST Owner: BRIGHTON AVE L
 Structure Type: COMMERCIAL BUILDINGS Contractor: GENDRON & GENDRON CONSTRUCTION

UTILITY APPROVALS

	NUMBER	CONTACT NAME/DATE	SERVICE
Central Maine Power	1-800-750-4000 <i>COMMERCIAL 565-3181</i>	Jim PORTLANDS CALL CENTER / GENE / DAVE	<i>PROVIN</i>
NYNEX	878-7000 - 797-1867	JOE RAINES / ENGINEER	<i>5 days</i>
Northern Utilities	797-8002 X6241	CAROLYN SMALL	<i>NETWORK DEVELOPMENT 2 weeks</i>
Portland Water District	761-8310 <i>V3073</i>	DAVE DOUGHERTY	<i>797-8000 FRENCHMONT SYSTEM MAINTENANCE SUPPER 1 week</i>
Public Cable Co. DAN ENGLISH	775-3431 X257	DEBBIE PAYMENT	<i>2381 X292</i>
Dig Safe*** # 989-10118	1-888-344-7233	MARGI	<i>10-13-98</i>

*** (After call, there is a wait of 72 bus hrs before digging can begin)

CITY APPROVALS

	NUMBER	CONTACT NAME/DATE
DPW/Sewer Division (J. DiPaolo)	874-8300 X8467	NANCY 10-14-98
DPW/Traffic Division (K. Doughty)	874-8300 X8437	Lucy - 10-13-98
DPW/Forestry Division (J. Tarling)	874-8300 X8389	JEFF Tarling - 10-13-98
DPW/Sealed Drain Permit (C. Merritt)	874-8300 X8822	C. MERRITT 10-13-98
Building Inspections (insp required)	874-8300 X8703	JUNIA 10-13-98
Historic Preservation	874-8300 X8726	DEBRA ANDREWS 10-16-98
Fire Dispatcher	874-8300 X8676	STEVE PLYMPTON 10-5-98

ENGINEERING TODD ONUACATIONAL
 Written Notice to Adjoining Owners

ASBESTOS

	NUMBER	CONTACT NAME/DATE
DEP - Environmental (Augusta)	287-2651 (Ed Antz)	ED ANTZ - 10-13-98

U.S. EPA Region 1 - No phone call required. Just mail copy of State notification to:
 Demo/Reno Clerk
 US EPA Region I (SEA)
 JFK Federal Building
 Boston, MA 02203

I have contacted all of the necessary companies/departments as indicated above.

SIGNED: [Signature] DATE: 10-27-98

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

**Building or Use Permit Pre-Application
Attached Single Family Dwellings/Two-Family Dwelling
Multi-Family or Commercial Structures and Additions Thereto**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTEIf you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction (include Portion of Building):		930 Brighton Avenue	
Total Square Footage of Proposed Structure		11,180 sq. ft.	Square Footage of Lot 56,477 sq. ft.
Tax Assessor's Chart, Block & Lot Number		Owner: Brighton/Portland, LLC	Telephone#: 207-782-7372
Chart# 260	Block# B	Lot# 001	Lewiston, ME
Owner's Address: P.O.Box 1913 50 Alfred Plourde Pkwy. Lewiston, ME 04241-1913		Lessee/Buyer's Name (If Applicable) Rite Aid Corporation	Cost Of Work: \$40,000.00 Fee \$220.00
Proposed Project Description:(Please be as specific as possible) Demolition of two (2) existing structures and associated utilities.			
Contractor's Name, Address & Telephone Gendron & Gendron P.O.Box 1913, Lewiston, ME 04241-1913 207-782-7372			Rec'd By
Current Use: commercial/mercantile		Proposed Use: vacant	

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must Include the following with you application:

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification


I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: <i>Smalley, J. Renee</i>	Date: 10-27-98
--	----------------

Building Permit Fee \$25.00 for the 1st \$1000. cost plus \$5.00 per \$1,000.00 construction cost thereafter.
Additional Site review and related fees are attached on a separate addendum

Call Tim 782-7372 PLU





Icon Environmental

Craig E. Wilson
President
RR #6 Box 958
8 Rod Road
Augusta, Maine 04330 USA

Telephone 207-623-8645
Fax 207-623-8645 Pager 623-5784

October 24, 1998

Tim Ronin
Gendron and Gendron
Lewiston, Maine 04240

Dear Mr. Ronin:

Icon Environmental was retained by Gendron and Gendron to conduct a demolition asbestos survey prior to the demolition of two multi-tenant buildings located at 930/930A Brighton Avenue Portland, Maine. The object of this survey was to identify suspect asbestos containing materials (ACM) and collect samples of suspect ACM that may be impacted during the demolition process.

The demolition survey was conducted on October 20, 1998 by Craig Wilson a Maine DEP licensed Asbestos Inspector #AI-0033 and Management Planner #MP-0069. During the survey suspect ACM that may be impacted during the demolition was identified. The materials tentatively identified as visually suspect were various linoleum and associated paper backing. Sample analysis revealed that each were negative for asbestos.

The demolition survey performed on your behalf was not a destructive survey and is subject to a variety of limitations that should be considered in review of the results. The Inspector makes assumptions based on the type of material and the Inspector's experience. Three samples of each suspect material are collected and analyzed for asbestos content. The samples are then analyzed by Polarized Light Microscopy. This method is capable of identifying approximately 95 percent of accessible (by non-destructive methods) ACM present. A copy of the preliminary analysis is attached along with the associated chain of custody.

This survey meets Maine DEP Demolition Impact Survey requirements. If you have any questions, please contact the undersigned at (207) 623-8645.


Sincerely,

A handwritten signature in black ink, appearing to read 'Craig E. Wilson', written in a cursive style.

Craig E. Wilson
President

Attachments

8/g&gsur



Icon Environmental

Craig E. Wilson
President
RR #6 Box 958
8 Rod Road
Augusta, Maine 04330 USA

Telephone 207-623-8645
Fax 207-623-8645 Pager 623-5794

October 24, 1998

Tim Ronin
Gendron and Gendron
Lewiston, Maine 04240

Dear Mr. Ronin:

Icon Environmental was retained by Gendron and Gendron to conduct a demolition asbestos survey prior to the demolition of two multi-tenant buildings located at 930/930A Brighton Avenue Portland, Maine. The object of this survey was to identify suspect asbestos containing materials (ACM) and collect samples of suspect ACM that may be impacted during the demolition process.

The demolition survey was conducted on October 20, 1998 by Craig Wilson a Maine DEP licensed Asbestos Inspector #AI-0033 and Management Planner #MP-0069. During the survey suspect ACM that may be impacted during the demolition was identified. The materials tentatively identified as visually suspect were various linoleum and associated paper backing. Sample analysis revealed that each were negative for asbestos.

The demolition survey performed on your behalf was not a destructive survey and is subject to a variety of limitations that should be considered in review of the results. The Inspector makes assumptions based on the type of material and the Inspectors experience. Three samples of each suspect material are collected and analyzed for asbestos content. The samples are then analyzed by Polarized Light Microscopy. This method is capable of identifying approximately 95 percent of accessible (by non-destructive methods) ACM present. A copy of the preliminary analysis is attached along with the associated chain of custody.

This survey meets Maine DEP Demolition Impact Survey requirements. If you have any questions, please contact the undersigned at (207) 623-8645.

Sincerely,

Craig E. Wilson
President

Attachments

8/g&gsur

Inspection Services
P. Samuel Hoffses
Chief



Planning and Urban Development
Joseph E. Gray Jr.
Director

CITY OF PORTLAND

February 8, 1999

Gendron & Gendron
50 Alfred Plourde Parkway
Lewiston, ME 04240

Attn: Timothy F. Ronan, Project Manager

RE: Brighton Avenue (Rite Aid), Portland Maine

Dear Mr. Ronan:

In regard to your letter dated February 4, 1999, in respect to the approved plan and a substitute of 5/8"x 4'x8' Fire-treated plywood in lieu of the 5/8"x 4'x8' exterior gypsum sheathing and blocking.


I have reviewed this change and feel this is an excepted proposal under Chapter 7, Section 705 of the city's building code.

I am requesting that his substitute be reviewed by the design professional of this project and must receive their approval for this change before the change is made. A copy of their approval must be sent to me for the record.

Also, on February 5, 1999, I inspected this project and found a change in the design of one column which is the middle column on the Brighton Avenue side. (The anchor bolts were relocated). This also must have the approval from the design professional and the results sent to me for the record.

If you should have any questions on these matters please call.

Sincerely,



P. Samuel Hoffses
Inspector of Buildings

cc: Lt. McDougall, PFD

GENDRON & GENDRON

50 Alfred Plourde Parkway- P. O. Box 1913

Lewiston, Maine 04241-1913

Tel. 207-782-7372

FAX. 207-782-7308

February 4, 1999

City of Portland
389 Congress Street
Portland, Maine 04101

ATTENTION: P. Samuel Hoffses
Inspector of Buildings

RE: Brighton Avenue Rite Aid

Dear Sam:

We are sending you this letter in regard to our conversation on February 2, 1999, at your office with respect to our request to change the existing substrate on the Brighton Avenue Rite Aid Project.

Gendron & Gendron would like to substitute 5/8" x 4' x 8' fire-treated plywood in lieu of the 5/8" x 4' x 8' exterior gypsum sheathing and blocking.

The exterior veneer and detail will be installed as outlined on the plans submitted to your office.

If you should have any questions or comments, please give me a call.

Sincerely,



Timothy F. Ronan
Project Manager

TFR:mlj

Inspection Services
P. Samuel Hoffses
Chief



Planning and Urban Development
Joseph E. Gray Jr.
Director

CITY OF PORTLAND

February 8, 1999

Gendron & Gendron
50 Alfred Plourde Parkway
Lewiston, ME 04240

Attn: Timothy F. Ronan, Project Manager

RE: Brighton Avenue (Rite Aid), Portland Maine

Dear Mr. Ronan:

In regard to your letter dated February 4, 1999, in respect to the approved plan and a substitute of 5/8"x 4'x8' Fire-treated plywood in lieu of the 5/8"x 4'x8' exterior gypsum sheathing and blocking.


I have reviewed this change and feel this is an excepted proposal under Chapter 7, Section 705 of the city's building code.

I am requesting that his substitute be reviewed by the design professional of this project and must receive their approval for this change before the change is made. A copy of their approval must be sent to me for the record.

Also, on February 5, 1999, I inspected this project and found a change in the design of one column which is the middle column on the Brighton Avenue side. (The anchor bolts were relocated). This also must have the approval from the design professional and the results sent to me for the record.

If you should have any questions on these matters please call.

Sincerely,



P. Samuel Hoffses
Inspector of Buildings

cc: Lt. McDougall, PFD

GENDRON & GENDRON

50 Alfred Plourde Parkway- P. O. Box 1913

Lewiston, Maine 04241-1913

Tel. 207-782-7372

FAX. 207-782-7308

February 4, 1999

City of Portland
389 Congress Street
Portland, Maine 04101

ATTENTION: P. Samuel Hoffses
Inspector of Buildings

RE: Brighton Avenue Rite Aid

Dear Sam:

We are sending you this letter in regard to our conversation on February 2, 1999, at your office with respect to our request to change the existing substrate on the Brighton Avenue Rite Aid Project.

Gendron & Gendron would like to substitute 5/8" x 4' x 8' fire-treated plywood in lieu of the 5/8" x 4' x 8' exterior gypsum sheathing and blocking.

The exterior veneer and detail will be installed as outlined on the plans submitted to your office.

If you should have any questions or comments, please give me a call.

Sincerely,



Timothy F. Ronan
Project Manager

TFR:mlj

11-6-98 The wooden structure to right side
has been demolished still clearing
up debris area

Inspection Record

Type

Date

Foundation: _____

Framing: _____

Plumbing: _____

Final: _____

Other: _____

BUILDING PERMIT REPORT

DATE 29/OCT/98 ADDRESS: 930 Brighton Ave CBI 260-B-001
REASON FOR PERMIT: Demolish 2 structures
BUILDING OWNER: Brighton/Portland LLC
CONTRACTOR: Gendron & Gendron
PERMIT APPLICANT: ↑
USE GROUP Demo BOCA 1996 CONSTRUCTION TYPE _____


CONDITION(S) OF APPROVAL

This Permit is being issued with the understanding that the following conditions are met:

Approved with the following conditions: X/1,

- *1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
- 2.5 Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 2.6 Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
3. Precaution must be taken to protect concrete from freezing. Section 1908.0
4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
8. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
9. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread, 7" maximum rise. (Section 1014.0)
11. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8") 1014.4

12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. Section 1010.1
14. All vertical openings shall be enclosed with construction having a fire rating of at least one (1)hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) Section 710.0
15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. Table 302.1.1
16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
 In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2
17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. Section 921.0
18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
19. The Sprinkler System shall maintained to NFPA #13 Standard.
20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. (crawl spaces & attics)
24. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.
25. All requirements must be met before a final Certificate of Occupancy is issued.
26. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
27. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
28. Please read and implement the attached Land Use-Zoning report requirements.
29. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.3. of the City's building code.
30. Glass and glazing shall meet the requirements of Chapter 24 of the building code.
- *31. All demolition shall be done in accordance with sections 110.0 & 330.0 of the City's bldg. Code (The BOCA National Building Code/1996).
32. _____
33. _____

 P. Samuel Heffses, Building Inspector

cc: L.J. McDougall, PFD
Marge Schmuckal, Zoning Administrator

CITY OF PORTLAND, MAINE
DEPARTMENT OF PUBLIC WORKS

STREET EXCAVATION PERMIT

PERMIT NO.

C 016738

THIS PERMIT EXPIRES THIRTY DAYS FROM DATE OF ISSUE

DATE 10/16/98, 19

PERMISSION IS HEREBY GIVEN TO Gendron & Gendron, In
NAME ADDRESS

TO OPEN 2 - 10 Rowe Ave STREET/ AVENUE.

FOR THE PURPOSE OF Opening street to cap sewer line off at main, SAID WORK SHALL BE PROPERLY
DONE ACCORDING TO The Excavation Ordinance, Chapter 25 of the Municipal Code, "EXCAVATIONS IN PUBLIC PLACES."

THE WORK IS BEING DONE BY:

CONTRACTOR: Gendron & Gendron, Inc., Lewiston
NAME ADDRESS

PLUMBER: _____
NAME ADDRESS

THE PROPERTY OWNER IS _____
NAME ADDRESS

William J. Bray
William J. Bray
Deputy Director of Public Works/City Engineer

PERMIT FEE \$45.00:

KIND OF PAVEMENTS: STREETS _____
SIDEWALKS _____

STREET MEASURED: _____ SQ. YDS. @ \$ _____ \$ _____

_____ SQ. YDS. @ \$ _____ \$ _____

_____ SQ. YDS. @ \$ _____ \$ _____

SIDEWALK MEASURED: _____ SQ. YDS. @ \$ _____ \$ _____

OTHER CHANGES: _____ \$ _____

TOTAL AMOUNT TO BE PAID \$ _____

White copy - Contractor Yellow copy - Billing Pink copy - File

CITY OF PORTLAND, MAINE

October 16, 1998

4:12 PM

PUBLIC WORKS - STREET OPENING

SUMMARY OF CHARGES FOR PERMIT # C016738

Dig Safe Number: 98410118

Date Work to Begin: October 15, 1998

Purpose of Opening: Opening street to cap sewer line off at main

Location of Opening: 2 to 10 Rowe Ave

Permit Holder:

Gendron & Gendron, Inc

Lewiston

Excavator:

Gendron & Gendron, Inc

50 Alfred Plourde Parkway
Lewiston, ME 04240

Qty	Description	Rate	per	Unit	Charge	Paid	Due	Account #
1.000	Street permit	\$99.00		Each	\$99.00	\$99.00	\$0.00	70031 20703
8.889	Restoration chg	\$40.00		Sq Yd	\$355.56	\$355.56	\$0.00	70031 20706
8.889	Estimated RLF2	\$0.00		Sq Yd	\$0.00	\$0.00	\$0.00	70031 20709

Totals:

\$454.56

\$454.56

\$0.00