

**CITY OF PORTLAND, MAINE
DEVELOPMENT REVIEW APPLICATION
PLANNING DEPARTMENT PROCESSING FORM
DRC Copy**

2005-0128
Application I. D. Number
06/17/2005
Application Date
Ryan Hines House
Project Name/Description

Koutny John R &
Applicant
46 Northwood Dr, Portland, ME 04103
Applicant's Mailing Address

Ryan Hines
Consultant/Agent
Agent Ph: (207)642-3200 **Agent Fax:**
Applicant or Agent Daytime Telephone, Fax

456 - 456 Capisic St, Portland, Maine
Address of Proposed Site
258 B002001
Assessor's Reference: Chart-Block-Lot

Proposed Development (check all that apply): New Building Building Addition Change Of Use Residential Office Retail
 Manufacturing Warehouse/Distribution Parking Lot Other (specify)

4488
Proposed Building square Feet or # of Units Acreage of Site Zoning

Check Review Required:

- | | | | |
|--|---|--|--|
| <input checked="" type="checkbox"/> Site Plan (major/minor) | <input type="checkbox"/> Subdivision # of lots | <input type="checkbox"/> PAD Review | <input type="checkbox"/> 14-403 Streets Review |
| <input type="checkbox"/> Flood Hazard | <input type="checkbox"/> Shoreland | <input type="checkbox"/> Historic Preservation | <input type="checkbox"/> DEP Local Certification |
| <input type="checkbox"/> Zoning Conditional Use (ZBA/PB) | <input type="checkbox"/> Zoning Variance | | <input type="checkbox"/> Other |

Fees Paid: Site Plan Subdivision Engineer Review Date

DRC Approval Status:

- Approved **Approved w/Conditions**
See Attached Denied

Approval Date **10/26/2005** Approval Expiration **10/26/2006** Extension to Additional Sheets
Condition Compliance **Jay Reynolds** **10/26/2005** Attached
signature date

Performance Guarantee Required* **Not Required**

* No building permit may be issued until a performance guarantee has been submitted as indicated below

- | | | | |
|--|----------------|--|-----------------|
| <input checked="" type="checkbox"/> Performance Guarantee Accepted | date | amount | expiration date |
| <input checked="" type="checkbox"/> Inspection Fee Paid | date | amount | |
| <input type="checkbox"/> Building Permit Issue | date | | |
| <input checked="" type="checkbox"/> Performance Guarantee Reduced | date | remaining balance | signature |
| <input type="checkbox"/> Temporary Certificate of Occupancy | date | <input type="checkbox"/> Conditions (See Attached) | expiration date |
| <input type="checkbox"/> Final Inspection | date | signature | |
| <input type="checkbox"/> Certificate Of Occupancy | date | | |
| <input checked="" type="checkbox"/> Performance Guarantee Released | date | signature | |
| <input checked="" type="checkbox"/> Defect Guarantee Submitted | submitted date | amount | expiration date |
| <input checked="" type="checkbox"/> Defect Guarantee Released | date | signature | |

**CITY OF PORTLAND, MAINE
DEVELOPMENT REVIEW APPLICATION
PLANNING DEPARTMENT PROCESSING FORM
ADDENDUM**

2005-0128
Application I. D. Number

06/17/2005
Application Date

Ryan Hines House
Project Name/Description

Koutny John R &

Applicant

46 Northwood Dr, Portland, ME 04103

Applicant's Mailing Address

Ryan Hines

Consultant/Agent

Agent Ph: (207) 642-3200

Agent Fax:

Applicant or Agent Daytime Telephone, Fax

456 - 456 Capisic St, Portland, Maine

Address of Proposed Site

258 B002001

Assessor's Reference: Chart-Block-Lot

Approval Conditions of DRC

- 1 Sitework shall conform to the City's guidelines regarding the Resource Protection Zone that crosses the rear of the property.
- 2 **NO CHANGES IN GRADING IS PROPOSED. ANY CHANGES IN TOPOGRAPHY SHALL REQUIRE ADDITIONAL REVIEW AND APPROVAL BY THE CITY.**
- 3 All Site work (final grading, landscaping, loam and seed) must be completed prior to issuance of a certificate of occupancy.
- 4 Two (2) City of Portland approved species and size trees must be planted on your street frontage prior to issuance of a Certificate of Occupancy.
- 5 All damage to sidewalk, curb, street, or public utilities shall be repaired to City of Portland standards prior to issuance of a certificate of occupancy.
- 6 A sewer permit is required for your project. Please contact Carol Merritt at 874-8300, ext . 8822. The Wastewater and Drainage section of Public Works must be notified five (5) working days prior to sewer connection to schedule an inspector for your site.
- 7 A street opening permit(s) is required for your site. Please contact Carol Merritt ay 874-8300, ext. 8822. (Only excavators licensed by the City of Portland are eligible.)
- 8 The Development Review Coordinator reserves the right to require additional lot grading or other drainage improvements as necessary due to field conditions.

Sewer Tap in OK?
Legible Plans
Prop. 7500 - Limits of
Ex. 1/11/05 - 8/1/05

CITY OF PORTLAND, MAINE
DEVELOPMENT REVIEW APPLICATION
PLANNING DEPARTMENT PROCESSING FORM

2005-0128
Application I. D. Number

DRC Copy

6/17/2005
Application Date

Koutny John R &
Applicant

Jay Reynolds

Ryan Hines House
Project Name/Description

46 Northwood Dr, Portland, ME 04103

Applicant's Mailing Address

456 - 456 Capisic St, Portland, Maine

Address of Proposed Site

Ryan Hines

258 B002001

Consultant/Agent

Assessor's Reference: Chart-Block-Lot

Agent Ph: (207)642-3200

Agent Fax:

Applicant or Agent Daytime Telephone, Fax

Proposed Development (check all that apply):
 New Building Building Addition Change Of Use Residential Office Retail
 Manufacturing Warehouse/Distribution Parking Lot Other (specify)

4488
Proposed Building square Feet or # of Units

Acreage of Site

Zoning

Check Review Required:

- Site Plan (major/minor)
- Flood Hazard
- Zoning Conditional Use (ZBA/PB)
- Subdivision # of lots
- Shoreland
- Zoning Variance
- PAD Review
- Historic Preservation
- 14-403 Streets Review
- DEP Local Certification
- Other

Fees Paid: Site Pla _____ Subdivision _____ Engineer Review _____ Date _____

DRC Approval Status:

- Approved
- Approved w/Conditions See Attached
- Denied

Reviewer Jay Reynolds

Approval Date 10-26-05

Approval Expiration _____

Extension to _____

Additional Sheets Attached

Condition Compliance

Jay Reynolds 10-26-05
signature date

Performance Guarantee

- Required*
- Not Required

* No building permit may be issued until a performance guarantee has been submitted as indicated below

| | | | |
|--|----------------------|--|-----------------------|
| <input checked="" type="checkbox"/> Performance Guarantee Accepted | _____ date | _____ amount | _____ expiration date |
| <input checked="" type="checkbox"/> Inspection Fee Paid | _____ date | _____ amount | |
| <input type="checkbox"/> Building Permit Issue | _____ date | | |
| <input checked="" type="checkbox"/> Performance Guarantee Reduced | _____ date | _____ remaining balance | _____ signature |
| <input type="checkbox"/> Temporary Certificate of Occupancy | _____ date | <input type="checkbox"/> Conditions (See Attached) | _____ expiration date |
| <input type="checkbox"/> Final Inspection | _____ date | _____ signature | |
| <input type="checkbox"/> Certificate Of Occupancy | _____ date | | |
| <input checked="" type="checkbox"/> Performance Guarantee Released | _____ date | _____ signature | |
| <input checked="" type="checkbox"/> Defect Guarantee Submitted | _____ submitted date | _____ amount | _____ expiration date |
| <input checked="" type="checkbox"/> Defect Guarantee Released | _____ date | _____ signature | |

City of Portland
Department of Planning and Development
Planning Division
389 Congress Street, 4th Floor
Portland ME 04101
(207)874-8721 or (207)874-8719
Fax: (207)756-8258



FAX

To:

Dave Peterson

Company:

P.W.D.

Fax #:

874-8852

Date:

6-29-05

From:

Jay Reynolds




You should receive 2 page(s) including this cover sheet.

Comments:

** 456 Capisic, tie into Interceptor Sewer.
OK?*

Site is chart: 259, Block C, Lot 20 Area
 258, Block B, Lot 2

LOCATION MAP:



GENERAL NOTES:

- All work shall be in accordance with BOCA Basic Building Code, NFPA-10 National Electric Code, Maine State Plumbing Code, ASHRAE, U.L., NFPA Codes, Americans with Disabilities Act 1990 (ADA) and all local, State and Federal requirements.
- All applicable Federal, State and Municipal regulations shall be followed, including the Federal Department of Labor Occupational Safety and Health act.
- All required City and State permits must be obtained before any construction begins.
- It is the contractor's sole responsibility to determine erection procedures and sequence to ensure the safety of the building and its components during erection. This includes the addition of necessary shoring, shoring, temporary bracing, guy or tie-downs. Such material shall remain the property of the contractor after completion of the project.
- Structural, Mechanical, Electrical and Plumbing design and installation by others shall be performed in accordance with local, State and Federal standards.
- All fire ratings indicated shall be continuous to underside of fire rated ceiling or underside of roof deck. Seal all openings & mechanical penetrations with approved fire rating material.
- Building shall be sprinklered in accordance with NFPA-10. Contractor shall submit plans for State Fire Marshal approval prior to construction in accordance to state law.
- Building shall have approved smoke detectors in accordance with NFPA-101 Life Safety Code. Smoke detectors shall initiate alarm that is audible in the sleeping rooms of each unit.
- Portable fire extinguishers shall be provided in all hazardous areas in accordance to NFPA-101. Local authority having jurisdiction needs to provide written requirements.
- Balconies must maintain a 42" guardrail height and shall be kept free and clear of ice and snow at all times to ensure the second means of egress.
- HVAC installation to be in accordance with ASHRAE, NFPA-96A, OR NFPA-96B and all federal, local and State codes. Ventilation or heat equipment shall be in accordance with NFPA-98, NFPA-70, NFPA-3, NFPA-54 and NFPA-70 as applicable.


FRAMING NOTES:

- ALL EXTERIOR WALLS TO BE 2x4 WOOD STUD WALLS @ 24" O.C. W/ 1/2" GIBS AND VAPOR BARRIER @ INSIDE FACE OF WALL, 6" BATT INSULATION (R-19) AND 1/2" APA RATED SHEATHING @ EXTERIOR FACE OF WALL.
- ALL INTERIOR WALLS TO BE 2x4 WOOD STUD WALLS (UNLESS NOTED OTHERWISE) W/ ONE LAYER 1/2" GIBS EACH SIDE.
- INSTALL BLOCKING BEHIND ALL SURFACE APPLIED FIXTURES, TRIM, AND SHELVES WHEN MOUNTED ON WALLS.
- THE LOCATION OF ALL DOOR FRAMES SHALL BE 4 1/2" (UNLESS NOTED OTHERWISE) FROM ADJACENT WALLS.

FOUNDATION NOTES:


- PROVIDE SILL SEALER ON TOP OF ALL FOUNDATION WALLS.
- FOUNDATION WALLS SHALL BE BACKFILLED SIMULTANEOUSLY ON BOTH SIDES.
- ALL STEEL REINFORCING IN FOOTINGS TO BE A MINIMUM 3" CLEAR FROM BOTTOM OF FOOTING.
- ALL STEEL REINFORCING IN FOUNDATION WALLS BELOW GRADE TO BE MINIMUM 2" CLEAR FROM FACE OF WALL.
- ALL WOOD IN CONTACT WITH CONCRETE SHALL BE PRESURE PRESERVATIVE TREATED (P.T.) TO 24% RETENTION PER A.M.P.A.
- ALL CONCRETE SURFACES SHALL HAVE A STEEL TROWEL & LIGHT BROOM FINISH.
- SET BOTTOM OF FOOTINGS MIN. 4'-0" BELOW GRADE.
- SET ALL FOOTINGS ON UNDISTURBED SOIL OR COMPACTED STRUCTURAL FILL.
- RADIANT HEAT IN SLAB.
- FIRST FLOOR SLAB SHALL BE 4" THICK CONCRETE SLAB ON GRADE W/ FIBER MESH REINFORCEMENT. PROVIDE CONTROL JOINTS @ 5'-0" SPACING (TYP.).
- ALL CONCRETE SHALL BE 3000 PSI (1% STRENGTH AT 28 DAYS).
- ALL CONCRETE SHALL BE AIR ENTRAINED 4-6%.
- ALL OTHER ADJUSTMENTS SHALL BE PRE-APPROVED.

NOTE:
BUILDING TO BE SPRINKLERED PER NFPA-10




ROOF FRAMING PLAN

SCALE: 1/4" = 1' - 0"




1 TYPICAL FOUNDATION WALL

SCALE: 1" = 1' - 0"



2 DECK JOIST CONNECTION DETAIL

SCALE: 1" = 1' - 0"



FOUNDATION / FIRST FLOOR FRAMING PLAN

SCALE: 1/4" = 1' - 0"


30 X 40 UNIT
(FULL BASEMENT)

SCHEME 'A'


FOUNDATIONS THIS SHEET
 FOUNDATION PLAN
 ROOF PLAN
 DETAILS

DATE
 04/05/04


A1




1 FLOOR FRAMING DETAIL 1/2" = 1'-0"



2 PARTY WALL DETAIL 1/2" = 1'-0"
UL = U3025.011




3 SECTION - PARTY WALL DETAIL 1/2" = 1'-0"




4 HANDRAIL DETAIL 1/2" = 1'-0"

GENERAL NOTE FOR PARTY / SHEAR WALL:

1. PROVIDE 2x4 BLOCKING @ ALL PANEL EDGES & INTERMEDIATE. PROVIDE SCREWS @ 6" O.C. @ PANEL EDGES & INTERMEDIATE.
2. RUN 2x4 WALL TO UNDERSIDE OF ROOF DECK (IN ATTIC SPACE) ALIGNED WITH ONE OF THE 2x4 WALLS IN THE PARTY WALL BELOW. PROVIDE (1) LAYER 1/4" APA RATED WEATHERING ONE SIDE ONLY. PROVIDE 2x4 BLOCKING @ ALL PANEL EDGES & INTERMEDIATE. PROVIDE 16d NAILS @ 6" O.C. @ PANEL EDGES & INTERMEDIATE.
3. OBTAIN WRITTEN APPROVAL FROM AUTHORITY HAVING JURISDICTION FOR FIRE WALL RATING SHOWN.



NOTE: BUILDING TO BE SPRINKLERED PER NFPA-13
SECOND FLOOR PLAN
SCALE: 1/4" = 1'-0"



FIRST FLOOR PLAN
SCALE: 1/4" = 1'-0"



30 x 40 UNIT
(FULL BASEMENT)
SCHEME 'A'

DRAWINGS THIS SHEET
FLOORPLANS
DETAILS

DATE
04/15/04

A2

SITE LOCATION MAP:



GENERAL NOTES:

1. RECORD OWNER OF PARCEL: RYAN HINES AND MELISSA HINES BOOK 22625 PAGE 311 AS RECORDED IN THE CUMBERLAND COUNTY REGISTRY OF DEEDS (C.C.R.D.).
2. BEARINGS ARE BASED UPON THE PLAN REFERENCED BELOW AS 4a, AN ON THE GROUND SURVEY WAS PERFORMED BY BACK BAY BOUNDARY, INC. UTILIZING THE FOLLOWING EQUIPMENT:
LIETZ SOKKISHA SET 4 TOTAL STATION, LIETZ SDR 33 DATA COLLECTOR, HAND-HOLD MAGNETIC COMPASS.
3. AREA OF SUBJECT PARCEL: 70,289 SQ. FT. 1.61 ACRES
4. REFERENCE IS MADE TO THE FOLLOWING PLANS:
 - a.) PLAN OF PROPERTY 462 CAPISIC STREET PORTLAND, MAINE MADE FOR EPS ENTERPRISES BY TITCOMB ASSOC. DATED 07-28-1987 AND RECORDED IN THE CUMBERLAND COUNTY REGISTRY OF DEEDS PLAN BOOK 194 PAGE 231 ON JULY 14, 1994.
 - b.) PORTLAND WATER DISTRICT PORTLAND SEWER SYSTEM INFILTRATION-INFLOW ANALYSIS SHEETS SECTION II, PROVIDED BY THE CITY OF PORTLAND'S ENGINEERING DEPARTMENT.
 - c.) CITY OF PORTLAND TAX ASSESSOR SHEETS 259 & 258. SUBJECT LOT SHOWN AS 259-BLOCK C-LOT 20 AND 258-BLOCK B-LOT 002.
5. THERE WERE NO APPARENT EASEMENTS OR RESTRICTIONS BURDENING OR BENEFITING SUBJECT PROPERTY AT THE TIME OF OF THIS SURVEY EXCEPT THOSE SHOWN HEREON, NAMELY THE SHORELAND ZONING AND SEWER EASEMENT.
6. ZONING: R-3 ZONE SEE PLAN FOR SETBACK INFORMATION.
7. THE BOUNDARY LINES SHOWN HEREON ARE BASED UPON PLAN REFERENCE 4a AS AGREED TO IN THE WRITTEN CONTRACT DATED JUNE 9, 2005 BETWEEN BACK BAY BOUNDARY INC. AND RYAN HINES.
8. NO CHANGES TO THE EXISTING CONTOURS ARE PLANNED EXCEPT FOR LOAM AND TOPSOIL UTILIZED FOR LANDSCAPING.
9. ELEVATIONS BASED UPON THE SEWER MANHOLE INVERTS SHOWN ON THE FORE RIVER INTERCEPTOR PLANS AND SHOWN HEREON. IT IS ASSUMED THAT THE ELEVATIONS REFER TO CITY DATUM N.G.V.D. 1929.

LEGEND

- CRF ⊙ Capped 5/8" Rebar Found (50.00') Distance from reference plan or deed.
- N/F Now Or Formerly
- Z — Indicates Ownership in Common
- ⊕ Utility Pole
- OHU — Overhead Utility
- — — Abutter Line
- — — Property Line
- — — Street Line
- ⊙ Sewer Manhole
- ⊕ Drain Manhole
- ⊕ Water Shutoff or Gate
- 12345/99 Deed Book/Page of Local Registry
- — — Edge of Traveled Way
- — — Setback Line
- 98 --- Contour Line
- — — Sewer Easement Line
- W — Water Line
- ⊕ Hydrant


SURVEYORS STATEMENT:

I HEREBY CERTIFY THAT THIS SURVEY CONFORMS TO THE MAINE BOARD OF LICENSURE FOR PROFESSIONAL LAND SURVEYORS' STANDARDS OF PRACTICE AS ADOPTED APRIL 01, 2001 WITH THE FOLLOWING EXCEPTIONS:

- a) NO WRITTEN REPORT
- b) NO NEW DESCRIPTION
- c) NO NEW CORNERS SET

DATE: JUNE 16, 2005

ROBERT T. GREENLAW P.L.S., #2303
V. PRESIDENT BACK BAY BOUNDARY, INC.




EXISTING CONDITIONS/ SITE PLAN
 456 CAPISIC STREET PORTLAND, MAINE
 FOR: **RYAN HINES**

| | | | |
|---------------------|-----------------|-----------------|----------------------------|
| DRAWN BY: RTG | CHECKED BY: KCC | SCALE: 1" = 60' | DATE OF SURVEY: 06/07/2005 |
| JOB NUMBER: 2005076 | | SHEET: 1 OF 5 | |

PREPARED BY:
BACK BAY BOUNDARY, INC.
 PROFESSIONAL LAND SURVEYING
 643 FOREST AVENUE
 PORTLAND, MAINE 04101
 207-774-2855 FAX 207-347-4346
 DRAWER: 2005 NO: 076


SITE LOCATION MAP:



MILLIGAN
MILLIGAN
PAGE 289

#462 CAPISIC

CAPPED REBAR FOUND
AND HELD PLS #1262
TYPICAL




PROPOSED
2-STORY DWELLING
F.F.E. = 63'

14 00ft

GENERAL NOTES:

1. RECORD OWNER OF PARCEL: RYAN HINES AND MELISSA HINES BOOK 22625 PAGE 311 AS RECORDED IN THE CUMBERLAND COUNTY REGISTRY OF DEEDS (C.C.R.D.).
2. BEARINGS ARE BASED UPON THE PLAN REFERENCED BELOW AS 4a, AN ON THE GROUND SURVEY WAS PERFORMED BY BACK BAY BOUNDARY, INC. UTILIZING THE FOLLOWING EQUIPMENT:
LIETZ SOKKISHA SET 4 TOTAL STATION, LIETZ SDR 33 DATA COLLECTOR, HAND-HELD MAGNETIC COMPASS.
3. AREA OF SUBJECT PARCEL: 70,289 SQ. FT. 1.61 ACRES
4. REFERENCE IS MADE TO THE FOLLOWING PLANS:
a.) PLAN OF PROPERTY 462 CAPISIC STREET PORTLAND, MAINE MADE FOR EPS ENTERPRISES BY TITCOMB ASSOC. DATED 07-28-1987 AND RECORDED IN THE CUMBERLAND COUNTY REGISTRY OF DEEDS PLAN BOOK 194 PAGE 231 ON JULY 14, 1994.
b.) PORTLAND WATER DISTRICT PORTLAND SEWER SYSTEM INFILTRATION-INFLOW ANALYSIS SHEETS SECTION II, PROVIDED BY THE CITY OF PORTLAND'S ENGINEERING DEPARTMENT.
c.) CITY OF PORTLAND TAX ASSESSOR SHEETS 259 & 258. SUBJECT LOT SHOWN AS 259-BLOCK C-LOT 20 AND 258-BLOCK B-LOT 002.
5. THERE WERE NO APPARENT EASEMENTS OR RESTRICTIONS BURDENING OR BENEFITING SUBJECT PROPERTY AT THE TIME OF OF THIS SURVEY.
6. ZONING: R-3 ZONE SEE PLAN FOR SETBACK INFORMATION.
7. THE BOUNDARY LINES SHOWN HEREON ARE BASED UPON PLAN REFERENCE 4a AS AGREED TO IN THE WRITTEN CONTRACT DATED JUNE 9, 2005 BETWEEN BACK BAY BOUNDARY INC. AND RYAN HINES.
8. NO CHANGES TO THE EXISTING CONTOURS ARE PLANNED EXCEPT FOR LOAM AND TOPSOIL UTILIZED FOR LANDSCAPING.
9. ELEVATIONS BASED UPON THE SEWER MANHOLE INVERTS SHOWN ON THE FORE RIVER INTERCEPTOR PLANS AND SHOWN HEREON. IT IS ASSUMED THAT THE ELEVATIONS REFER TO CITY DATUM N.G.V.D. 1929.



SURVEYORS STATEMENT:

I HEREBY CERTIFY THAT THIS SURVEY CONFORMS TO THE MAINE BOARD OF LICENSURE FOR PROFESSIONAL LAND SURVEYORS' STANDARDS OF PRACTICE AS ADOPTED APRIL 01, 2001 WITH THE FOLLOWING EXCEPTIONS:

- a) NO WRITTEN REPORT
- b) NO NEW DESCRIPTION
- c) NO NEW CORNERS SET

DATE: JUNE 16, 2005

ROBERT T. GREENLAW P.L.S., #2303
V. PRESIDENT BACK BAY BOUNDARY, INC.

MINOR SITE PLAN
SHOWING A PROPOSED 2-STORY DWELLING
456 CAPISIC STREET PORTLAND, MAINE

RYAN HINES

FOR:



| | | | |
|---------------------|-----------------|---------------|----------------------------|
| DRAWN BY: RTG | CHECKED BY: KCC | SCALE: 1"=20' | DATE OF SURVEY: 06/07/2005 |
| JOB NUMBER: 2005076 | | SHEET: 2 OF 6 | |

PREPARED BY:
BACK BAY BOUNDARY, INC.
PROFESSIONAL LAND SURVEYING
643 FOREST AVENUE
PORTLAND, MAINE 04101
207-774-2855 FAX 207-347-4346



DRAWER: 2005 NO: 076

SITE LOCATION MAP:



GENERAL NOTES:

1. RECORD OWNER OF PARCEL: RYAN HINES AND MELISSA HINES BOOK 22625 PAGE 311 AS RECORDED IN THE CUMBERLAND COUNTY REGISTRY OF DEEDS (C.C.R.D.).
2. BEARINGS ARE BASED UPON THE PLAN REFERENCED BELOW AS 4a, AN ON THE GROUND SURVEY WAS PERFORMED BY BACK BAY BOUNDARY, INC. UTILIZING THE FOLLOWING EQUIPMENT:
LIETZ SOKKISHA SET 4 TOTAL STATION, LIETZ SDR 33 DATA COLLECTOR, HAND-HELD MAGNETIC COMPASS.
3. AREA OF SUBJECT PARCEL: 70,289 SQ. FT. 1.61 ACRES
4. REFERENCE IS MADE TO THE FOLLOWING PLANS:
a.) PLAN OF PROPERTY 462 CAPSIC STREET PORTLAND, MAINE MADE FOR EPS ENTERPRISES BY TITCOMB ASSOC. DATED 07-28-1987 AND RECORDED IN THE CUMBERLAND COUNTY REGISTRY OF DEEDS PLAN BOOK 194 PAGE 231 ON JULY 14, 1994.
b.) PORTLAND WATER DISTRICT PORTLAND SEWER SYSTEM INFILTRATION-INFLOW ANALYSIS SHEETS SECTION II, PROVIDED BY THE CITY OF PORTLAND'S ENGINEERING DEPARTMENT.
c.) CITY OF PORTLAND TAX ASSESSOR SHEETS 259 & 258. SUBJECT LOT SHOWN AS 259-BLOCK C-LOT 20 AND 258-BLOCK B-LOT 002.
5. THERE WERE NO APPARENT EASEMENTS OR RESTRICTIONS BURDENING OR BENEFITING SUBJECT PROPERTY AT THE TIME OF OF THIS SURVEY.
6. ZONING: R-3 ZONE SEE PLAN FOR SETBACK INFORMATION.
7. THE BOUNDARY LINES SHOWN HEREON ARE BASED UPON PLAN REFERENCE 4a AS AGREED TO IN THE WRITTEN CONTRACT DATED JUNE 9, 2005 BETWEEN BACK BAY BOUNDARY INC. AND RYAN HINES.
8. NO CHANGES TO THE EXISTING CONTOURS ARE PLANNED EXCEPT FOR LOAM AND TOPSOIL UTILIZED FOR LANDSCAPING.
9. ELEVATIONS BASED UPON THE SEWER MANHOLE INVERTS SHOWN ON THE FORE RIVER INTERCEPTOR PLANS AND SHOWN HEREON. IT IS ASSUMED THAT THE ELEVATIONS REFER TO CITY DATUM N.G.V.D. 1929.

LEGEND

- CRF ⊙ Capped 5/8" Rebar Found
- IPF ⊙ Iron Pipe Found
- (50.00') Distance from reference plan or deed.
- N/F Now Or Formerly Indicates Ownership in Common
- ⊙ Utility Pole
- WS — Proposed Domestic Water Service
- UGE — Underground Utility
- Abutter Line
- Property Line
- Street Line
- SF/ECM Silt Fence or Erosion Control Mix
- ⊙ Sewer Manhole
- ⊙ Drain Manhole
- 12345/99 Deed Book/Page of Local Registry
- ⊙ Water Shutoff or Gate
- Edge of Traveled Way
- Setback Line
- 98 — Contour Line
- Sewer Easement Line
- ⊙ Hydrant


SURVEYORS STATEMENT:

I HEREBY CERTIFY THAT THIS SURVEY CONFORMS TO THE MAINE BOARD OF LICENSURE FOR PROFESSIONAL LAND SURVEYORS' STANDARDS OF PRACTICE AS ADOPTED APRIL 01, 2001 WITH THE FOLLOWING EXCEPTIONS:

- a) NO WRITTEN REPORT
- b) NO NEW DESCRIPTION
- c) NO NEW CORNERS SET

DATE: JUNE 16, 2005

ROBERT T. GREENLAW P.L.S., #2303
V. PRESIDENT BACK BAY BOUNDARY, INC.



MINOR SITE PLAN
SHOWING A PROPOSED 2-STORY DWELLING
456 CAPSIC STREET PORTLAND, MAINE


RYAN HINES

FOR:


| | | | |
|---------------------|--------------|-----------------|----------------------------|
| DRAWN BY: | CHECKED BY: | SCALE: 1" = 60' | DATE OF SURVEY: xx/xx/2005 |
| JOB NUMBER: 2005076 | SHEET: 30F 6 | | |

BACK BAY BOUNDARY, INC.
 PROFESSIONAL LAND SURVEYING

643 FOREST AVENUE
 PORTLAND, MAINE 04101
 207-774-2855 FAX 207-347-4346



DRAWER: 2005 NO: 07




INSTALLATION:


1. EXCAVATE A 6"x 6" TRENCH ALONG THE LINE OF PLACEMENT FOR THE FILTER BARRIER.
2. UNROLL A SECTION AT A TIME AND POSITION THE POSTS AGAINST THE BACK (DOWNSTREAM) WALL OF THE TRENCH.
3. DRIVE POSTS INTO THE GROUND UNTIL APPROXIMATELY 2" OF FABRIC IS LYING ON THE TRENCH BOTTOM. JOIN SECTION AS SHOWN ABOVE.
4. LAY THE TOE-IN FLAP OF FABRIC ONTO THE UNDISTURBED BOTTOM OF THE TRENCH, BACKFILL THE TRENCH AND TAMP THE SOIL. TOE-IN CAN ALSO BE ACCOMPLISHED BY LAYING THE FABRIC FLAP ON UNDISTURBED GROUND AND PILING AND TAMPING FILL AT THE BASE, BUT MUST BE ACCOMPANIED BY AN INTERCEPTION DITCH.
5. BARRIER SHALL BE MIRAFI SILT FENCE OR APPROVED EQUAL.

FILTER BARRIER
NOT TO SCALE

NOTE
LOCATION / WARNING TAPE SHALL BE INSTALLED OVER CENTERLINE OF PIPE AT A MAXIMUM OF 24 INCHES BELOW FINISH GRADE.



HOUSE LATERAL WYE CONNECTION DETAILS
NOT TO SCALE




DETAIL SHEET
456 CAPISIC STREET PORTLAND, MAINE

FOR:
RYAN HINES

| | |
|---------------------|----------------------------|
| DRAWN BY: RTG | CHECKED BY: KCC |
| SCALE: 1"=50' | DATE OF SURVEY: 06/07/2005 |
| JOB NUMBER: 2005076 | SHEET: 5 OF 6 |

PREPARED BY:
BACK BAY BOUNDARY, INC.
PROFESSIONAL LAND SURVEYING
643 FOREST AVENUE
PORTLAND, MAINE 04101
207-774-2855 FAX 207-347-4346



HINES RESIDENCE



1 RIGHT SIDE ELEVATION
 A1 SCALE: 1/4"=1'-0"



2 FRONT ELEVATION
 A1 SCALE: 1/4"=1'-0"



3 LEFT SIDE ELEVATION
 A1 SCALE: 1/4"=1'-0"




4 REAR ELEVATION
 A1 SCALE: 1/4"=1'-0"


NOTE:
 THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY.
 IF USED FOR CONSTRUCTION, THE CONTRACTOR ASSUMES ALL RESPONSIBILITY
 FOR LOCAL CODE COMPLIANCE.
 ALL DRAWINGS, PLANS, SKETCHES, ETC. ARE PROVIDED TO OUR
 CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT
 AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES
 AND LOCAL CODES. NONE OF THE EMPLOYEES OF FMC CADD DRAFTING
 SERVICES, INC. ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND
 SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED
 BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION
 BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED
 BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION
 BEGINS FMC CADD DRAFTING SERVICES, INC. WILL BE HELD HARMLESS.
 FMC CADD DRAFTING SERVICES, INC. ASSUMES NO LIABILITY FOR CHANGES
 AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

| | |
|--------|------------|
| REVS: | |
| CODE: | 1999 |
| TOWN: | |
| DATE: | 14 JUNE 0 |
| SCALE: | AS NOTED |
| DRAWN: | JJM |
| TITLE: | ELEVATIONS |
| FILE: | 05-0086 |
| SHEET: | A1 |


HINES RESIDENCE



FOUNDATION PLAN
SCALE: 1/4"=1'-0"



FIRST FLOOR PLAN
SCALE: 1/4"=1'-0"








SECOND FLOOR PLAN
SCALE: 1/4"=1'-0"

NOTE:
THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY.
IF USED FOR CONSTRUCTION, THE CONTRACTOR ASSUMES ALL RESPONSIBILITY
FOR LOCAL CODE COMPLIANCE.
ALL DRAWINGS, PLANS, SKETCHES, ETC. ARE PROVIDED TO OUR
CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT
AND DRAIN IN ACCORDANCE WITH COMMON BUILDING PRACTICES
AND LOCAL CODES. NONE OF THE EMPLOYEES OF FMC CADD DRAFTING
SERVICES, INC. ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND
SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED
BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION
BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED
BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION
BEGINS, FMC CADD DRAFTING SERVICES, INC. WILL BE HELD HARMLESS.
FMC CADD DRAFTING SERVICES, INC. ASSUMES NO LIABILITY FOR CHANGES
AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

SD - HARDWIRED SMOKE DETECTOR

REVS:
CODE: 1999
TOWN:
DATE: 14 JUNE 0
SCALE: AS NOTED
DRAWN: JJM
TITLE:
FOUNDATION, F
& SECOND FLOOR
PLANS
FILE:05-0086
SHEET: A2



NOTE:
 THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY.
 IF USED FOR CONSTRUCTION, THE CONTRACTOR ASSUMES ALL RESPONSIBILITY
 FOR LOCAL CODE COMPLIANCE.
 ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR
 CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT
 AND DRAFT IN ACCORDANCE WITH COMMON BUILDING PRACTICES
 AND LOCAL CODES. NONE OF THE EMPLOYEES OF FMCCADD DRAFTING
 SERVICES, INC. ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND
 SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED
 BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION
 BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED
 BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION
 BEGINS, FMCCADD DRAFTING SERVICES, INC. WILL BE HELD HARMLESS.
 FMCCADD DRAFTING SERVICES, INC. ASSUMES NO LIABILITY FOR CHANGES
 AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

REVS:
 CODE: 1999
 TOWN:
 DATE: 14 JUNE 0
 SCALE: AS NOTE
 DRAWN: JJM
 TITLE:
 SECTION & DETA
 FILE: 05-0086
 SHEET: A4