City of Portland, Maine - Building or Use Permit Application ,389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Owner: Phone: Permit No: 76 Myryer Rd Osgood, Alonso Owner Address: Lessee/Buyer's Name: Phone: BusinessName: Sach Peld, ME 04102 856-3842 Contractor Name: Address: Phone: 9 1997 Past Use: Proposed Use: COST OF WORK: PERMIT FEE: \$ 400.00 25.00 1-fam Same FIRE DEPT. Approved INSPECTION: □ Denied Use Group: Type: // Zone: CBL: 259-3-032 Signature: Signature: Proposed Project Description: Zoning Approval: PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved Special Zone or Reviews: Approved with Conditions: □ Shoreland Make interior removations/Basement - add room Denied □ Wetland ☐ Flood Zone Signature: □ Subdivision Date: Permit Taken By: ☐ Site Plan mai ☐minor ☐mm ☐ Date Applied For: Mary Grefisk 15 August 1997 Zoning Appeal This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. □ Variance □ Miscellaneous 2. Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use Building permits are void if work is not started within six (6) months of the date of issuance. False informa-□ Interpretation tion may invalidate a building permit and stop all work.. ☐ Approved ☐ Denied Historic Preservation ☐ Not in District or Landmark □ Does Not Require Review □ Requires Review Action: CERTIFICATION □ Appoved I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been ☐ Approved with Conditions authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, ☐ Denied if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit Date 15 August 1997 SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE: RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE: **CEO DISTRICT**

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

STRICT 4

COMMENLS

	Plumbing:	
Date	Inspection Record Type Foundation: Framing:	
AC AMANA		
		vorin et florent 8001.

BUILDING PERMIT REPORT

	16.	14.	3.		72	. (a)	<i>×</i> 9.	4F 9	× * .	7	ē.	ب	4.		₹ -	PE	CC	<u> </u>	ם ≍	
provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations): • In the immediate vicinity of bedrooms • In all bedrooms • In each story within a dwelling unit, including basements In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and	The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the	All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.		exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as <u>means of egress or rescue</u> they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension	Every sleeping room below the fourth story in buildings of use Groups R and 1-1 shall have at least one exempte whichever	Stair construction in Use Group R-3 & R-4 is a minimum of 10" trend and 7 3/4" maximum rise. All other Use group minimum 11" trend. 7" maximum rise.	would provide a indice of a cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a indice effect. Headroom in habitable space is a minimum of 7'6"	valking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, 11-4, 1-1, 1-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such	Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.	National Mechanical Code/1993) U.L.\103.	resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)	Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than I-hour fire.	trecitition must be taken to protect concrete from freezing. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper refunds an extensive surveyor check all foundation forms before concrete is placed. This is	plicable State and Federal rules and laws. o Development Review Coordinator and Insper spection)	CONDITION(S) OF APPROVAL		CONTRACTOR: DU MEM	DILDLING OWNER: A LONZO (15 GAR)	DATE: 19 1949 97 ADDRESS: 76 MAYER Rd.	

I-I shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- A portable fire extinguisher shall be located as per NPPA #10. They shall bear the label of an approved agency and be of an
- The Fire Alarm System shall be maintained to NFPA #72 Standard
- 5 The Sprinkler System shall maintained to NFPA #13 Standard.
- 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. Stop Order shall be issued if this requirement is not met. No construction or demolition work shall begin until you have obtained permits for dumpsters or containers. A work
- 22. excurate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year" Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to
- 23 certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a
- This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office Ventilation shall meet the requirements of Chapter 12 Sections 1210, of the City's Building Code.
- All electrical and plumbing permits must be obtained by a Master Licensed holders of their trade.
- <u>All requirements must be met before a finial Certificate of Occupancy is issued</u>

	29.		128	:	
		Zonina Legarti	Please read and implement items		
•			15sived on 7	5	**
		•	The ATTached Land use	1.1.1	

cc: Li, McDougall, PPD Marge Schmuckal

of Code Enforcement


LAND USE - ZONING REPORT

ſ	
ADDRESS: / // // // // // // // REASON FOR PERMIT: W	PRRMIT: Water of Yemovators
BUILDING OWNER:_	MER: Almzo Osgod C.B.L. 259-18-37
PERMIT APPLICANT:	ICANT: OWNER
APPROVED: W	in the conditions penied:
ガンサ	
	CONDITION(S) OF APPROVAL
1. During it	During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be
2. The footned	The footprint of the existing shall not be increased during maintenance
reconstruction	one placed on the original incevio
	are still in effect for this amendment.
4. Your pre	Your present structure is legally nonconforming as to rear and side setbacks. It you were to demolish the building on your own volition, you will <u>not</u> be able to maintain these same
setbacks, ordinance	setbacks. Instead you would need to meet the zoning setbacks set forth in today's ordinances. In order to preserve these legally non-conforming setbacks, you may only
rebuild the first from the first fro	rebuild the garage in place and in phases. This property—shall remain a single family dwelling. Any change of use shall require a second property and confidential for review and approval
5. Our reco	Our records indicate that this property has a legal use of units. Any change in this approved use shall require a separate permit application for review and approval.
7. Separate	Separate permits shall be required for any signage.
Separate Other rec	Separate permits shall be required for future decks and/or garage. Other requirements of condition No Litches Facilities Sthall be
w-St	Alled a This basement Area
-	

Marge Schmuckal, Zoning Administrator,
Asst.-Chief of Code Enforcement



•



2×1+'s on 16" pon on 2×6" PT/base (32) Driywall walls z"x4x8" Watch Resistant (10) (10) Compound & tape Known & 14' x 10'6" of bottom 31 of walls) " lingpoor 244 (150/H2) ~716" ling light

TEGI S I STA STATE OF THE STATE