

PINE TREE SHOPPING CENTER

S 29° 17' E 1338.87'

DRAINAGE AREA

AREA I

AREA II  
(ON SITE GRAVULAR)  
STRIPPING TERRAIN

AREA III A

AREA III B  
(SPOIL AREA)

N 30° 43' E 774.55'  
50' RIGHT OF WAY PORTLAND PIPE  
LINE CORPORATION

LIMIT OF STRIPPING 1

LIMIT OF STRIPPING 2

SUBGRADE CUT TO ELEV. AS REQUIRED

ELEV. 59.5'

ELEV. 56.5'

ELEV. 58.0'

TRUCK TRAFFIC  
ELEV. 53.0'

ELEV. 55.5'

ELEV. 59.5'

BUILDING AREA  
FIN. FL. 63.0'

ELEV. 61.5'

STIFF CLAY

EXPANSION AREA

ELEV. 65.5'

ELEV. 67.0'

S 44° 44' E

PORTLAND TERMINAL COMPANY

IF SOFT CLAY IS USED AS SUBGRADE  
THE FILL MUST BE PLACED IN LAYERS  
NOT EXCEEDING 12" THICKNESS  
AND MUST BE COMPACTED TO  
95% RELATIVE DENSITY  
IN ALL AREAS INSIDE THE LIMIT



N 26° 37' E 144.77'

STATE OF MAINE  
HIGHWAY "708"  
STATE

EMERY WATERHOUSE  
PORTLAND MAINE  
SEQUENCE SHEET

REV.	DATE	REV. DESCRIPTION
1	8-1-72	PREP. FOR STIPING
2	8-1-72	REV. PER CIV. ENGINEER
3	8-1-72	REV. PER CIV. ENGINEER
4	8-1-72	REV. PER CIV. ENGINEER
5	8-1-72	REV. PER CIV. ENGINEER
6	8-1-72	REV. PER CIV. ENGINEER
7	8-1-72	REV. PER CIV. ENGINEER
8	8-1-72	REV. PER CIV. ENGINEER
9	8-1-72	REV. PER CIV. ENGINEER
10	8-1-72	REV. PER CIV. ENGINEER

EMERY WATERHOUSE  
PORTLAND MAINE  
SEQUENCE SHEET

JAN 29 1973

L-3

NO. 1125

SCALE 40:1