City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Phone: Owner: Permit No: Brighton Ave. Pine Free Shopping Net Properties Maget Inc. Center Owner Address: Lessee/Buyer's Name: Phone: BusinessName: Full Belly Deli Phone: Contractor Name: Address: Marie Silena 10 Eurtonwood St S. Ptld 04106 749 - 1184COST OF WORK: PERMIT FEE: Past Use: Proposed Use: Deli \$ 37.00 **FIRE DEPT.** □ Approved INSPECTION: ☐ Denied Use Group: Type: CBL: Zone: 263-AA-004 Signature: Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Approved Action: Special Zone or Reviews: Install (1) 60 sc. ft. illuminated Sign Approved with Conditions: □ Shoreland Denied □Wetland ☐ Flood Zone □ Subdivision Signature: Date: ☐ Site Plan maj ☐minor ☐mm ☐ Permit Taken By: Date Applied For: MG January 28, 1999 **Zoning Appeal** □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use Building permits are void if work is not started within six (6) months of the date of issuance. False informa-□ Interpretation □ Approved tion may invalidate a building permit and stop all work... ☐ Denied **Historic Preservation** ☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review Action: CERTIFICATION ☐ Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been ☐ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit January 29, 1999 SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE: 'R/MW RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE: **CEO DISTRICT** White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

	COMMENTS	
5/16/10 Signeye complés as in pl	trus PR	
	Inspection Record Type	Date
	Foundation:	- 1986 A
	Framing:Plumbing:	
	Final:	

Other:

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building) :	Brighten he Pro	ne Tree Shoppin Cont
Total Square Footage of Proposed Structure	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number Chart# 263 Block# A-4 Lot#004	Net Properties Mry In	Telephone#:
Owner's Address:	Lessee/Buyer's Name (If Applicable) Full Belly Deli	Cost Of Work: Fee \$ 37
Proposed Project Description:(Please be as specific as possible) Install (1) 60 4	illiminited sign	
Contractor's Name, Address & Telephone	Signs De Blenwad St	L S. PTO Rec'd By
Current Use: Deli	Proposed Use: Seew	e 799.1185
•All construction must be conducted in complication of the conducted in complication of the conducted in comply we should be s	cted in compliance with the State of Maine with the 1996 National Electrical Code as an itioning) installation must comply with the cour Deed or Purchase and Sale Agreemen f your Construction Contract, if available 3) A Plot Plan/Site Plan the above proposed projects. The attached	e as amended by Section 6-Art II. Plumbing Code. mended by Section 6-Art III. e 1993 BOXA Meerian Code.

Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
 equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to

entorce the provisions of the codes applicable to thi	s permyc./	
Signature of applicant:	un	Date: 01.28.99
		The state of the s

Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum

BUILDING PERMIT REPORT

DATE:	8 February 1999 ADDRESS: 1082 Brighton AVE. CBL 26.
BUILD	ing owner: Pine Thee Shopping Conter Net Proporties Morgs.
CONTI	RACTOR: BUry Signs
	IT APPLICANT:
	ROUP 514nage. BOCA 1996 CONSTRUCTION TYPE
	CONDITION(S) OF APPROVAL
This Po	ermit is being issued with the understanding that the following conditions are met:
Appro	ved with the following conditions: 😾/
2. 2.5	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane
2.6	material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2 Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6 'o.c. between bolts. (Section 2305.17)
3.	Precaution must be taken to protect concrete from freezing. Section 1908.0
4.	It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to
5.	verify that the proper setbacks are maintained. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
6.	All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
7.	Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's
8.	building code. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
9.	Headroom in habitable space is a minimum of 7'6". (Section 1204.0) Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum
10.	11" tread. 7" maximum rise.(Section 1014.0)
11.	The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
12.	Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use c

knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. Section 1010.1

All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self .4. closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) Section 710.0

The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. Table 302.1.1

- All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the 16. provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms

In each story within a dwelling unit, including basements In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section

920.3.2

15.

- A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an 17. approved type. Section 921.0
- The Fire Alarm System shall be maintained to NFPA #72 Standard. 18.

The Sprinkler System shall maintained to NFPA #13 Standard. 19.

All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 20. 1024. Of the City's building code. (The BOCA National Building Code/1996)

Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate 21. or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".

The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a 22. certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. (crawl spaces & attics) 23.

All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls 24. until all electrical (min. 72 hours notice) and plumbing inspections have been done.

All requirements must be met before a final Certificate of Occupancy is issued. 25.

- All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National 26. Building Code/1996).
- Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National 27. Mechanical Code/1993). (Chapter M-16)

Please read and implement the attached Land Use-Zoning report requirements. 28.

Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.3. of the City's building 29.

Glass and glazing shall meet the requirements of Chapter 24 of the building code. 30. Signage shall meet The requirements of section 3/02,0 ¥31. The BOCK NATIONAL Building Code / 1918) 32.

offses, Building Inspector

cc: Lt. McDougall, PFD

Marge Schmuckal, Zoning Administrator

PSH 8-1-98

33.

151



Coca Cola FULL BELLY DICLI

600

Sign Elevation- 4'X15' S/F Wallmount

Scale-1"=20"

SIGNAGE PRE-APPLICATION

ADDRESS: Brighten fie Shepping Contr. ZONE:
OWNER:
APPLICANT: Fell Belly Deli
ASSESSOR NO. 263. 44. 004
PLEASE CIRCLE APPROPRIATE ANSWER
SINGLE TENANT LOT? YES NO MULTI-TENANT LOT? YES NO FREESTANDING SIGN? (ex. Pole Sign) YES NO DIMENSIONS HEIGHT MORE THAN ONE SIGN? YES NO DIMENSIONS HEIGHT SIGN ATTACHED TO BLDG.? YES NO DIMENSIONS HEIGHT MORE THAN ONE SIGN? YES NO DIMENSIONS AWNING: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK IS THERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT? LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS:
*** TENANT BLDG. FRONTAGE (IN FEET): 4/5 / *** REQUIRED INFORMATION AREA FOR COMPUTATION

YOU SHALL PROVIDE:

Fee for awning based on cost of work - \$25.00 for the first \$1,000 f0, \$5.00 for

A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.

		\sim	ver.
SIGNATURE OF AP	PLICANT:	DF	ATE:

INFORMATION REQUIREMENTS FOR SIGN PERMIT APPLICATION

Applicants for a sign permit will be asked to submit the following information to the Code Enforcement Office:

- 1. Proof of insurance
- 2. Letter of permission from the owner
- 3. A sketch plan of lot, indicating location of buildings, driveways and any abutting streets or right of ways. Lengths of building frontages and street frontages should be noted. (see attached)
- 4. Indicate on the plan all existing and proposed signs
- 5. Computation of the following:
 - A) Sign area of each existing and proposed building sign
 - B) Sign area height and setback of each existing and proposed freestanding sign
- 6. A sketch of any proposed sign(s), indicating dimensions, materials, source of illumination and construction method (see attached).
- 7. Certificate of flammability required for awning/canopy at time of application.
- 8. UL # required for lighted signs at the time of application.

Fee for permit - \$25.00 plus \$0.20 per square foot

Fee for awning based on cost of work - \$25.00 for the first \$1,000.00, \$5.00 for each additional \$1,000.000.

NOTE: Once a sketch plan has been filed for a property, the code enforcement office will keep a record of the plan so that a new sketch plan will not be required for later changes to signage on the property. In such an instance, applicants will only be required to submit information applicable to the new sign.

OWNERS CONSENT AND AGREEMUNT

$V_{i,i}$: $D \rightarrow i$ ra	1			
I, XNet Properties Mam	t. 2 ho c , being th	re owner of the	: premises	located at
(print property owners	rane)			

Eneirce Chapping Center in Partishs, Maine, hereby give exassat to the (print property didress)

erection of a certain sign/awning behave owned by $\frac{X + \frac{Full Belly Dell}{Belly Dell}}{(print lessee's name)}$

over the sidewalk or on building from said premises as described in application to the nivision of inspection services.

And in consideration of the issuance of said permit, owner of said premises, in event said sign shall bease to serve the purpose for which it was erected or shall become dangerous and in event the owner of said sign shall fail to remove said sign or make it permanently safe in case the sign still serves the purpose for which it was erected, hereby agrees for himself or itself, for his heirs, its successors, and his or its assigns, to completely remove said sign.

Samence John SAgnature of Francisco Owner Owner Obsta

Bignature of Lassac

Date

316M EXCEPT - NOT EXCEPT - POOFINE PROPOSED HERE

INSTALLED HERE NYCE CITUS FULL BELLY DELL

STOREFRONT 41.5'