DOOR SCHEDULE

NOTES:
1. EXTERIOR DOOR JAMBS TO BE SEALED TO THIER ROUGH OPENINGS USING LOW EXPANDING FOAM, BACKER ROD OR CAULKING.
2. ALL EXTERIOR DOORS TO BE WEATHER STRIPPED

GLAZING SCHEDULE

KEY	GLAZING TYPE
GL-1	INSULATED CLEAR TEMPERED GLAZING
GL-2	FIRE RATED INSULATED GLAZING
GL-3	CLEAR TEMPERED GLASS
GL-4	CLEAR INSULATED TEMPERED GLASS
GL-5	FIRE RATED GLAZING

1 DOOR TYPES
1/4" = 1'-0"

DOOR SCHEDULE

DOOR								FRAME						GENERAL			
		SIZE									DETAILS						
DOOR NO.	TYPE	WIDTH	HEIGHT	THICKNESS	MATERIAL	FINISH	INSULATED	TYPE	MATERIAL	THRESHOLD	HEAD	JAMB	SILL	CLOSER	FIRE RATING (MINUTES)		REMARKS
100.1	C	3'-0"	7'-0"	-	STL	CLR	-	-	STL	-	-	-	-	Y	-	-	EASY SWING HIGH IMPACT DOUBLE ACTION TRAFFIC DOOR, BALANCE CLOSER, REFER TO SPECIFICATION
104.1	B	3'-0"	7'-0"	1-3/4"	WD	PTD	-	-	STL	-	-	-	-	-	-	-	
106.1	A	4'-0"	7'-0"	1-3/4"	STL	PTD	Y	2	STL	AL	-	-	-	Y	-	-	THERMALLY BROKEN EXTERIOR DOOR AND FRAME, WITH PANIC HARDWARE, WELDED STEEL FRAME WITH 4" HEAD

HARDWARE KEY
MLS - MORTISE LOCK SET
LS - LOCK SET
PR - PRIVACY SET
PS - PASSAGE SET
LP - LEVER PULL
PH - PEEPHOLE LENSE

NOTE: FOR DOOR HARDWARE SEE DOOR HARDWARE SPECIFICATION SECTION 08710

2 REFLECTED CEILING PLAN
1/4" = 1'-0"

1 LIFE SAFETY PLAN
1/4" = 1'-0"

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 02/05/16

REGISTERED ARCHITECT
RYAN J. SENATORE
No. 3322
STATE OF MAINE

© 2015 RYAN SENATORE ARCHITECTURE

BATTERIES AND BULBS FIT-UP
BRIGHTON AVENUE
PORTLAND, MAINE

RSA
RYAN SENATORE
ARCHITECTURE
565 CONGRESS STREET
PORTLAND, MAINE 04101
207-650-6414
senatorearchitecture.com

CONSULTANTS:

REVISIONS:

DATE: DECEMBER 22, 2015
PROJECT No.
DRAWN BY:
CHECKED BY: RJS
SCALE: AS NOTED
SHEET TITLE:
LIFE SAFETY PLAN
DOOR SCHEDULE

A1-1