					PERMi	TISS	SUED	1
City of Portland, Maine -	0	× -			Issue Date		CBL:	07
389 Congress Street, 04101 7	Fel: (207) 874-8703	, Fax: (207) 874-871	16	06-0428	100 1	5 9	263A	A001001
Location of Construction:	Owner Name:			Owner Address:		5 2	Phone:	
1032 BRIGHTON AVE (105)	HERITAGE S	HERITAGE SPE LLC		535 BOYLSTON ST				1
Business Name:	Contractor Name	Contractor Name:		Contractor Address				
	KGM Properti	KGM Properties		62 Pennwood Ave Portland 2077809719				9719
Lessee/Buyer's Name	Phone:	Phone:		Permit Type: Zonc: Signs - Permanent E2				Zone: BJ
Past Use:	Proposed Use:	Pronosed Lise:		rmit Fee: Cost of Work:		- <u>-</u>	CEO District:	
Quiznos Sub		install sign for new		\$106.00		06.00	3	
	#060427	Quiznos connected w/ permit #060427		Approved			SPECTION: se Group: U Type: 5 IBC 2703	
Proposed Project Description:			./	~/	1 0	-	W	(
install sign for new Quiznos con	nected w/ perinit #06	0427	-	Signature: Signature:			~	
		PEDESTRIAN ACTIVIT Action: Approved			Approved w/Conditions Denied			
			Signatur	e:			Date:	
Permit Taken By: Date Applied For: ldobson 03/31/2006			Zoning Approval					
1. This permit application doe	s not preclude the	Special Zone or Reviews		Zoning Appeal			Historic Preservation	
Applicant(s) from meeting applicable State and Federal Rules.		Shoreland		Variance			Not in Dis	trict or Landmark
 Building permits do not include plumbing, septic or electrical work. 		Wetland		Miscellaneous			Does Not	Require Review
 Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work 		Flood Zone		Conditional Use			Requires I	Review
		Subdivision		loterpretation			Approved	
		Site Plan		Approv	ed		Approved	w/Conditions
			1	Denied			Denied	
		OK 4/13/06 1	D	ate.		۵	Date:	

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

DATE PHONE SIGNATURE OF APPLICANT ADDRESS PHONE DATE

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE



Signage/Awning Permit Application


If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 1030	BRIGHTON AVE (PINE TREE	PLAZA)		
Tax Assessor's Chart, Block & Lot	Owner:	Telephone:		
Chart# Block# Lot#		7		
263 AA 1	Contractor name, address & telephone:	207.797.5102		
Lessee/Buyer's Name (If Applicable)	Contractor name, address & telephone:	Total s.f. of signage x \$2.00 38 Sq IL		
740 1	KEM PROPERTIES	Total s.f. of signage x $$2.00$ Per s.f. plus $$30.00$ / $$65.00$ For H.D. signage = Total		
RKR ASSOCIATES	62 PENNEOD AVE	Fee: \$		
	PORUTAND, ME	Awning Fee= cost of work		
	780.9719	Total Fee: \$ 106 -		
	100.4771			
Who should we contact when the permit is ready				
Tenant/allocated building space frontage (fee Lot Frontage (feet) $\frac{N/A}{A}$		LTITEMNANT		
Current Specific use: VALANT - NEW	(
If vacant, what was prior use: NEW CONST				
Proposed Use: Sub use				
Information on proposed sign(s):		R° 1		
Freestanding (e.g., pole) sign? Yes	No X Dimensions proposed:	Height from grade:		
Freestanding (e.g., pole) sign? Yes Bldg. wall sign? (attached to bldg) Yes	No Dimensions proposed: 19'4'	x z'6"		
		No. S. S.		
Proposed awning? Yes No Is aw Height of awning: Length of a	ning backlitr i es i No	188 - S		
Is there any communication, message, tradem				
If yes, total s.t of panels w/communications,				
		18 61 58 1951		
Information on existing and previously perm	No Dimensions			
Freestanding (e.g., pole) sign? Yes Bldg. wall sign? (attached to bldg) Yes	No X Dimensions:			
Awning? Yes <u>No</u> Sq. ft. area	of awning w/communication:			
	0			
A site sketch and building sketch showing exactly where existing and new signage is located must be provided.				
Sketches and/or pictures of proposed signage and existing building are also required.				
Please submit all of the information outlined in the Sign/Awning Application Checklist.				
Failure to do so may result in the automatic denial of your permit.				
a whole to us to may result in the automatic demaror your permit.				
In order to be sure the City fully understands the full scope of the project, the Planning and Development Department may request				
additional information prior to the issuance of a permit. For further information visit us on-line at <u>www.portlandmaine.gov</u> , stop by the Building Inspections office, room 315 City Hall or call 874-8703.				
Building Inspections office, room 315 City Hall or call 874–8703.				
I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been				
authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all				
a permit for work described in this application is issued areas covered by this permit at any reasonable hour to				
	< 1H			
Signature of applicant:	Date Date	· 03/31/06		
This is not a permit; you may not commence ANY work until the permit is issued.				
	AL CONTRACTOR OF A	" (alop" 1		
1.5× 33 € 49.5)	237 × 35	= 69 63 = = (48.33 P)		
1.5× 33 € 49.5		5" = 69.60 R" = 48.53 \$		
13.94	OK			

City of Portland, Main 889 Congress Street, 041		5	207) 874-8716	Permit No: 06-0496	Date Applied For: 04/06/2006	CBL: 263A A001001
Location of Construction:		Owner Name:)wner Address:	No. of Contraction	Phone:
1032 BRIGHTON AVE		HERITAGE SPE LLC		535 BOYLSTON ST		
Business Name:		Contractor Name:		Contractor Address:		Phone
		Hanley Sign Company Inc 26 Sicker Rd		26 Sicker Rd Lath	am	
.essee/Buyer's Name Phone:			Permit Type:			
				Single Family		
Proposed Use: Commercial - install on bld 35.05 sf	lg 2 channe	letter signs - 44.35 sf &		I Project Description: on bldg - 2 channe	: el letter signs - 44.35	5 sf & 35.05 sf
Commercial - install on bld	lg 2 channe	el letter signs - 44.35 sf &				5 sf & 35.05 sf
Commercial - install on bld 35.05 sf			z Install		el letter signs - 44.35	
Commercial - install on bld 35.05 sf	lg 2 channe Status: A		z Install	on bldg - 2 channe		




SIGN TYPE A 1D / INTERIOR ILLUMINATED WHITE FACE LIT WALL MOUNT CHANNEL LETTERS ON DARK BACKGROUND



<u>"QUIANOS" CHAINEL LETTER SPECIFICATIONS</u> LETTERS: CUSTOM FABRICATED INTERIOR ILLUMINATED CHANNEL LETTERS FACES: #7328DR WHITE ACRYLIC PLASTIC RETURNS: 5" DEEP PRE-COAT ALUMINUM DURANODIC BRONZE TRIMCAP: %" DURANODIC BRONZE IRIMCAPS


<u>"SUB" CHANNEL LETTER SPECIFICATIONS</u> LET TERS: CUSTOM FABRICATED INTERIOR ILLUMINATED CHANNEL LETTERS FACES: #7328DR WHITE ACRYLIC PLASTIC RETURNS: 5" DEEP PRE-COAT ALUNINUM DURANODIC BRONZE TRIMCAP: %" DURANODIC TRIMCAPS

ALL ILLUMINATION: 15mm # 6500 WHITE U.L. LISTED NEON WITH TRANSFORMERS MOUNTED REMOTELY



ALL VINYL SPECIFICATIONS APPROVED BY QUIZNOS CORPORATE

SIGN TYPE A.1D



QUIZNOS SUB SIGNAGE REQUIREMENTS

The Quizno's Master LLC enjoys the benefit of having a registered Trademark:



This text must appear as the sign over the main entry at every location. The text may be arranged as two lines, stacked or all on a single line. Capped, internally illuminated pan channel letters are to be mounted either individually, on the building sign band, or on a raceway, depending on local conditions. This is Quizno's minimum required sign installation. When permitted by the Landlord or Owner:

- There should also be signs and/or awnings placed directly over every public entrance into the store.
- In addition to the exterior sign, Quizno's also specifies canvas shed style awnings to further enhance the exterior appearance. The awnings usually run below, or in line with the letter signs.
- If the location is an end cap with good visibility, it should also have signs and awnings for the front, side and rear (and a pole sign too, if possible).
- Interior neon window signs (see attached sample specifications) should be displayed in the storefront windows.

The sign program should maximize visibility and aesthetics while working within the budgetary guidelines established.

Quizno's standard sign specifications call for pan channel letters with white Lexan faces and the use of the Quizno's specified 3M VT vinyls over the white with the use of the Green and Red sign (see attached sample specifications).

White colored buildings:	QUIZNOS	Green face, green trim, black returns, green neon
	SUB	Red face, red trim, black returns, red neon
Any other colored buildings:	QUIZNOS SUB	White faces, bronze trim, bronze returns

The neon should be left on during all hours of operation to provide good visibility. Quizno's standard for mounting the letters is flat on the building surface. Some locations may require the letters to be mounted on exposed "raceways" to preserve the surface of the building from drilling. The raceways are to be painted to match the color of the building, unless otherwise specified by the Landlord or Owner.

Channel Letter Visual Standards

- The custom "Quizno's Green" VT#11399 and "Quizno's Red" VT#11398 vinyl, manufactured exclusively for Quizno's by 3M, must be used and applied as a first surface application.
 - Any other color except for white (see below), or any variations of the corporate colors will be unacceptable.
 - When using white faces, the trim cap must be bronze and the returns must be bronze.
 - Green and Red letter faces must have a first surface vinyl application; white faces must be white acrylic with a flat or matt finish.
 - When using the green and red faces, the word "Quiznos" must be the corporate green color and the word "Sub" must be the corporate red color.

<u>^</u>.

- ® Registered and [™] Trade Mark symbols are not to be used or included in any signage.
- The letter faces will be a flat or matte finish.
 - Gloss finishes that reflect light in the daytime or appear as distorted or to be "oil canning/wavy" because of the reflection are unacceptable.
- The proper logo and/or spelling must be presented.
 - "Quiznos Sub" is the proper spelling.
 - The apostrophe has been eliminated from the word "Quizno's".
 - The lower case "s" has been eliminated from the word "Subs"
 - The sis the new logo and is always used in conjunction with "Quiznos"

Sub" and never alone. When the sis used with white letters, then it is completely white, no green or red.

- The signs must be properly illuminated.
 - The illumination for each letter must be brightly illuminated. Dim signs are unacceptable. Light leaks should not appear anywhere around the edges of the faces, returns, top, or back, of the letters. The only expectable light leak may come from the bottom of each letter where weep holes are located to allow for any moisture or water to drain.
- The proper color for "returns" and "trim cap" must be used.
 - The standard color for the returns is **bronze** when using **white** faces and **black** when using **green** and **red** faces. Any other color is unacceptable.
- The current standard color for the trim cap is bronze for white faces, green for green faces, and red for red faces. Any other color is unacceptable.

Awning Visual Standards

s

- Shed style canvas awning with 48" high by 48" deep with a 10" valance.
- Awning material will be canvas, by "Sunbrella", color Forest Green.
- White vinyl graphics applied on awning incline or valance.
- White only "Q" logo can be used on awning incline.
- White only "Quiznos Sub" logo can be placed on the valance.

It is the responsibility of the Quizno's Area Director, Franchisee and the approved sign vendor to evaluate the location & develop a suitable sign package for approval by the Landlord or Owner and by Quizno's. Once submitted to Quizno's, the approval process requires a minimum of five business days.

• 2



CITY OF PORTLAND, MAINE Department of Building Inspections

3.31 2006
Received from Ken 6 Madere -
Location of Work 1032 Brighton
Cost of Construction \$
Permit Fee \$_106 7/00
Building (IL) Plumbing (I5) Electrical (I2) Site Plan (U2)
Other
01.2 1 1 10 1
CBL: 263 AA 1801
Check #: Total Collected \$_/06


THIS IS NOT A PERMIT

No work is to be started until PERMIT CARD is actually posted upon the premises. Acceptance of fee is no guarantee that permit will be granted. PRESERVE THIS RECEIPT. In case permit cannot be granted the amount of the fee will be refunded upon return of the receipt less \$10.00 or 10% whichever is greater.

WHITE - Applicant's Copy YELLOW - Office Copy PINK - Permit Copy

Quizno's "Q" Logo – Window Sign (NEON)

12




36"x28"

General Specifications

All signs are UL and cUL Listed. They are supplied as self-contained, ready-to-hang units. Hanging chains and "S" hooks are included. Installation requires only a means of attachment for the hanging chains and a grounded, 120V electrical outlet within the proximity of the lines cord's reach.

Listing:	UL and cUL (Canadian UL)
Neon:	OPEN – 12 mm EGL 6500 White tubing Bubble left side – 12mm Clear Red tubing Bubble right side – 12mm EGL Green tubing Electrodes and cross – overs are dipped black
Back Panel:	3/16" Smoke Gray Acrylic
Electrical Insulation Components:	Black ElectroBits Caps, Shortstops, and Black G.T.O. Sleeving
Tube Supports:	Snap Retension Black Valox 357
Transformer:	6000 V/30 mA HotSwap Solid State, UL and cUL (Canadian UL) listed
Dimensions:	36"X28"
On/Off Switch:	Pull Chain (on transformer)
Line Cord:	3 Prong (grounded) 10' 120v Power cord
Wiring:	14 AWG 15,000V G.T.O. Cable
Input Requirements:	Volts: 120Vac 50/60 Hz Amps: 1.2 amps
installation:	Hang with supplied chain and plug into any 120v grounded outlet.

Quizno's Open-Window Sign (NEON)



24"x16"

General Specifications

All signs are UL and cUL listed. They are supplied as self-contained, ready-to-hang units. Hanging chains and "S" hooks are included. Installation requires only a means of attachment for the hanging chains and a grounded, 120V electrical outlet within the proximity of the line cord's reach.

Listing :	UL and CUL	(Canadian UL)
-----------	------------	---------------

Neon: OPEN - 12 mm EGL 6500 White tubing Bubble left side - 12mm Clear Red tubing Bubble right side - 12mm EGL Green tubing Electrodes and cross - overs are dipped black.

Back Panel: 3/16" Smoke Gray Acrylic

Electrical Insulation Components: Black ElectroBits Caps, Shortstops, and Black G.T.O. Sleeving

Tube Supports: Snap Retension Black Valox 357

Transformer: 6000 V/30 mA HotSwap Solid State, UL and cUL (Canadian UL) listed

Dimensions: 24"X16"

On/Off Switch: Pull Chain (on transformer)

Line Cord: 3 Prong (grounded) 10' 120v Power cord

Wiring: 14 AWG 15,000V G.T.O. Cable

Input Requirements: Volts: 120 Vac 50/60 Hz Amps: 1.2 amps

Installation: Hang with supplied chain and plug into any 120V grounded outlet.