



1 FOUNDATION PLAN 'B'  
 1/4" = 1'-0"

NOTES:  
 1. ALL CONCRETE REINFORCING STEEL PER PLAN SHALL BE CAST WITH 10% OVERSIGHTS  
 2. STEP IN TOP OF FOUNDATION WALL IS INDICATED BY 'X' AT THE LOWER SIDE OF WALL.  
 3. SEE S1.0 FOR STRUCTURAL GENERAL NOTES.  
 4. FOOTING TO BEAR 4'-6" MIN BELOW GRADE (SEE XX).  
 5. T.O. FOOTINGS ARE INDICATED BY 'X' AT THE LOWER SIDE OF FOOTING.  
 6. STEP IN TOP OF FOOTING IS INDICATED BY 'X' AT THE LOWER SIDE OF FOOTING.  
 7. VERIFY ALL USGS ELEVATIONS W/ ARCHITECTURAL AND CIVIL PLANS.

0' 1' 5' 10'

STATE OF MAINE  
 AARON C. JONES  
 No. 40968  
 LICENSED PROFESSIONAL ENGINEER

2/10/16

Prepared For:	PORTLAND HOTEL, INC
Architect:	ARCHETYPE architects 48 Union Wharf Portland, Maine 04101 (207) 772-0022 ARCHETYPE@ARCHETYPEPA.COM
Project:	HAMPTON INN
Address:	City, State
Revisions:	PERMIT SET
Date:	02/09/2016
Scale:	1/4" = 1'-0"
FOUNDATION PLAN 'B'	
S1.1b	