


FRAMING PLAN SYMBOLS KEY	
	WOOD POST
	STEEL COLUMN
	NUMBER OF WOOD STUDS IN POST BELOW
	COLUMNS ABOVE THIS LEVEL
	COLUMNS CONTINUOUS THROUGH THIS LEVEL
	JOIST BEARING
	CONTINUOUS JOIST WITH INTERMEDIATE BEARING
	FLUSH FRAMED JOIST BEARING WITH HANGER
	WOOD STUD BEARING WALL BELOW
	NUMBER OF TRIM STUDS UNDER HEADER
	NUMBER OF KING STUDS ADJACENT TO HEADER

**SECOND FLOOR FRAMING PLAN 'A'**  
 1/4" = 1'-0"

**NOTES:**  
 1. SEE SHEET S1.0 FOR GENERAL STRUCTURAL NOTES  
 2. ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE (3) 2x6 AND IN 2x4 WALLS SHALL BE (3) 2x4 UNLESS NOTED OTHERWISE ON PLANS  
 3. ALL BEAMS ARE FLUSH UNO  
 4. ALL HEADERS IN 2x BEARING WALLS ARE (2) 9 1/4" LVL UNO  
 5. ALL FLOOR JOIST TO BE 16" P.E. FLOOR TRUSSES @ 16" W/ LSL RIM -TYP UNO  
 6. FLOOR SHEATHING TO BE 3/4" T+G, SEE GENERAL NOTES FOR ADDITIONAL INFORMATION -TYP  
 7. ALL TRUSS TO TRUSS CONNECTIONS BY MANUFACTURER - TYP UNO  
 8. TRUSS DESIGNER TO COORDINATE TRUSS LAYOUT WITH FLOOR OPENING, PLUMBING, AND UTILITY REQUIREMENTS - TYP.



Prepared For: **PORTLAND HOTEL, INC**

Consultant: **ARCHETYPE architects**  
 48 Union Wharf Portland, Maine 04101  
 (207) 772-6022 ARCHETYPE@ARCHETYPEPA.COM

Architect: **HAMPTON INN**  
 Address: \_\_\_\_\_  
 City, State: \_\_\_\_\_

Revisions: **PERMIT SET**

Date: 02/09/2016  
 Scale: 1/4" = 1'-0"

**SECOND FLOOR FRAMING PLAN 'A'**

**S1.2a**

2/10/16