



FRAMING PLAN SYMBOLS KEY

□	WOOD POST
○	STEEL COLUMN
○	NUMBER OF WOOD STUDS IN POST BELOW
A	COLUMNS ABOVE THIS LEVEL
C	COLUMNS CONTINUOUS THROUGH THIS LEVEL
—	JOIST BEARING
—	CONTINUOUS JOIST WITH INTERMEDIATE BEARING
—	FLUSH FRAMED JOIST BEARING WITH HANGER
—	WOOD STUD BEARING WALL BELOW
X	NUMBER OF TRIM STUDS UNDER HEADER
X	NUMBER OF KING STUDS ADJACENT TO HEADER

SECOND FLOOR FRAMING PLAN 'B'

Scale: 1/4" = 1'-0"
1/4" = 1'-0"

NOTES:

- SEE SHEET S1.0 FOR GENERAL STRUCTURAL NOTES
- ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE (3) 2x6 AND IN 2x4 WALLS SHALL BE (3) 2x4 UNLESS NOTED OTHERWISE ON PLANS
- ALL BEAMS ARE FLUSH, UNO
- ALL HEADERS IN 2x BEARING WALLS ARE (2) 9 1/4" LVL, UNO AND (3) 9 1/4" LVL, UNO
- ALL FLOOR JOIST TO BE 16" P.E. FLOOR TRUSSES @ 16" W/ LSL RIM - TYP UNO
- FLOOR SHEATHING TO BE 3/4" T+G, SEE GENERAL NOTES FOR ADDITIONAL INFORMATION - TYP

PROFESSIONAL ENGINEER

2/10/16

Prepared For: **PORTLAND HOTEL, INC**

Consultant: **ARCHETYPE architects**
48 Union Wharf Portland, Maine 04101
(207) 772-6022 ARCHETYPE@ARCHETYPEPA.COM

Architect: **HAMPTON INN**

Address: _____
City, State: _____

Revisions: _____

Permit Set

Date: 02/09/2016

Scale: 1/4" = 1'-0"
1/4" = 1'-0"

SECOND FLOOR FRAMING PLAN 'B'

S1.2b