



FRAMING PLAN SYMBOLS KEY	
□	WOOD POST
○	STEEL COLUMN
○	NUMBER OF WOOD STUDS IN POST BELOW
A	COLUMNS ABOVE THIS LEVEL
C	COLUMNS CONTINUOUS THROUGH THIS LEVEL
↗	JOIST BEARING
↖	CONTINUOUS JOIST WITH INTERMEDIATE BEARING
↗	FLUSH FRAMED JOIST BEARING WITH HANGER
▬	WOOD STUD BEARING WALL BELOW
⊥	NUMBER OF TRIM STUDS UNDER HEADER
⊥	NUMBER OF KING STUDS ADJACENT TO HEADER

1  
S1.3a  
THIRD FLOOR FRAMING  
PLAN 'A'  
1/4" = 1'-0"



- NOTES:**
- SEE SHEET S1.0 FOR GENERAL STRUCTURAL NOTES
  - ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE (3) 2x6 AND IN 2x4 WALLS SHALL BE (5) 2x4 UNLESS NOTED OTHERWISE ON PLANS
  - ALL BEAMS ARE FLUSH UNO
  - ALL HEADERS IN 2x BEARING WALLS ARE (2) 9 1/4" LVL UNO
  - ALL FLOOR JOIST TO BE 16" P.E. FLOOR TRUSSES @ 16" W/ LSL RIM -TYP UNO No. 10968
  - FLOOR SHEATHING TO BE 3/4" T+G, SEE GENERAL NOTES FOR ADDITIONAL INFORMATION -TYP
  - ALL TRUSS TO TRUSS CONNECTIONS BY MANUFACTURER - TYP UNO
  - TRUSS DESIGNER TO COORDINATE TRUSS LAYOUT WITH FLOOR OPENING, PLUMBING, AND UTILITY REQUIREMENTS - TYP.



2/10/16

Prepared For:  
**PORTLAND HOTEL, INC**

Consultant:  
**ARCHETYPE architects**  
48 Union Wharf Portland, Maine 04101  
(207) 772-6022 ARCHETYPE@ARCHETYPEPA.COM

Architect:  
**HAMPTON INN**  
Address:  
City, State

Revisions:  
PERMIT SET

Date: 02/09/2016  
Scale: 1/4" = 1'-0"

**S1.3a**