



FRAMING PLAN SYMBOLS KEY	
WOOD POST	WOOD POST
STEEL COLUMN	STEEL COLUMN
NUMBER OF WOOD STUDS IN POST BELOW	NUMBER OF WOOD STUDS IN POST BELOW
COLUMNS ABOVE THIS LEVEL	COLUMNS ABOVE THIS LEVEL
COLUMNS CONTINUOUS THROUGH THIS LEVEL	COLUMNS CONTINUOUS THROUGH THIS LEVEL
JOIST BEARING	JOIST BEARING
CONTINUOUS JOIST WITH INTERMEDIATE BEARING	CONTINUOUS JOIST WITH INTERMEDIATE BEARING
FLUSH FRAMED JOIST BEARING WITH HANGER	FLUSH FRAMED JOIST BEARING WITH HANGER
WOOD STUD BEARING WALL BELOW	WOOD STUD BEARING WALL BELOW
NUMBER OF TRIM STUDS UNDER HEADER	NUMBER OF TRIM STUDS UNDER HEADER
NUMBER OF KING STUDS ADJACENT TO HEADER	NUMBER OF KING STUDS ADJACENT TO HEADER

**1** FOURTH FLOOR FRAMING PLAN 'B'  
 S1.4b 1/4" = 1'-0"  
 1/4" = 1'-0"

**NOTES:**  
 1. SEE SHEET S1.0 FOR GENERAL STRUCTURAL NOTES.  
 2. ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE (3) 2x6 AND IN 2x4 WALLS SHALL BE (3) 2x4 UNLESS NOTED OTHERWISE ON PLANS.  
 3. ALL BEAMS ARE FLUSH UNO.  
 4. ALL HEADERS IN 2x BEARING WALLS ARE (2) 9 1/4" LVL UNO C.  
 5. ALL FLOOR JOIST TO BE 16" P.E. FLOOR TRUSSES @ 16" W/ LSL RIM -TYP UNO.  
 6. FLOOR SHEATHING TO BE 3/4" T+G, SEE GENERAL NOTES FOR ADDITIONAL INFORMATION -TYP.  
 7. ALL TRUSS TO TRUSS CONNECTIONS BY MANUFACTURER -TYP UNO.  
 8. TRUSS DESIGNER TO COORDINATE TRUSS LAYOUT WITH FLOOR OPENING, PLUMBING, AND UTILITY REQUIREMENTS -TYP.

Date: 02/09/2016  
 Scale: 1/4" = 1'-0"  
 Project: HAMPTON INN  
 Prepared For: PORTLAND HOTEL, INC.  
 Consultant: ARCHETYPE architects  
 48 Union Wharf Portland, Maine 04101  
 (207) 772-0022 ARCHETYPE@ARCHETYPEPA.COM  
 City, State

Revisions: PERMIT SET  
 Date: 02/09/2016  
 Scale: 1/4" = 1'-0"  
 Project: HAMPTON INN  
 Prepared For: PORTLAND HOTEL, INC.  
 Consultant: ARCHETYPE architects  
 48 Union Wharf Portland, Maine 04101  
 (207) 772-0022 ARCHETYPE@ARCHETYPEPA.COM  
 City, State

S1.4b  
 2/10/16