



FRAMING PLAN SYMBOLS KEY

□	WOOD POST
○	STEEL COLUMN
○	NUMBER OF WOOD STUDS IN POST BELOW
○	COLUMNS ABOVE THIS LEVEL
○	COLUMNS CONTINUOUS THROUGH THIS LEVEL
—	JOIST BEARING
—	CONTINUOUS JOIST WITH INTERMEDIATE BEARING
—	FLUSH FRAMED JOIST BEARING WITH HANGER
—	WOOD STUD BEARING WALL BELOW
—	NUMBER OF TRIM STUDS UNDER HEADER
—	NUMBER OF KING STUDS ADJACENT TO HEADER

FOURTH FLOOR FRAMING
 PLAN 'C'
 1/4" = 1'-0"

DATE: 02/09/2016

SCALE: 1/4" = 1'-0"

NOTES:
 1. SEE SHEET S1.0 FOR GENERAL STRUCTURAL NOTES.
 2. ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE (3) 2x6 AND IN 2x4 WALLS SHALL BE (3) 2x4 UNLESS NOTED OTHERWISE ON PLANS.
 3. ALL BEAMS ARE FLUSH, UNO.
 4. ALL HEADERS IN 2x BEARING WALLS ARE (2) 9 1/4" LVL, UNO AND (2) 2x6 AND IN 2x4 BEARING WALLS ARE (2) 9 1/4" LVL, UNO AND (2) 2x4 UNO.
 5. ALL FLOOR JOIST TO BE 16" P.E. FLOOR TRUSSES @ 16" W/ LSL RIM - TYP UNO.
 6. FLOOR SHEATHING TO BE 3/4" T+G, SEE GENERAL NOTES FOR ADDITIONAL INFORMATION - TYP.
 7. ALL TRUSS TO TRUSS CONNECTIONS BY MANUFACTURER - TYP UNO.
 8. TRUSS DESIGNER TO COORDINATE TRUSS LAYOUT WITH FLOOR OPENING, PLUMBING, AND UTILITY REQUIREMENTS - TYP UNO.

PROFESSIONAL ENGINEER
 2/10/16

Prepared For: **PORTLAND HOTEL, INC**

Consultant: **ARCHITYPE architects**
 48 Union Wharf Portland, Maine 04101
 (207) 772-6022 ARCHITYPE@ARCHITYPEA.COM

Architect: **HAMPTON INN**
 Address: _____
 City, State: _____

Revisions: _____

PERMIT SET

Scale: 1/4" = 1'-0"

FOURTH FLOOR FRAMING PLAN 'C'

S1.4c