



<p>11 WALL TYPES SCALE: 1/2"=1'-0"</p> <p>NOTE: REMOVE EXISTING TRANSACTION COUNTER AND NIGHT WINDOW. MODIFY EXISTING WALL AS NECESSARY TO INSTALL NEW TRANSACTION COUNTER AND NIGHT WINDOW.</p>	<p>EXISTING FLOOR/CEILING JOISTS BEYOND</p> <p>2x6 BLOCKING MEMBER PARALLEL TO WALL</p> <p>EXISTING 1-HOUR RATED FLOOR/CEILING ASSEMBLY</p> <p>NEW 1/2" X 3/4" X 8" TYP. BD. MATCH EXISTING CONSTRUCTION AND MAINTAIN 1-HOUR RATED FLOOR/CEILING ASSEMBLY.</p> <p>EXISTING FLOOR/CEILING JOISTS BEYOND</p> <p>EXISTING 1-HOUR FLOOR/CEILING ASSEMBLY TO REMAIN IN PLACE</p> <p>5/8" GYPSUM BOARD EA SIDE</p> <p>2x4 DF STUDS @ 8" O.C.</p> <p>EXISTING CONC. SLAB ON GRADE</p> <p>HILLT 1/2" X-DIM 8x8x8 (OR 1 1/2" x 1 1/2" x 1 1/2" APPROVED EQUAL) @ 12" O.C. MAX.</p>
<p>EXISTING FLOOR/CEILING JOISTS BEYOND</p> <p>EXISTING 1-HOUR RATED FLOOR/CEILING ASSEMBLY TO REMAIN IN PLACE</p> <p>EXISTING WALL</p> <p>5/8" GYPSUM BOARD OUTSIDE FACE ONLY</p> <p>EXISTING CONC. SLAB ON GRADE</p> <p>2x4 DF STUDS @ 8" O.C.</p> <p>HILLT 1/2" X-DIM 8x8x8 (OR 1 1/2" x 1 1/2" x 1 1/2" APPROVED EQUAL) @ 12" O.C. MAX.</p>	<p>EXISTING FLOOR/CEILING JOISTS</p> <p>EXISTING 1-HOUR RATED PARTITION</p> <p>EXISTING 1-HOUR FLOOR/CEILING ASSEMBLY</p> <p>NEW 2x6 TOP PLATE ATTACH TO EXISTING DOUBLE 2x6 HEADER</p> <p>STAGGERED 2x4 DF STUDS @ 8" O.C.</p> <p>5/8" TYP. X GYPSUM BOARD EA SIDE</p> <p>NEW 1/2" UNFACED BATT INSULATION</p> <p>HILLT 1/2" X-DIM 8x8x8 (OR 1 1/2" x 1 1/2" x 1 1/2" APPROVED EQUAL) @ 12" O.C. MAX.</p> <p>EXISTING CONC. SLAB ON GRADE</p>
<p>15 XXXX SCALE: XXXX</p>	<p>EXISTING FLOOR/CEILING JOISTS</p> <p>EXISTING 1-HOUR RATED PARTITION</p> <p>EXISTING 1-HOUR FLOOR/CEILING ASSEMBLY</p> <p>NEW 2x6 TOP PLATE ATTACH TO EXISTING DOUBLE 2x6 HEADER</p> <p>STAGGERED 2x4 DF STUDS @ 8" O.C.</p> <p>5/8" TYP. X GYPSUM BOARD EA SIDE</p> <p>NEW 1/2" UNFACED BATT INSULATION</p> <p>HILLT 1/2" X-DIM 8x8x8 (OR 1 1/2" x 1 1/2" x 1 1/2" APPROVED EQUAL) @ 12" O.C. MAX.</p> <p>EXISTING CONC. SLAB ON GRADE</p>

<p>6 NIGHT WINDOW FRONT ELEVATION SCALE: 3/4"=1'-0"</p>	<p>EXISTING STAIR</p> <p>EXISTING STRUCTURE</p> <p>FIELD VERIFY</p> <p>WELD STEEL RAIL TO EXISTING METAL STAIR STRINGER STEEL RAIL. PAINT PER THE PM'S DIRECTION</p> <p>BOLT TO EXISTING WALL BEYOND. PROVIDE BLOCKING IN WALL.</p>
<p>7 NIGHT WINDOW SIDE ELEVATION SCALE: 3/4"=1'-0"</p>	<p>EXISTING STAIR</p> <p>EXISTING STRUCTURE</p> <p>FIELD VERIFY</p> <p>WELD STEEL RAIL TO EXISTING METAL STAIR STRINGER STEEL RAIL. PAINT PER THE PM'S DIRECTION</p> <p>BOLT TO EXISTING WALL BEYOND. PROVIDE BLOCKING IN WALL.</p>
<p>8 ACCESSIBLE TRANSACTION SURFACE SCALE: 3/4"=1'-0"</p>	<p>EXISTING STAIR</p> <p>EXISTING STRUCTURE</p> <p>FIELD VERIFY</p> <p>WELD STEEL RAIL TO EXISTING METAL STAIR STRINGER STEEL RAIL. PAINT PER THE PM'S DIRECTION</p> <p>BOLT TO EXISTING WALL BEYOND. PROVIDE BLOCKING IN WALL.</p>

<p>9 XXXX SCALE: XXXX</p> <p>PROVIDE ROUGH-IN AT RELOCATED WATER CLOSET LOCATION. CONNECT WATER, WASTE AND VENT TO EXISTING. COORD EXACT LOCATION OF EXISTING FLUMBING.</p> <p>CONNECT WATER, WASTE WATER AND VENT FOR NEW LAVATORY TO EXISTING. COORD EXACT LOCATION OF EXISTING FLUMBING.</p> <p>CONNECT WATER, WASTE WATER AND VENT FOR NEW SHOWER TO EXISTING. COORD EXACT LOCATION OF EXISTING FLUMBING.</p>	<p>10 XXXX SCALE: XXXX</p> <p>PROVIDE ROUGH-IN AT RELOCATED WATER CLOSET LOCATION. CONNECT WATER, WASTE AND VENT TO EXISTING. COORD EXACT LOCATION OF EXISTING FLUMBING.</p> <p>CONNECT WATER, WASTE WATER AND VENT FOR NEW LAVATORY TO EXISTING. COORD EXACT LOCATION OF EXISTING FLUMBING.</p> <p>CONNECT WATER, WASTE WATER AND VENT FOR NEW SHOWER TO EXISTING. COORD EXACT LOCATION OF EXISTING FLUMBING.</p>
---	--

<p>1 POOL GATE DETAILS SCALE: NONE</p> <p>REMOVE EXISTING LATCH</p> <p>INSTALL NEW LEVER TYPE HARDWARE AND CARD READER</p> <p>USE MESH GAND SMOOTH FIBRE AND PAINT TO MATCH EXISTING FENCE</p> <p>RENOVATE POOL GATE AS NECESSARY TO MEET ACCESSIBILITY REQUIREMENTS</p>	<p>2 CANE DETECTION AT EXTERIOR STAIR SCALE: 1/4"=1'-0"</p>	<p>3 CANE DETECTION AT EXTERIOR STAIR SCALE: 1/4"=1'-0"</p>	<p>4 RISER DIAGRAM - TUB SCALE: 1/4"=1'-0"</p> <p>SUPPLY WATER RESERVE DIAGRAM</p> <p>WASTEWATER RESERVE DIAGRAM</p>	<p>5 RISER DIAGRAM - ROLL-IN SHOWER SCALE: 1/4"=1'-0"</p> <p>SUPPLY WATER RESERVE DIAGRAM</p> <p>WASTEWATER RESERVE DIAGRAM</p>
--	---	---	--	---