


**City of Portland, Maine – Building or Use Permit Application** 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 150 Riverside Street		Owner: Locke Properties		Phone: N/A		Permit No: <b>991242</b>	
Owner Address: 1110 So. Fowerline Rd, Deerfield Beach, FL 33442		Lessee/Buyer's Name: Bell Atlantic		Phone: N/A		Business Name: Bell Atlantic	
Contractor Name: Barlo Signs Jennifer Robichaud		Address: 158 Greeley Street, Hudson NH 03051		Phone: 603-800-227-5674		Permit Issued: NOV - 9 1999	
Past Use: Commercial		Proposed Use: Same		COST OF WORK: \$ 0		PERMIT FEE: \$ 39.60	
Proposed Project Description: Lexan face replacement sign 48 sq. ft.				FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: <i>9/11/99</i> Use Group: Type: <i>BOCA 96</i>	
				Signature:		Signature: <i>[Signature]</i>	
Permit Taken By: UB				Date Applied For: 11-5-99			
				PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/> Signature: _____ Date: _____			



Zone: *84* CBL: 267-A-004

Zoning Approval:

**Special Zone or Reviews:**

Shoreland  
 Wetland  
 Flood Zone  
 Subdivision  
 Site Plan maj  minor  mm

**Zoning Appeal**

Variance  
 Miscellaneous  
 Conditional Use  
 Interpretation  
 Approved  
 Denied

**Historic Preservation**

Not in District or Landmark  
 Does Not Require Review  
 Requires Review

Action:

Approved  
 Approved with Conditions  
 Denied

Date: *8*

**\*\*Please Send To:** Jennifer Robichaud  
 Barlo Signs  
 158 Greeley St.  
 Hudson, N.H. 03051

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

11-8-99

SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE			PHONE:

CEO DISTRICT 3

COMMENTS

9/11/01

OK.



Inspection Record

Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

**BUILDING PERMIT REPORT**

DATE: 9 NOV. 99 ADDRESS: 150 Riverside ST. CBL: 267-A-004

REASON FOR PERMIT: Signage

BUILDING OWNER: Locke Properties

PERMIT APPLICANT: \_\_\_\_\_ CONTRACTOR: Barlo Signs

USE GROUP: \_\_\_\_\_ CONSTRUCTION TYPE: \_\_\_\_\_ CONSTRUCTION COST: \_\_\_\_\_ PERMIT FEES: \$39.60


The City's Adopted Building Code (The BOCA National Building code/1996 with City Amendments)  
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met: \*1, \$35.

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) **"ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."**
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
5. Waterproofing and damp proofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete from freezing. Section 1908.0
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1.2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A,B,H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38"). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements
20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall maintained to NFPA #72 Standard.
22. The Sprinkler System shall maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
24. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. **No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.**
28. All requirements must be met before a final Certificate of Occupancy is issued.
29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements.
32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
33. Bridging shall comply with Section 2305.16.
34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0)
35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1996).


 P. Samuel Hoffses, Building Inspector  
 Cc: Lt. McDougall, PFD  
 Marge Schmuckal, Zoning Administrator

PSH 10/25/99

**\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.**

**THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED**

**Sign Permit Pre-Application**  
**Attached Single Family Dwellings/Two-Family Dwelling**  
**Multi-Family or Commercial Structures and Additions Thereto**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.


**NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction (include Portion of Building): <i>150 Riverside <del>St</del> Street</i>		
Total Square Footage of Proposed Structure	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number Chart# <i>267</i> Block# <i>A</i> Lot# <i>004</i>	Owner: <i>Rocke Properties</i> <i>110 So. Powerline Rd</i> <i>Deerfield Beach FL 33442</i>	Telephone#: <i>N/A</i> <i>48x.2059.60</i>
Owner's Address: <i>110 So. Powerline Rd</i> <i>Deerfield Beach FL 33442</i>	Lessee/Buyer's Name (If Applicable) <i>Bell Atlantic</i>	Total Sq. Ft. of Sign Fee <i>48 # \$ 39.60</i>
Proposed Project Description:(Please be as specific as possible) <i>Installation of one set of internally illuminated letters (48")</i> <i>AND (2) lexan face replacements (30") 48</i>		
Contractor's Name, Address & Telephone <i>BARLO SIGNS 158 Greeley St Hudson NH 03051</i>		Rec'd By
Current Use: <i>Commercial</i>	Proposed Use: <i>Same - name change</i>	

Signature of applicant: <i>Jean Polubal</i> 800-227-5674(333)	Date: <i>11-01-99</i>
--	--------------------------

Signage Permit Fee: \$30.00 plus .20 per square foot of signage

*X BARLO SIGNS*  
*Jennifer*



*Sign #1*

*39.60*

**SIGNAGE PRE-APPLICATION**

PLEASE ANSWER ALL QUESTIONS

ADDRESS: 150 Riverside St ZONE: B4

OWNER: Locke Properties / Bell Atlantic

APPLICANT: Bare Signs Jennifer Robichaud

ASSESSOR NO. \_\_\_\_\_

SINGLE TENANT LOT? YES  NO

MULTI TENANT LOT? YES  NO

FREESTANDING SIGN? YES  NO

DIMENSIONS 2'6" x 12' = SQ FT 30

(ex. pole sign. . .)

MORE THAN ONE SIGN? YES  NO

BLDG. WALL SIGN? YES  NO

DIMENSIONS ~~2' x 48' 24'~~ 2' x 24' x 24'

(attached to bldg)

MORE THAN ONE SIGN? YES  NO

LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS:

Pylon Refacing it  
See Above

LOT FRONTAGE (FEET): 130'

BLDG FRONTAGE (FEET): 88'

AWNING YES  NO  IS AWNING BACKLIT? YES  NO

HEIGHT OF AWNING: \_\_\_\_\_

IS THERE ANY COMMUNICATION, MESSAGE, TRADEMARK OR SYMBOL ON IT? \_\_\_\_\_

\*\*\* TENANT BLDG. FRONTAGE (IN FEET) 88'

**\*\*\* REQUIRED INFORMATION**

AREA FOR COMPUTATION

**A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.**

SIGNATURE OF APPLICANT: Jennifer Robichaud

DATE: 11-02-99

UL # E92151

# INFORMATION REQUIREMENTS FOR SIGN PERMIT APPLICATION

Applicants for a sign permit will be asked to submit the following information to the Code Enforcement Office:

1. Proof of insurance ✓
2. Letter of permission from the owner ✓
3. A sketch plan of lot, indicating location of buildings, driveways and any abutting streets or right of ways. Lengths of building frontages and street frontages should be noted. (see attached)
4. Indicate on the plan all existing and proposed signs ✓
5. Computation of the following:
  - A) Sign area of each existing and proposed building sign ✓
  - B) Sign area height and setback of each existing and proposed freestanding sign ✓
6. A sketch of any proposed sign(s), indicating dimensions, materials, source of illumination and construction method (see attached).
7. Certificate of flammability required for awning/<sup>n/a</sup>canopy at time of application.
8. UL # required for lighted signs at the time of application.

**Fee for permit - \$30.00 plus \$0.20 per square foot**

**Fee for awning based on cost of work - \$30.00 for the first \$1,000.00, \$6.00 for each additional \$1,000.00.**

**NOTE:** Once a sketch plan has been filed for a property, the code enforcement office will keep a record of the plan so that a new sketch plan will not be required for later changes to signage on the property. In such an instance, applicants will only be required to submit information applicable to the new sign.

FR: JENN TO: 203-284-9091 CHRIS

**ACORD** **CERTIFICATE OF LIABILITY INSURANCE** DATE (MM/DD/YY) 11

PRODUCER  
**Pomerleau Agency**  
 P O Box 6  
 184 South Winooski Ave.  
 Burlington VT 05401

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

COMPANIES AFFORDING COVERAGE

COMPANY A	CNA
COMPANY B	
COMPANY C	
COMPANY D	

INSURED  
**Barlo Group**  
 603/882-2638  
 158 Greeley Street  
 Hudson NH 03051


**COVERAGES**  
 THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

CO LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
A	GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> OWNER'S & CONTRACTOR'S PROT	C1 14994493	01/01/99	01/01/00	GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000 PERSONAL & ADV INJURY \$ 1,000,000 EACH OCCURRENCE \$ 1,000,000 FIRE DAMAGE (Any one fire) \$ 100,000 MED EXP (Any one person) \$ 5,000
A	AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS	C1 14994509	01/01/99	01/01/00	COMBINED SINGLE LIMIT \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE \$
	GARAGE LIABILITY <input type="checkbox"/> ANY AUTO				AUTO ONLY - EA ACCIDENT \$ OTHER THAN AUTO ONLY: EACH ACCIDENT \$ AGGREGATE \$
	EXCESS LIABILITY <input type="checkbox"/> UMBRELLA FORM <input type="checkbox"/> OTHER THAN UMBRELLA FORM				EACH OCCURRENCE \$ AGGREGATE \$ \$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY THE PROPRIETOR/PARTNERS/EXECUTIVE OFFICERS ARE: <input type="checkbox"/> INCL <input type="checkbox"/> EXCL	WCC 1 11986740	01/01/99	01/01/00	WC STATUTORY LIMITS   OTHER EL EACH ACCIDENT \$ 100,000 EL DISEASE - POLICY LIMIT \$ 500,000 EL DISEASE - EA EMPLOYEE \$ 100,000
	OTHER				

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/SPECIAL ITEMS



**CERTIFICATE HOLDER**  
*City of Portland*  
*389 Congress St*  
*Portland Me 04101*

**CANCELLATION**  
 SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE  
  
 © ACORD CORPORATION 1988



Bell Atlantic  
Portland ME



W.O.#:

**SCOPE OF WORK**

(1) SET OF FACE REPLACEMENTS FOR PYLON

REPLACEMENT PANEL SIGNS FOR HANGING SIGN AND WALL SIGN

(1) SET CHANNEL LETTERS ON ROOF

**MAJOR PURCHASE**

**SIGN DISPOSITION**

- Store for Barlo
- Leave @ Site
- Dispose
- Store for Customer
- Chargeable
- N/A

**COLORS**


**FACE REPLACEMENT**

WHITE LEXAN  
WITH 3630-127 INTENSE BLUE  
BACKGROUND & WHITE COPY

**LETTERS**

FACE: 2051 BLUE  
RETURNS = BRONZE B.E.A.  
TRIM = 1" SILVER  
NEON = 4500 WHITE  
CABINET = WHITE

12'-0"



FACE REPLACEMENTS:  
SURVEY REQUIRED FOR CUT SIZE & V.O.

*no size change*

**GENERAL INFO.**


Qty: PYLON FACES    Sq. Ft: 30.5

S/F (D/F)    (ILL.) Non-ILL




Ckts:    Volt:

Amp:    UL:

**SPECIAL NOTES**



<b>SIGNS</b>	Type:	Mat:	Ret. Size:	Box Depth:			
	Face Mat:	Thickness:	Copy:				
	Pole Cover Mat:	Hgt:	Depth:				
<b>LETTERS</b>	Interior	Exterior	Face-Lit	Back-Lit	Drain Holes: Y N		
	Face Mat:	Th:	Returns Mat:	Depth:			
	Mylar Size:	Backs Mat:	Neon Rows:	MM:			
	Trans. Location:	Wiring	1/2 BX	3/8 Lite	Raceway		
	Housings	Glass	PK's	Dbl. Backs	Mtg.	Nut Sert	Thru Back



at 95'  
OFF RAMPA  
EXIT 8

Pylon sign is  
15' High

City of Portland  
Inspectional Services  
Una  
Fax- 207-874-8716

Re: Bell Atlantic at 150 Riverside St

Thank you for helping me with my sign permits applications


The pylon height is 15 feet overall. We are removing the existing faces in the pylon sign and sliding in the exact same size faces.

I have included a small location plan of the two signs we are doing.

I have included a mounting detail for the wall sign.

We will have the authorization ASAP. The owner does not have access to a fax.

Thanks again,

  
Jennifer

800-227-5674(333)

# Memo

Date: 11/2/99

To: MARGE SHMUCKEL  
From: Jennifer Robichaud  
Subject: Bell Atlantic

Hello Marge,

Customer would like these signs up yesterday.  
Just kidding, but they would like them soon. If you see anything that needed, please let me know. We are getting a landlord authorization ASAP.

Thanks!

Jenn  
800-227-5674-(333)

received  
11/3/99

FAXFAXFAXFAXFAXFAX **BARLO** FAXFAXFAXFAXFA  
**SIGNS** Sign Advertising  
FAX (603) 882-7680

To: INSpectional Services  
Attn: UNA  
Fax Phone: 207-874-8716

From: Jennifer  
Subject: Bell Atlantic  
Date: \_\_\_\_\_ Page 1 of (2)

Landlord found in Florida!

as requested.

Thanks!  
Jenn

9-547 P. 02/03 F-901

Date: \_\_\_\_\_  
To: Town of PORTLAND - MAINE  
Street: \_\_\_\_\_  
City/State: \_\_\_\_\_  
Zip: \_\_\_\_\_

*Attor  
Kelly Champagne  
Please*

FORM MUST BE SIGNED BY OWNER / LANDLORD OF SITE/FACILITY.

1603883163

As owner of 150 Riverside St. Portland, ME, I hereby authorize  
*Jennifer Reibichmid* of *(Name)* of Budo Signs Company

of Hudson, NH, to APPLY FOR SIGN PERMITS at this site.

Signed: *John & Lache* Gen PARTNER

FROM-Budo Signs

As owner of \_\_\_\_\_, I hereby authorize  
*(Name)* of Budo Signs Company

of Hudson, NH, to APPEAR BEFORE THE ZONING BOARD OF APPEALS for this site.

Signed: \_\_\_\_\_

*Thanks  
John Lache*

NOV-05-98 14:47

05-05-99 16:27

FROM-Budo Signs

1603883163

T-891 P. 01/02 F-97E