Cit	ty of Portland, Maine	e - Building or Use	Permit App	olication Pe	ermit No:	I sue Date:	CBI:		
389	Congress Street, 0410	1 Tel: (207) 874-8703	, Fax: (207)	874-8716	01-0257	APR	3 267 A005001		
Loca	ation of Construction:	Owner Name:			er Address:		Phone:		
190 Riverside St Bounty Develo				One	Canal Plaza	€HFIYor(n/a		
Business Name: Contractor Name:			:		ractor Address:		Phone		
H & R Block Burr Signs			10 E	Buttonwood S	t. So. Portland	2077991183			
Less	see/Buyer's Name	Phone:		Perm	it Type:		Zone:		
Н	& R Block	207-774-9554		Sig	ns - Permaner	nt	B-4		
Past	Use:	Proposed Use:		Perm	it Fee:	Cost of Work:			
Cm	nmercial	Commercial;	Commercial; Mail Permit to		.20 \$0.00	\$0.0	o Area 3		
		Contractor wh	en ready.		E DEPT:		NSPECTION: SIGNATOR		
					Ļ.	Approved	, ,		
					L	Denied	PERMITISSUED Type:		
				İ		163	ONTHE 1999		
Prop	posed Project Description:						1		
Gra	aphics change only on exis	sting sign.		Signa	ture.	96	Storage IIII		
						VITIES DISTRIC	Note of Marie Control		
					_				
				Actio	on: Approv	ed Approve	l w/Conditions Denied		
				Signa	iture:		Date:		
1	nit Taken By:	Date Applied For:		<u> </u>	Approval				
cil	1	03/27/2001							
1.	This permit application of		Special Zoi	ne or Reviews	Zonir	ng Appeal	Historic Preservation		
	Applicant(s) from meetir Federal Rules.	ng applicable State and	☐ Shoreland		☐ Variance		Not in District or Landman		
2.	2. Building permits do not include plumbing, septic or electrical work.		☐ Wetland ☐ Miscell		neous	Does Not Require Review			
3.	Building permits are voice within six (6) months of	d if work is not started	☐ Flood Zone ☐ Conditional Use			onal Use	Requires Review		
	False information may in permit and stop all work.	validate a building	Subdivisio	on .	Interpret	ation	Approved		
			Site Plan	JEK1847	Approve	d	Approved w/Conditions		
			Maj Mino	or MM	Denied		Denied		
			Date	$\prec 417k$	Date:		Date:		
				14	Tout.		Date.		
							PERMIT ISSUED WITH REQUIREMENTS		
			CERTI	FICATION					
I her	reby certify that I am the o	owner of record of the na	ned property,	or that the proj	posed work is	authorized by t	he owner of record and that		
1 nav	ve been authorized by the	owner to make this appli	cation as his a	uthorized agen	t and I agree t	to conform to al	l applicable laws of this		
juris	diction. In addition, if a p	permit for work described	l in the applica	ation is issued.	I certify that t	the code official	's authorized representative		
snaii	t have the authority to ente	er all areas covered by su	ch permit at a	ny reasonable h	our to enforc	e the provision	of the code(s) applicable to		
3401	pomit.								
$\not =$									
SIG	NATURE OF APPLICAN	NT		ADDRESS		DATE	PHONE		

BUILDING PERMIT REPORT								
DATE: 36 MArch 260 ADDRESS: 196 ALVERSIDE ST. CBL: 267-A-965								
REASON FOR PERMIT: SIGNA GO.								
BUILDING OWNER: Bounty Deve Inc.								
PERMIT APPLICANT: HEBOCK ICONTRACTOR BURY SIGN.								
USE GROUP:CONSTRUCTION TYPE:CONSTRUCTION COST:PERMIT FEES: 434,20								
The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)								
CONDITION(S) OF APPROVAL								
This permit is being issued with the understanding that the following conditions shall be met: $\frac{132}{100}$								

This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

 Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located <u>beneath habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. <u>Private garages attached side-by-side to rooms</u> in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 %" maximum rise.</u> All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less then 36".
- 16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 25. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 29. All requirements must be met before a final Certificate of Occupancy is issued.
- 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 32. Please read and implement the attached Land Use Zoning report requirements.
- 33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 34. Bridging shall comply with Section 2305.16.
- 35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
- 36. All flashing shall comply with Section 1406.3.10.

X	37.	All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).								
•										

Sautast Hoffises, Building Inspector

Marge Schmuckal, Zoning Administrator Michael Nugent, Inspection Service Manager

PSH 10/1/00

**This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

***THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

****ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

*****CERTIFICATE OF OCCUPANCY FEE \$50.00

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Sign Permit Pre-Application

Arca 3

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building): 190 RIVERSIDE ST.		· · · · · · · · · · · · · · · · · · ·
Total Square Footage of Proposed Structure 72	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number Chart# 267 Block# A Lot# 005	Ounce: Bounty Development.	Telephone#:
Owner's Address: 170 Liverside St.	Lessee/Buyer's Name (If Applicable) HF'R BLOCK	Total Sq. Ft. of Sign Fee 34.32
Proposed Project Description: (Please be as specific as possible) C-RAPHICS CHANGE ON B Contractor's Name, Address & Tolophone 10 BUFFO	EXISTING SIGNS ONLY NS NWOODST. SO. PORTCAND	
Durrant Use: OFFICE	Proposed Use: OFFICE	
	<u> </u>	
Signature of applicant:		19/01
• •	ee: \$30.00 plus .20 per square foot of signage	

WHIL PERMIT TO BURR SIGNS

Nashviile ttn: Dan Miller	9:49AM 3/965947854915 COMPANY:	PAGE	2/2	RightFAX	NO.199	P.2
ACORD HE HI						MARINDIANI DATE OF

THIS IS TO CERTIFY THAT THE PO	5C-9C43 LCTES OF INSURANCE LISTED BELL WAY PEQUIPMENT, TERM OR COND MAY PERTAIN, THE INSURANCE A	COMPANY Ford COMPA	THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. COMPANY Transcontinental Insurance Company A Commercial Insurance Company A Commercial Insurance Company COMPANY National Fire Insurance Company of Hartford B COMPANY Padaral Insurance Company COMPANY Padaral Insurance Company COMPANY Padaral Insurance Company COMPANY						
O TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPINATION DATE (MM/DD/YY)	LIMIT	5.				
	C135535281	01-AUG-2000	01-AUG-2001	GENERAL ASSREGATE PRODUCTS-COMPICE AGG PERSONAL & ADVINJURY EACH COCURRENCE FIRE DAMAGE (Any one fire) MED EXP (Any one pagen)	\$ 1,000,000 \$ 1,000,000 \$ 1,000,000 \$ 1,000,000 \$ 100,000				
AUTOMOBILE LIABILITY X ANY AUTO ALL OWNED AUTOS SCHEDILLED AUTOS MIRED AUTOS X NON-OWNED AUTOS	C129291815	01-AU3-2000	D1-AUG-2001	COMBINED SINGLE LIMIT SCOILY INJURY (Per person) SCOILY INJURY (Per souderd) PROPERTY DAMAGE	\$ 1,000,000 \$ \$				
CARACE LIABILITY ANY AUTO				ALTO ONLY - EA ACCIDENT OTHER THAN AUTO ONLY: EACH ACCIDENT AGCREGATE	6				
X UMBRELLA FORM OTHER THAN LIMBRELLA FORM	79731142NA6	01-AUG-2006	01-AUG-2001	EACH CCCURRENCE AGGREGATE	\$ 10,000,000 \$ 10,000,000				
	WCC174839669	01-AUG-2000	01-AUG-2001	WC BYATO CHA	\$ 1,000,000 \$ 1,000,000 \$ 1,000,000				
DESCRIPTION OF OPERATION SLOCATIONS/ SELF INSURED FOR WO City of Portland in Insurance ATIMA.	RKERS COMPENSATION added as addition	SHOULD AND EXPENDING	I FOR GOTH OF THE ABOVE DE DATE THEREOF, TH		CELLED BEFORE THE EMDEAYOR TO MAL				

SBS Congress Street

Portland ME 04107

OF ANY KIND UPON THE COMPANY, ITS ACENTS ON REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE

CONTRACTOR OF ANY KIND UPON THE COMPANY, ITS ACENTS ON REPRESENTATIVES.

MAR-19-2001 11:09A FROM: BURR SIGNS 207 799 1324

TO: 7722647

P:6

OWNERS CONSENT AND AGREEMENT

I,	Joseph	E.	BOULD	·	being	the	OWNEI	of	the	premises	located	at
	(print prop	ert	y owners	name)								

170 Averyof ST in Portland, Maine, hereby give consent to the (print property address)

erection of a certain sign/awning/banner owned by WER BLOCK (print leasee's name)

over the sidewalk or on building from said premises as described in application to the Division of Inspection Services.


And in consideration of the issuance of said permit, owner of said premises, in event said sign shall cease to serve the purpose for which it was erected or shall become dangerous and in event the owner of said sign shall fail to remove said sign or make it permanently safe in case the sign still serves the purpose for which it was erected, hereby agrees for himself or itself, for his heirs, its successors, and his or its assigns, to completely remove said sign.

ignature of Property Owner

Date

Sightur of Lesses

pate



HICKERTSE IN TH

Plasti-Line, Inc.

sya navenay. Date: rne name: nak 3xe Scule: 1:10

H&R BLOCK 2:1 Face Layouts



FROM PLASTILLINE
2 SIGNSTHAT ARE COMING

813/14K

ex F At



(909) 823-1239 Fax: (909) 823-2013 13489 Slover, Building B, Fontana, California 92337 Plasti-Line, West A Division of Plasti-Line, Inc.

Drawing Approved by HER DE BEST AND AND WESTERNESS AND DELECTION AND A COMMENSURARY CONTRACTOR AND A MATERIAL RECOGNISED VERSIONAL CONTRACTOR AND A CONTRACTOR AND

AM of IsvorciclA solic?

PLW Engineering Dwg: Yes - No -

12/7/00

19lliM 4er

H&R Block #209753

190 Riverside St., Portland, ME 04106

Outsource 🗆

Former 🗖

Router

Production Setup: Neon □ Vinyl□

Install Date Ship Date

'696-00

Orawing No.

ylnO lyniV

ıəfiA



Before



Overlay Black 7725-12

OI-GZLL 211MM BK8q:

(1) One Set of Vinyl Graphics: Mfr. & Ship:

Scale: 3/4"= 1'-0"

 ∇

V

 \otimes

A

abla


Knox. Engineering Dwg: Yes D No D

omofl "dawrd

H&R BLOCK financial advisors

15.-10.

12.-6"



12 A FOTAL