Form # P 04

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK

m;	Y OF PORTLAN	PERMIT ISSUED
Notes, If Any, Attached This is to certify that H.J. ASSOCIATES LTD /SF	PERIM	Permit Number: 060065 JAN 2 4 2006
has permission toRenovate the bathrooms for		CITY OF PORTLAND
AT 155 RIVERSIDE ST. provided that the person or persons		this permit shall comply with a

of the provisions of the Statutes of line and or the Construction, maintenance and the of buildings and fuctures, and of the application on file in this department.

Apply to Public Works for street line and grade if nature of work requires such information.

ificatio of inspersion must end and vote en permoon proceed or inspersion of the permoon of the

A certificate of occupancy must be procured by owner before this building or part thereof is occupied.

Department Name

PENALTY FOR REMOVING THIS CARD

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE **CITY OF PORTLAND** JAN 2 4 0000 Please Read CRECTION Application And Notes, If Any, Permit Number: 060072 Attached CITY OF PORTLAND ction Management Consultin 477 CONGRESS LLC /Cons This is to certify that pprox 1 on walls Demo of partion walls and ac has permissionto. 037 F022001 AT 477 CONGRESS ST

epting this permit shall comply with all provided that the person or persons rm or ion a nances of the City of Portland regulating of the provisions of the Statutes of ine and of the P uctures, and of the application on file in e of buildings and the construction, maintenance and this department.

Apply to Public Works for street line and grade if nature of work requires such information.

Form # P 04

ficatio f inspe on mus n and w en perm on proci re this lding or rt there bsed-in ed or

LQUIRED.

A certificate of occupancy must be procured by owner before this building or part thereof is occupied.

OPERWORKSUED

OTHER REQUIRED APPROVALS	
Fire Dept. (Nea 448 1-20-06	
Health Dept.	
Appeal Board	1 1 1 1 1 1 28/00
Other DepartmentName	Director - Building & Inspection Services

JR NO

PENALTY FOR REMOVINGTHIS CARD

City of Portland, N		0			11	nit No: 06-0065	Issue Pate	PMIT	ISSU BO	01001	
389 Congress Street, Location of Construction:	04101 161: ()wner Name:	, гах:	(207) 874-871					Phone:		
155 RIVERSIDE ST		Jwner Name: H J ASSOCIATES LTD		ΓD	Owner Address: 155 RIVERSIDE ST JAN			AN 2	, ,		
Business Name:		ILS L			ctor Address	51		Phone			
Dusiness Name.						į.	lest Scarboi	ogh	20788303	306	
Lessee/Buyer's Name 'he		'hone:	'hone:		P.O. Box 2353 West Scarborogh			UF P	OF TAND	Zone:	
					Alterations - Commercial				B-4		
Past Use:			-	Permit Fee: Cost of Worl		 'k:	CEO District:	7			
Commercial/ Hotel					\$84.00 \$7,000.			3			
Commercial/ notel				FIRE DEPT: Approved			INSPECTION:				
							Denied	Use G	roup:	Type: 3/	
Proposed Project Description	on:				-				1/23/0	5	
Renovate the bathrooms for rooms 120 & 132				Signature: (Signature: Signature		Signate TRICT (
					Action:	: Appro	ved Ap	proved w	/Conditions	Denied	
Downit Tokon D	Doto A	nnlied Fem	1		Signature:			1	Date:		
Permit Taken By: ldobson	l l	Date Applied For: Zon 0 1/ 13/2006				Zoning	Zoning Approval				
Idouson	041	272000	Spe	ecial Zone or Revi	ews	Zoni	ng Appeal	Т	Historic Pres	ervation	
			Shoreland			Variance			Not in District or Landmar		
			Wetland			Miscellaneous			Does Not Require Review		
			Flood Zone Conditional Use			Requires Review					
			☐ Sı	ıbdivision	Approved		etation		Approved		
			☐ Si	te Plan				Approved w/Conditions			
			Maj [Minor MM				☐ Deniod			
			Date:	13/	06	late:			Date:	\mathcal{I}	
			-						/	,	
I hereby certify that I an I have been authorized by jurisdiction. In addition shall have the authority such permit.	by the owner to, if a permit for	o make this appl or work describe	med projection d in the	as his authorized application is i	he propo d agent ssued, I	and I agree certify that	to conform the code of	to all a ficial's	applicable laws authorized repr	of this resentative	
SIGNATURE OF APPLICA	NT			ADDRES	S		DATI	Ξ	PHC)NE	
RESPONSIBLE PERSON I	N CHARGE OF V	VORK TITLE					DATI		PHC	NIE .	

General Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Total Square Footage of Proposed Structure	Square Footage	e of Lot				
14 sq' x 2 Bathrooms	_					
Tax Assessor's Chart, Block & Lot	Owner:		Telephone:			
Chart# Block# Lot#	Howard Johnso	~`s	774-5861			
267 B 1						
Lessee/Buyer's Name (If Applicable)	Applicant name, address & to		Cost Of			
Howard Johnsons	Stephen Flynn	\ \ \	Vork: \$ 7,000.00			
	S.F. Flynn - 2 Co.	Inc. I	Fee: \$			
	w. scarborough, m	اد.	Cof O Fee: \$ 84			
Current Specific use: Single Bay	hroom	040 70 10	01010.			
Current Specific use: Single Base Proposed Specific use: A.D.A. Base	moon					
Project description: Remove exis	No. of Charles Can	11 0.1	as wall Increase			
size of room by i inte	ing snower stu	and i	Carrie Tresenta			
lation of colling shower	and 3'0x c're"	dona (exis	tor the install			
Project interior + exterior	to watch prict,	and Cexts	1, mg abor 12 2 4)			
size of room by i inter lation of roll in shower finish interior + exterior	TO THE EXTST	<i>"3 ,</i> 140	om5/208/32			
Contractor's name, address & telephone: Stephen Flynn S.F. Flynn-2 Cu. Inc.						
Who should we contact when the permit is read	lv: Stephen Flynn		1-7			
Who should we contact when the permit is read Mailing address: 5.F. Flynn - 2 Co I	Phone: 883-0306					
00 13mm 02 42		11.	60 4 JON			
Who should we contact when the permit is ready: Stephen Flynn Mailing address: S.F. Flynn - 2 Co I Phone: 883-0306 P.O. Box 2353 W. Scarborough Me. 04074						
Please submit all of the information outl	ined in the Commercial A		ecklist			
Failure to do so will result in the automatic denial of your permit.						
In order to be sure the City fully understands the fill scope of the project, the Planning and Development Department may						
request additional information prior to the issuance of a permit. For further information visit us on-line at						
www.portlandmaine.gov, stop by the Building Inspections office, room 315 City Hall or call 874-8703						
I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this invisition.						
In addition, if a permit for work described in this application is issued, I <i>certify</i> that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any feesonable hour to enforce the provisions of the codes applicable to this permit.						
among to once at most covered by the perint at abyte	loan to enforce the provision	or the codes uppr	icacio de uno permiti.			
Signature of applicant:		Date: __\	, n			

City of Portland, Maine - Building or Use Permit			Permit No:	Date Applied For:	CBL:		
389 Congress Street, 04101 Te	O	6 06-0065	01/12/2006	267 B001001			
ocation of Construction:	Owner Name:		Owner Address:		Phone:		
155 RIVERSIDE ST	H J ASSOCIATES L	TD	155 RIVERSIDE S	T			
Business Name:	Contractor Name:		Contractor Address:		Phone		
	SF Flynn-Z		P.O. Box 2353 We	P.O. Box 2353 West Scarborogh			
.essee/Buyer's Name	Phone:		Permit Type:				
		<u>,</u>	Alterations - Com	Alterations - Commercial			
'roposed Use:		Propos	ed Project Description:				
Hotel/ Renovate the bathrooms for	r rooms 120 & 32	Reno	vate the bathrooms f	For rooms 120 & 132	2		
Dept: Zoning Status Note:	Approved	Reviewer	: Marge Schmucka	l Approval D	ate: 01/13/2006 Ok to Issue: ✓		
Dept: Building Status Note: 1) All replacement Gypsum Boar The new entry door must de a		be done to matc	: Mike Nugent th that rating.	Approval D	ate: 01/23/2006 Ok to Issue:		
D (5			G . G . G		01/16/0006		
Dept: Fire Status Note:	Approved	Reviewer	: Cptn Greg Cass	Approval D	ate: 01/16/2006 Ok to Issue: □		
Comments:							

Architectural

Wood **Doors**

AHU! MIKE NUGEAR


RE! SF FLYNN T WOOD VENEER
HOWANG BONDED MINERAL CORE
TOWN SONS

5-PLY CONSTRUCTION

45-50-00-00 MINISTER **45-, 60-** OR 90-MINUTE

5511 VT Door Type

WDMA Type FD-5 (Interior use only) Prefit and stock sizes available



TOP RAIL:

1-1/2" Firestop™ top tail

VERTICAL STILES:

1" Firestop™ at 90-minute with matching hardwood edge 3/4 * Firestop™ at 45- and 60-minute with matching hardwood edge Crossbands concealed at edge

Incombustible Mineral Core

CROSSBANDS:

High Density Fiber (HDF)


"A" grade wood veneer, unless otherwise specified

FINISHED THICKNESS:


1-3/4"

BOTTOM RAIL:

1-1/2" Firestop™ bottom rail



All dimensions shown are nominal before sanding, trimming and prefitting within industry standards. Specifications may be changed at manufacturer's option.



Blocking Reinforcement Options: available a tadditional cost for undercutting and specialized hardware.

HE-6

HB-4

<u>WDMA PREMIUM GRADE DOOR</u>

DOOR FEATURES:

Finish Type. Permaguard™ WDMA TR-6

Factory Finish available

Veneer Match: Book match standard. Slip or

random available # specified

Veneer Face Assembly:

Running match standard. Center or balanced available it specified.

Face material for paintable doors is Medium Density Overlay (MDO)

Pairs and Sets: Pair match, set match available

Doors/Transoms: Door and transom match

Vertical Edges: (visible surface) Matching hardwood

cutouts-

Allow 5-1/2" minimum distance

from door edges and hardware

cutouts

Standard Bevel: 1/8" in 2"

Clearances:

1/8" top, 1/8" lock and ringe stiles See NFPA-80, 1-11.4, 1999 edition,

for bottom clearances

DOOR STANDARDS:

A. ANSI/WDMA I.S. ?-A & AWI Section 1300 Quality Standards (Bonded Core).

8. Doors shall be 1-3/4" ± 1/16" thick, and of shes and designs as indicated or the drawings and schedules.

C. Tap and bottom rails of door shall be factory sealed.

D. Doors shall be clad in WDMA premium "A" grade wood veneer with minimum thickness 1/42" before sanding. Both domestic and exotic hardwood species available.

E Negative pressure fire doors; testing, labeling and inspection by Intertek/Warnock Hersey, Negative pressure must be noted at time of bid.

E Cutouts for vision panels and louvers shall be made at the factory and shall be of sizes and locations as indicated on the drawings. Factory finished wood glazing stops or primed steel lite frames shall be furnished for lite openings. Steel lite frames may be veneer-wrapped at additional cost.


G. Hardware preparation: All cutouts for mortise hardware shall be made at the factory from hardware manufacturer's templates and approved shop drawings.

H. Doors shall be individually poly-bagged for protection in transit and storage periods, and shall be marked as per tag openings on shop drawings.

OPTIONS FOR VERTICAL EDGES. MUST BE SPECIFIED IF DESIRED.

5511-1 Stiles unfinished 5511-9 Stiles primed at factory

5511-2 Stiles finished at factory





P.O. Box 2353 West Scarborough, Maine 04070-2353

Phone 207-883-0306 Fax 207-883-8559

January 4,2006

ESTIMATE # 06-101

Howard Johnson's. 155 Riverside Street Portland, Maine **04103** Attn Mark Heisler

774-5861

Reference: ADA Bath Remodel - Howard Johnson's

Enclosed is an estimate for budgeting purposes only to provide labor and materials to remodel (2) existing baths to ADA approval at the above named location. per customer request. This estimate is based upon a verbal conversation with customer to review the proposed scope of work and a site visit. A line item allowance breakdown is as follows:

DEMOLITION:

- * Remove existing tub/shower and hardware
- * Remove existing door and frame
- Remove approx. 7 In' of bath partition wall
- * remove existing drop ceiling
- * Remove carpet and tile at door opening

CARPENTRY:

- * Build (1) partition wall around new shower and door location
- * Sheath wall with ½" MR drywall, tape and sand to paint ready
- * Install (4) new 3'0 x 6'8 walnut laminated doors with steel frame, chrome hinges and lever bathroom passage set
- * Install (2) new one piece roll-in fiberglass tub shower units including fold-up seats, grab bars. curtain rods and fixtures
- * Install new ceramic tile thresholds between new framed doorways at baths
- * Install additional ceramic tile required **to** patch void in floor at front length of showers
- * Install new sani-grid drop tile ceiling in entire bathroom areas
- * Prime walls (1) coat

FLOORING:

- * Install new ceramic tile thresholds between new framed doorways at baths
- * Install additional ceramic tile required to patch void in floor at front length of showers
- * Allowance carried for patching only

ELECTRICAL:

* Relocate existing electrical fixtures and any unforeseen internal wiring required – Allowance Carried

PLUMBING:

* Install (2) new one piece roll-in fiberglass tub shower units including fold-up seats. grab bars. curtain rods and fixtures

500.00

LABOR: 5,376.00

MATERIALS: 2,997.63

PLUMBING: 9,412.27

ELECTRICAL, ALLOWANCE: 600.00

CEILING: 1.680.00

FLOORING ALLOWANCE: 2,000.00

TOTAL ESTIMATE: \$22,565.90

EXCLUSIONS:

WASTE REMOVAL:

- * Permit
- * Painting beyond prime/Papering
- * HVAC
- * Sprinkler/Alarms
- * Trim Work
- * Carpet and Carpet Base
- * Lighting Fixtures Reuse existing
- * Unforeseen Floor Prep
- * Visual Alarms Notification Devices and Telephones

Estimated By: Stephen Flynn

The actual cost of the project may vary from the estimate: **any** deviation from the **scope** of work will require change orders signed by both parties along with payment before the commencement of work. Upon acceptance of estimate. a contract will be forwarded for signature along with an invoice for 40% deposit: periodic invoicing to follow. Upon completion of project, invoicing will be 100% due within 10 days from invoice date.

