© COPYRIGHT 2011 ICON ARCHITECTURE



104 SIX PANEL OAK DOOR
105



- 6 LITE OAK DOOR w/ 1/2" CATEGORY II TEMPERED SAFETY GLAZED PANELS & REMOVEABLE MULLIONS.



113 6 LITE OAK DOOR w/ 1/2" CATEGORY II TEMPERED SAFETY GLAZED PANELS & REMOVEABLE MULLIONS.



A

TEMPERED GLASS FIXED PANEL (VERIFY R.O. DIMENSIONS WITH FINAL SELECTION) W/ OAK TRIM SURROUND.



B

CATEGORY I TEMPERED SAFETY GLAZED FIXED PANEL (VERIFY R.O. DIMENSIONS WITH FINAL SELECTION) W/ OAK TRIM SURROUND.



100 MATCH EXISTING ALUMINUM STOREFRONT
100a
101



107 HOLLOW METAL DOOR PAINTED w/ WHITE ENAMEL



102 HOLLOW METAL PRE-FINISHED DOOR

DOOR SCHEDULE

TAG	LOCATION	FRAME MATERIAL: EXISTING FRAME	FRAME MATERIAL: OAK FRAME (STAIN)	FRAME MATERIAL: METAL FRAME	FRAME MATERIAL: STOREFRONT	DOOR SIZE	DOOR MATERIAL: DOOR TYPE	DOOR MATERIAL: EXISTING	DOOR MATERIAL: HOLLOW METAL	DOOR MATERIAL: SOLID OAK WOOD	DOOR MATERIAL: STOREFRONT	DOOR MATERIAL: WOOD / GLASS	FINISH: PAINT	FINISH: STAIN	FINISH: PREFINISHED	REMARKS	HARDWARE GROUP
100	ENTRY DOOR	●				3'-0" W. x 7'-0" H. x 1 3/4"		●							●	.	1
100a	ENTRY DOOR	●				3'-0" W. x 7'-0" H. x 1 3/4"		●							●	.	1
101	EXIT DOOR				●	3'-0" W. x 7'-0" H. x 1 3/4"					●				●	.	1
102	HOTEL LOBBY ENTRY/EXIT DOOR			●		(pr.) 3'-0" W. x 7'-0" H. x 1 3/4"			●						●	.	6
104	MEN'S RESTROOM		●			3'-0" W. x 6'-8" H. x 1 3/4"				●				●		.	3
105	WOMEN'S RESTROOM		●			3'-0" W. x 6'-8" H. x 1 3/4"				●				●		.	3
107	OFFICE DOOR			●		3'-0" W. x 6'-8" H. x 1 3/4"			●				●			DOOR AND FRAME.TO BE PAINTED WHITE	2
111a	UTILITY DOOR	●		●		3'-0" W. x 7'-0" H. x 1 3/4"		●	●				●			PAINT WHITE, ADD VIEW WINDOW	5
111b	UTILITY DOOR	●		●		3'-0" W. x 7'-0" H. x 1 3/4"		●	●				●			PAINT WHITE, ADD VIEW WINDOW	5
113	PRIVATE DINING ROOM		●			(2) 3'-0" W. x 6'-8" H. x 1 3/4"						●		●		.	4
114	UTILITY DOOR	●		●		3'-0" W. x 7'-0" H. x 1 3/4"		●	●				●			PAINT WHITE (INTERIOR)	

**ALL NEW STOREFRONT DOORS INDICATED ARE TO MATCH EXISTING STOREFRONT SYSTEM

HARDWARE SCHEDULE

			NOTES:
HARDWARE SET NO. 1 - ENTRY/EXIT DOORS			
1 EA.	CODE REQUIRED PANIC HARDWARE: PUSH PAD EXIT DEVICE: VON DUPRIN # 98 NL-OP x 110 MD-NL x 10B ALT. PUSH PAD EXIT DEVICE: VON DUPRIN # 99 NL-OP x 110 MD-NL x 10B	VON DUPRIN	PROVIDE STANLEY MAGIC ACCESS, ADA OPERATOR ON DOOR #100 AND #102 ONLY.
1 EA.	CLOSER # 4041 - CUSH: MATCH EXISTING FINISH	LCN	
1 EA.	SIGNAGE "DOOR TO REMAIN UNLOCKED WHEN BUILDING IS OCCUPIED" w/ 1" HIGH LETTERS ON A CONTRASTING BACKGROUND	BY G.C.	PROVIDE 10" MINIMUM SMOOTH BOTTOM RAIL PER 404.2.9 OF THE ICC/ANSI 117.1.
1 TTL.	SIGNAGE "MAXIMUM OCCUPANCY" - POST AT MAIN ENTRY	BY G.C.	
HARDWARE SET NO. 2 - OFFICE			
1-1/2 PR	# BB - 1191, 4"x4" FINISH: US28 .	HAGAR	
1 EA.	LEVER-SET GRADE, PREPARED FOR BEST CORE, FINISH: US10B. US28 W/ SATURN TRIM	SCHLAGE	
1 EA	DOOR STOP, # 252F, FINISH: US28	HAGAR	
2 EA.	8" KICK PLATE, FINISH: US28	BY G.C.	
1 EA.	CLOSER: 4041, FINISH: US28	BY. G.C.	
1 EA.	FLOOR MOUNTED HOLD OPEN, US28	BY G.C.	
HARDWARE SET NO. 3 - RESTROOM DOORS PASSAGE SET			
1-1/2 PR	# BB - 1191, 3-1/2"x3-1/2", FINISH: (US10B)	HAGAR	
1 EA.	PUSH PLATE / PULL HANDLE, FINISH: (US10B)	BY G.C.	
1 EA.	DOOR CLOSER# 4041 - CUSH x (US10B)	LCN	
1 EA.	WOMEN'S - SIGN: "WOMEN" (SEE SIGN DETAIL)	BY G.C.	
1 EA.	MEN'S - SIGN: "MEN" (SEE SIGN DETAIL)	BY G.C.	
2 EA.	8" KICKPLATE, FINISH: US10B	BY G.C.	
1 EA.	WALL BUMPERS, US10B	BY GC	
HARDWARE SET NO. 4 - DINING ROOM DOORS			
1-1/2 PR	# BB - 1191, 3-1/2"x3-1/2". FINISH: (US10B)	HAGAR	QUANTITIES ARE PER LEAF
2 EA.	PULL HANDLE / PULL HANDLE	BY G.C.	
2 EA.	8" KICKPLATE, FINISH: (US10B)	BY G.C.	
1 EA.	WALL BUMPERS, (US10B)	BY GC	
2 EA.	ADJUSTABLE BALL CATCH (HEAD MOUNTED)	HAGAR	
HARDWARE SET NO. 5 - DELIVERY DOOR			
1-1/2 PR	# BB - 1191, 4"x4" FINISH: BRUSHED ALUM	HAGAR	RE: ELECTRICAL FOR DOOR BUZZER.
1 EA.	PULL HANDLE	BY G.C.	
1 EA.	HOLD OPEN	BY GC	
1 EA.	CLOSER # 4041 - CUSH: MATCH EXISTING FINISH	LCN	
1 EA.	PUSH PAD EXIT DEVICE: VON DUPRIN # 98 NL-OP x 110 MD-NL x ALUM	VON DUPRIN	
1 EA.	8x8 CUT IN WINDOW WITH WIRE GLASS	BY G.C.	
1EA.	PILFER GUARD DETEX EA-500	BY G.C.	
HARDWARE SET NO. 6 - ENTRY/EXIT DOORS			
1 EA.	CODE REQUIRED PANIC HARDWARE: PUSH PAD EXIT DEVICE: VON DUPRIN # 98 NL-OP x 110 MD-NL x 10B ALT. PUSH PAD EXIT DEVICE: VON DUPRIN # 99 NL-OP x 110 MD-NL x 10B	VON DUPRIN	PROVIDE STANLEY MAGIC ACCESS, ADA OPERATOR ON DOOR #100 AND #102 ONLY.
1 EA.	CLOSER # 4041 - CUSH: MATCH EXISTING FINISH	LCN	
1 EA.	SIGNAGE "DOOR TO REMAIN UNLOCKED WHEN BUILDING IS OCCUPIED" w/ 1" HIGH LETTERS ON A CONTRASTING BACKGROUND	BY G.C.	PROVIDE 10" MINIMUM SMOOTH BOTTOM RAIL PER 404.2.9 OF THE ICC/ANSI 117.1.
1 TTL.	SIGNAGE "MAXIMUM OCCUPANCY" - POST AT MAIN ENTRY	BY G.C.	

SEAL

155 Riverside Street
Portland, Maine 04103

The EGG & I
Breakfast & Lunch
Howard Johnson Plaza Hotel

iCON ARCHITECTURE
1511 Westport Road
Kansas City, MO 64111
p:816.221.0250 f:816.221.0251

REVISIONS
1 PLAN REVIEW 11.26.12

ISSUE DATE
11/2/12

PROJECT NUMBER
2012-42

SHEET NUMBER
A9.2

DOOR TYPES & SCHEDULE