



☉ PORTAL FOUNDATION:
 (G.C. COORD FINAL PRECISE
 LOCATION W/PORTAL FRAME
 SUPPLIER).

COL

VARIES

FOR ADDL INFO, SEE
 SECT 4 THIS DWG

3#3 TIES TOP BAR @ 12"
 O.C. (SEE PLAN FOR LAYOUT)

3/4"Ø A193 B7 H.D. GALV
 ANCHOR RODS W/3 1/2" MIN
 PROJECTION & 8 1/2" EMBED
 INTO FTG MEASURED TO TOP OF
 ANCHOR PLATE

ANCHOR PL 3/8x6x0'-10" @
 EACH ANCHOR ROD PAIR

PORTAL PIER (SEE PLAN)

3/4" CHAMFER ALL
 AROUND (TYP)

(4)#5 DOWELS AT EACH
 ANCHOR BOLT GROUP &
 AT EACH END OF PIER.

EXIST FDN

T/SLAB
 EL 100'-0"

VARIES
 (2'-0" MIN)

VARIES
 (2'-0" MIN)

3'-6"
 1'-0"

#5@12" O.C. E.W.
 TOP & BOT

9'-8"

EXIST CELLULAR
 CONCRETE MAT

SECTION
 1/2"=1'-0"

5
 S1.1

TSL SHOWROOM
 DETAIL
 PORTLAND, ME

Designed AMJ	Scale NOTED
Drawn MSK	Date 12/20/12
Checked EAR	Becker Job Number 2665

SKS-1