

NOTE:
Dimensions to and between A.B's
may vary from detail to detail.
Check each detail carefully.

Finished Floor Elevation = 100'-0" (Unless Noted Otherwise)

DXC 1/9/02

Carl W. Walker
REGISTERED PROFESSIONAL ENGINEER
12-28-01
001.09.02 CW

- CONCRETE, GROUT, ANCHOR BOLTS, AND ANY OTHER EMBEDDED ITEMS ARE TO BE FURNISHED BY OTHERS
- ANCHOR BOLT DIAMETERS WERE DETERMINED BY ALLOWABLE SHEAR AND TENSION PER AISC SPECIFICATIONS (FY = 36 KSI). ANCHOR BOLT LENGTH, EFFECTS OF EMBEDDED ANCHOR BOLT EDGE DIMENSIONS AND METHOD OF TRANSFERRING FORCES FROM ANCHOR BOLTS TO FOOTINGS ARE TO BE DETERMINED BY OTHERS.
- DESIGN LOADS AND REACTIONS ARE FURNISHED ON OTHER DOCUMENTS.
- FOUNDATION MUST BE LEVEL, SQUARE AND SMOOTH. ANCHOR BOLTS MUST BE ACCURATELY PLACED AS SHOWN ON THIS DRAWING OR STEEL WILL NOT FIT.

THE VP ENGINEER'S SEAL APPLIES ONLY TO THE WORK PRODUCT OF VP AND DESIGN AND PERFORMANCE REQUIREMENTS SPECIFIED BY VP. THE VP ENGINEER'S SEAL DOES NOT APPLY TO THE PERFORMANCE OR DESIGN OF ANY OTHER PRODUCT OR COMPONENT FURNISHED BY VP EXCEPT TO ANY DESIGN OR PERFORMANCE REQUIREMENTS SPECIFIED BY VP.

Building Code: 96BOCA
Live Load: (Reducible) 20.00 psf
Coll. Load: Gravity 1.00, Uplift 0.00 psf
Wind Speed: 90.00 mph
Wind Exposure: B
Ground Snow: 70.00 psf
Snow Exposure Category: 3
Seismic Hazard / Use Group: Group 1
Building Use: Standard Occupancy Structure

THIS DRAWING, INCLUDING THE INFORMATION HEREON, REMAINS THE PROPERTY OF VP BUILDINGS.

IT IS PROVIDED SOLELY FOR ERECTING THE BUILDING DESCRIBED IN THE APPLICABLE PURCHASE ORDER AND SHALL NOT BE MODIFIED, REPRODUCED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR WRITTEN APPROVAL OF VP BUILDINGS.

THE GENERAL CONTRACTOR AND/OR ERECTOR IS SOLELY RESPONSIBLE FOR ACCURATE, GOOD QUALITY WORKMANSHIP IN ERECTING THIS BUILDING IN CONFORMANCE WITH THIS DRAWING, DETAIL & REFERENCED IN THIS DRAWING, ALL APPLICABLE VP ERECTION GUIDES, AND INDUSTRY STANDARDS PERTAINING TO PROPER ERECTION, INCLUDING THE CORRECT USE OF TEMPORARY BRACING.


VP Buildings, Inc.

3200 Players Club Circle Memphis TN 38125

REV	DATE	BY	DESCRIPTION
1-8-02	KAF	SEE DT	
NTS			

ANCHOR BOLT PLAN - DETAILS

BUILDER	PATCO Construction Inc
CUSTOMER	BIG MOOSE HARLEY-DAVIDSON
LOCATION	Portland, Maine
PROJECT	Big Moose Harley-Davidson
BUILDERS PCN	Big Moose Harley.vpc



JOB #	WI0115377-01
DATE	12/27/2001
DRAWN/CHECK	AMZ / RDK
PAGE	AB2 of 2