0 5 FRP FIBER REINFORCED POLYESTER PANELS PL1 PLASTIC LAMINATE 107 106 105 104 1. ALL PERMANENT ROOMS WILL REQUIRE CONTRACTOR. A. PLASTIC LAMINATE STORAGE CABINET LOCATED ABOVE TOILET SHALL BE MILLS PRIDE WALL BRIDGE CABINET. MODEL #0J2428CC WITH CLASSIC FINISH DOORS 4. PRIME WALLS AND TRIM TO BE PAINTED WITH ONE COAT OF ALKYD PRIMER SEALER FOLLOWED BY TWO COATS OF LATEX PAINT PER SPECS, BEJAMIN MOORE OR SHERWIN WILLIAMS ALL FLOOR SURFACES MUST BE SMOOTH AND LEVEL, FREE OF DIRT, WAX AND OLD ADHESIVES. PATCH AND FILL CRACKS AND DEPRESSIONS WITH A LATEX BASED FLASHING COMPOUND SUCH AS LEV-L-LASTIC OR SIMILAR. FOLLOW WITH LEES EVERSEAL FLOORING SEALER, LEAVING NO GAPS IN THE INSTALLATION. CARPET SHOULD BE CONDITIONED ON SITE AT A MINIMUM OF 65 DEGREES F FOR 24 HOURS BEFORE AND 48 HOURS AFTER INSTALLATION. VERIFY MATCH BETWEEN DYE LOTS. INSTALL CARPET IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS AND THE CARPET AND RUG INSTITUTE'S INSTALLATION STANDARD, CRI 104.

MAKE CUTS STRAIGHT, TRUE AND UNFRAYED. CUT CARPET FOR TIGHT, NEAT FIT AGAINST WALLS, COLUMNS, PROJECTIONS, AND EDGE STRIPS WITHOUT GAPS. REMOVE EXCESS ADHESIVE FROM FLOOR, BASE, DOORS, AND WALLS WITHOUT DAMAGE. CLEAN AND VACUUM CARPET SURFACES. PROTECT TRAFFIC FROM CARPET AREAS FOR 24 HOURS AFTER INSTALLATION. CARPET SHALL BE TILE SIZE WITH REGULAR BACKING. NONSTICK CARPET SHALL NOT BE USED. ALL GLUE TO BE REMOVED FROM EXPOSED SURFACE OF WALLCOVERING AFTER INSTALLATION. STRAIGHT AND UNDETECTABLE SEAMS ARE REQUIRED; THE DOUBLE CUTTING METHOD OF INSTALLATION IS RECOMMENDED. CUTTING THROUGH THE DRYWALL WILL NOT BE ACCEPTED AND WILL RESULT IN THE CONTRACTOR REMOVING THE OLD WALLCOVERING, REPAIRING THE WALLS AND BUYING NEW WALLCOVERING AT THE CONTRACTOR'S EXPENSE. CT1 CERAMIC TILE ALL WALL SURFACES WILL BE SMOOTH AND DRY WITH NO IMPERFECTIONS. BUMPS, ROUGH WALL JOINTS AND OTHER DEBRIS ON THE WALL PRIOR TO WALLCOVERING OR PAINTING P1 PAINT TRAINING ROOM HB1 II BLINDS RECEPTION LOUNGE WAITING ROOM **FINISH GENERAL NOTES** CEILING FLAME SPD./ SMOKE INDEX (ASTM E 648)CLASS 1 (ASTM E -662) ₹450 (ASTM E-84) (TUNNEL TEST) FLAME SPREAD: 10 SMOKE INDEX: 5 (ASTM E-84) CLASS III / C (ASTM E 1264) CLASS A **FINISH** MATERIAL **SCHEDULE** CONC N/A GENERAL NOTES 2 BENJAMIN MOORE
READY MIX - ATRIUM
WHITE REGAL AQUA
VELVET LATEX
EGGSHELL ENAMEL ARMSTRONG-STANDARD EXCELON, #51803 PEARL WHITE BENJAMIN MOORE #1018 REGAL AQUA GLO, LATEX SEMI-GLOSS ENAMEL DSI - KOROSEAL ARCADIA #A421-04 SYCAMORE 54" w/ NO REPEAT INTERFACE CARPET SYMMETRY #4295 ROPPE #177 CARPET TO TILE ADAPTOR COLOR: #140 FAWN SCHEDULE ARMSTRONG FISSURED MINIBOARD 2'X4' WHITE #755 VISTA - 1" METAL #006 "RAW UMBER" OR #205 WHITE SATIN MARLITE #S-100 WHITE SLATE ROPPE #140 FAWN 1/8" VINYL COVE BASE, 4" H WILSONART #D 354-6 DESIGNER WHITE MATTE FINISH BASE DESCRIPTION 쩐 MATERIAL
GLASS/
GYP. BD.
GLASS/
GYP. BD. GYP.BD. GYP BD GLASS/ GYP BD ROOM DESIGNATIONS TO BE JOHNSONITE #CTA-XX-A CARPET TO TILE ADAPTOR COLOR: #80 FAWN SHERWIN WILLIAMS #1096 SAND STORM PRO MAR 200 SEMI-GLOSS ENAMEL SHERWIN WILLIAMS SW 1910 TENNIS WHITE PRO MAR 200 LATEX EGGSHELL ENAMEL DSI - KOROSEAL VIEWPOINT #V221-33 DRIFTWOOD 54" w/ NO REPEAT ARMSTRONG-STANDARD EXCELON, #51810 WASHED LINEN HOME DEPOT - DAL TILE - DEMETRA PORCELAIN TILE PD52, A188-398 "PARADISO SAND 13"x13" HOME DEPOT - DAL TILE - TRAVERSA GLAZED TILE A155-009 "GOLD". 12"x12". LEES-FACILITIES #224 ETCHING BROWN JOHNSONITE #80 FAWN 1/8" VINYL COVE BASE 4" H MATERIAL ACT1 ALTERNATE: FINISH FINE FISSURED 10'-0" BY THE BENEFICIAL GENERAL COMMENTS SEE HB1 SEE HB1 PROVIDED BY: HOUSEHOLD INTERNATIONAL HOUSEHOLD INTERNATIONAL GENERAL CONTRACTOR INSTALLED BY: VENDOR PROVIDE @ STOREFRONT SEE NOTE 5 4'-0" TALL AROUND BATHROOM WALLS SEE ROOM FINISH SCHEDULE FOR LOCA COUNTER TOP FOR BREAK ROOM CABINETS SEE NOTE #1 4" HIGH SEE NOTES #2 AND #3 COMMENTS 2 INTERIOR **FIXTURE** 13'-6" THRESHOLD **FINISH PLAN** DIRECT GLUE DOWN CARPET.
CONTRACTOR TO ADJUST FLOOR LEVEL
AS REQUIRED TO PROVIDE FLUSH
TRANSITION. WAITING (2) 5 ယ CODE VCT-1 <u>.</u> VINYL COVE BASE INCLUDES STOREFRONT, DEDUCT IF NOT NEEDED VERIFY WITH PROPERTY MANAGER IF EXISTING FLOOR COVERAGE TO REMAIN FLOORING/WALL FINISH SCHEDULE LEES-FACILITIES #301 HEMLOCK KOROSEAL - ARCADIA A421-04 SYCAMORE MERCER #152 CARPET TO TILE ADAPTOR #201 BROWN ROPPE #140 FAWN 1/8" VINYL COVE BASE, 4" H ARMSTRONG-STANDARD EXCELON, #51803 PEARL WHITE **DESCRIPTION** 30"x72" į QUANTITY 117 S.F. 30"x72" 4 30"x72" NOT USED CHIPMAN ADAMS LTD. BENEFICIAL FINANCE chitects 05-2242 1550 N. Northwest Highway, Suite 400 Park Ridge, Illinois 60068-1463 T 847-298-6900 F 847-298-6966 1041 BRIGHTON AVE. PORTLAND, ME. 04102 Beneficial FIXTURE/FINISH PLAN, SCHEDULES & **DETAILS**