


NOTES:

1. MAT THICKNESS = 18".
2. REINFORCING:
EAST-WEST = #6'S AT 15" OC TOP AND BOTTOM.
NORTH-SOUTH = #6'S AT 9" OC TOP AND BOTTOM.

1 ENLARGED MAT 5 PLAN
 SB402 SCALE: 1/4" = 1'-0"
 PLAN NORTH

DRAWING NOTE:
 REFER TO REINFORCEMENT PLACEMENT SEQUENCE DETAIL ON SHEET SB401 FOR MAT REINFORCING SEQUENCE.

- KEYNOTES:** (THIS SHEET ONLY)
- 1 1'-6" x 1'-6" REINFORCED CONCRETE PIER.
 - 2 8" REINFORCED CONCRETE FOUNDATION WALL ABOVE.
 - 3 (3) #6 DOWELS, 3'-0" LONG WITH 3" SPACING. LOCATE BELOW TOP MAT OF REINFORCING AND ABOVE BOTTOM MAT OF REINFORCING.
 - 4 1'-6" x 1'-6" x 2'-0" DEEP REINFORCED CONCRETE SUMP PIT. SEE DETAIL 7/SB502.



		STATE OF MAINE PUBLIC SCHOOL PROJECT	
		TITLE PORTLAND PUBLIC SCHOOLS NEW FRED P. HALL ELEMENTARY SCHOOL LOCATION 23 ORONO ROAD, PORTLAND, ME TITLE THIS DWG. ENLARGED MAT PLANS 2	
DRAWN BY: MJC CHECK BY: DNM	NO. DATE DESCRIPTION REVISIONS	BY NO. DATE 03/17/17	DRAWING NO. SB402 SHEET NO.
OAK POINT ASSOCIATES		231 Main Street, Biddeford, Maine 04005 207.283.9192	