Home / Doors & Windows / Exterior Doors / Front Doors / Steel Doors / Doors With Glass

Model # 46583 Internet #202874159 Store SO SKU #444729

oftenin doors x2

Not in Your Store - We'll Ship It There

Add to Cart

We'll send it to Portland for free pickup

Available for pickup August 21 - August 24

Check Nearby Stores

Or buy now with

We're unable to ship this item to: AK, GU, HI, ME, PR, VI, WA

Add to Cart

Standard shipping

Expect it August 23 - August 30

See Shipping Options

Easy returns in store and online Learn about our return policy

Product Overview

Enjoy the strength of steel and the elegance of decorative glass with the Masonite Mini Blind Primed Steel Entry Door with No Brickmold. The glass design enhances both the appearance and value of your home without compromising security or privacy. High-definition panels closely replicate the appearance of a high-end wood door with excellent shadow lines for added architectural interest. Masonite colors complement Behr paints color palette to easily coordinate your door with shutters, trim and more.

Info & Guides

Energy Guide

Installation Guide

Instructions / Assembly

Steel Prehung Front Door with No Brickmold

32 in. x 80 in. Mini Blind Primed

★★★★ (15) Write a Review Questions & Answers (36)

- · Inhibits draftiness with compression weatherproofing
- High-definition panels provide architectural interest
- Durable, steel design offers an elegant look


\$498⁹⁹

Masonite

/each

Choose Your Options

Primed White



Door Size (WxH) in.

32 x 80

Door Handing

Right-Hand/Inswing

Quantit

-

1

+

California residents: see Proposition 65 information &

- · High-quality steel provides strength and security
- Wood-edge engineered interlocking design with grooved stiles for added strength and structural rigidity
- · High performance compression weather-stripping helps to seal out drafts
- · Glass insert features full lite with internal mini blinds
- · Smooth, primed white surface ready for painting and decorating
- Steel security plate in the frame helps to resist forced entry and lock area is reinforced to provide a solid mounting surface
- · Steel slab features an energy saving polyurethane core
- · Entry door comes fully assembled with hinges, frame, aluminum sill and weatherstripping
- · Exterior door stab is double bored for lockset sold separately
- · From outside, opens toward the inside of home with the hinges on the right
- · Click here to check out our project guide on installing an entry door
- · Click here to learn more about buying exterior doors

Specification

Use and Care Manual

Warranty

You will need Adobe® Acrobat® Reader to view PDF documents. Download a free copy from the Adobe Web site.

Specifications

Dimensions	
Door Height (in.)	80
Door Thickness (in.)	1.75 in
Door Width (in.)	32
Jamb Size (in.)	4-9/16"
Rough Opening Height (In.)	82 in
Rough Opening Width (In.)	34,25 in

Details

Derails	
Bore Type	Double Bore
Cotor Family	White
Color/Finish	Primed White
Door Configuration	Single Door
Door Glass Insulation	Triple Pane
Door Handing	Right-Hand/Inswing
Door Style	Classic
Door Туре	Exterior Prehung
Features	Blinds Between the Glass,Lockset Bore (Double Bore),Weatherstripping
Finish Type	Primed
Frame Material	Vinyl
Glass Caming Finish	No caming
Glass Style	Clear
Glass Type	Full Lite
Hinge Finish	Nickel

Hinge type	Standard
Included	Instructions,No Additional Items Included
Material	Steel
Number of Hinges	3
Panel Type	No panel
Product Weight (lb.)	115lb
Returnable	90-Day
Suggested Application	Back,Front

Warranty / Certifications

Energy Star Qualified	Not Qualified
Fire rating	None
Manufacturer Warranty	Limited Lifetime Warranty

How can we improve our product information? Provide feedback.