DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK

TY OF PORTLAN





This is to certify that

CHAREST DEBRA & BRUCE LITTLE JTS

Located at

55 GLEN HAVEN WEST

PERMIT ID: 2017-01226 ISSUE DATE: 10/10/2017

277 1009001 CBL:

has permission to Adding an 8' x 12' mudroom to side of the house.

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 hour notice is required.

A final inspection must be completed before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

Fire Department

N/A

/s/ Brian Stephens

Fire Official

Building Official

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning single-family

Building Inspections Use Group: R Type: Single Family Dwelling **First Floor** MUBEC/IRC-2009

PERMIT ID: 2017-01226

Located at: 55 GLEN HAVEN WEST

CBL: 277 I009001

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 or email: buildinginspections@portlandmaine.gov

Check the Status of Permit or Schedule an Inspection at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Division for the inspections listed below. Appointments must be requested 48 to 72 hours in advance. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that are attached to this permit.
- Permits expire in 6 months if the project is not started or ceases for 6 months.
- If the inspection requirements below are not followed, then additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC), one set of printed approved stamped construction documents will be kept at the site of work and open to inspection by building officials.

REQUIRED INSPECTIONS:

Footings Close-in Plumbing/Framing Foundation/Backfill Foundation/Rebar Electrical Close-in Final - Electric Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue.

If the permit requires a certificate of occupancy, it must be paid and issued to the owner or designee before the space may be occupied.

City of Portland, Maine - Building or Use Permit			Permit No:	Date Applied For: 07/31/2017	CBL: 277 I009001	
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874		4-8716 2017-01226				
-	osed Use: gle family	-	Project Description: an 8' x 12' mudroc	om to side of the hous	se.	
-	pt:ZoningStatus:Approved w/ConditionsRevte:R-3 zoneLot size 6,500 sf, meets min for zoneFront setback 25' min, mud room 50' - OKRear setback 25' min, mud room 50' - OKSide setback 25' min, mud room 50' - OKSide setback 8' min, mudroom 12'5" - OKLot coverage 35% - meets	viewer:	Christina Stacey	Approval Da	te: 08/11/2017 Ok to Issue: ☑	
Conditions: This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and 						
	approval.					
· ·	This permit is being approved on the basis of plans submitted. Any work.	y deviati	ons shall require a	separate approval be	fore starting that	
De	pt: Building Inspecti Status: Approved w/Conditions Rev	viewer:	Brian Stephens	Approval Da	te: 10/10/2017	
No					Ok to Issue: 🔽	
	nditions:					
1)	Ventilation and Access to Under-Floor Space shall comply with IB	C Sectio	on R408.			
. 1	Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems, fire suppression and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.					
1	If there are 4 or more risers, a graspable handrail is required on one side of stairs with ends returned. The top rail of a guardrail can be used as the handrail if it meets graspability dimensions. A 2x4 is not considered graspable. One handrail is required on ramps exceeding a pitch of 12:1.					
1	When a landing or deck is over 30" above a floor or grade, a guard is required at a minimum height of 36". Guardrail openings shall be less than 4". The stair rail can be 34" to 38" in height with openings less than 4-3/8", and at the open side of a stair, less than 6" is allowed at the triangle of the tread/riser at the bottom rail.					
	This permit is approved based upon information provided by the applicant or design professional. Any deviation from the final approved plans requires separate review and approval prior to work.					