

**City of Portland, Maine – Building or Use Permit Application** 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 75 Woodvale St.		Owner: Mark Deane	Phone: 772-8033 work	Permit No: 981450
Owner Address: SAA	Lessee/Buyer's Name:	Phone:	BusinessName:	
Contractor Name: General Contracting Services Peter Doughty 64 Washington Ave, So. Portland, ME 04104	Address: Portland, ME 04104		Phone: 831-9104	
Past Use: 1-Family	Proposed Use: Same	COST OF WORK: \$ 50,000	PERMIT FEE: \$ 250.00	
Proposed Project Description: Const. of garage addition with 3 new rooms above. (24 x 24)		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group: R-3 Type: 5B BOCA 96	
		Signature: Hoffje		Signature: Hoffje
Signature: _____		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		Zoning Approval: Zone: R-3 CBL: 277-A-A-020
		Action: Approved <input type="checkbox"/>	Approved with Conditions: <input type="checkbox"/>	
Permit Taken By: UB	Date Applied For: 12/22/98			

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

*Permit Withdrawn*

\*\*\*\*\* Please Call: R. Peter Doughty 831-9104 or 799-1891  
To let him know its ready. He oked it to be mailed,  
but call anyway.


*2/2/99 Refund Submitted*

**PERMIT ISSUED WITH REQUIREMENTS**

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT	ADDRESS:	DATE: 12/22/98	PHONE:
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE			PHONE:



Zone: R-3 CBL: 277-A-A-020

Special Zone or Reviews:  
 Shoreland  
 Wetland  
 Flood Zone  
 Subdivision  
 Site Plan maj  minor  mm

**Zoning Appeal**

Variance  
 Miscellaneous  
 Conditional Use  
 Interpretation  
 Approved  
 Denied

**Historic Preservation**

Not in District or Landmark  
 Does Not Require Review  
 Requires Review

**Action:**

Approved  
 Approved with Conditions  
 Denied

Date: \_\_\_\_\_

TR/MW

**CEO DISTRICT** 3

# BUILDING PERMIT REPORT

DATE: 26 Dec. 98 ADDRESS: 75 Woodvale ST. CBL 277-A-A-020  
REASON FOR PERMIT: To Construct 24'x24' garage 3 rooms above. (Attached.)  
BUILDING OWNER: Mark Deane  
CONTRACTOR: A. Peter Dougherty  
PERMIT APPLICANT: ↑  
USE GROUP R-3 BOCA 1996 CONSTRUCTION TYPE 5B

## CONDITION(S) OF APPROVAL

This Permit is being issued with the understanding that the following conditions are met:

Approved with the following conditions: \*1, \*2.6, \*3, \*5, \*8, \*9, \*10, \*11, \*12, \*16, \*24, \*26, \*29, \*30. #28

- \*1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
- 2.5 Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- \*2.6 Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
- \*3. Precaution must be taken to protect concrete from freezing. Section 1908.0
4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- \*5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
- \*8. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
- \*9. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- \*10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise. (Section 1014.0)
- \*11. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8") 1014.4
- \*12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special

knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. ( Section 1018.6 )

- 13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. Section 1010.1
- 14. All vertical openings shall be enclosed with construction having a fire rating of at least one (1)hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) Section 710.0
- 15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. Table 302.1.1


\*16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

- In the immediate vicinity of bedrooms
- In all bedrooms
- In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2

- 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. Section 921.0
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 19. The Sprinkler System shall maintained to NFPA #13 Standard.
- 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. (crawl spaces & attics)
- \*24. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 25. All requirements must be met before a final Certificate of Occupancy is issued.
- \*26. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
- 27. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). ( Chapter M-16 )
- 28. Please read and implement the attached Land Use-Zoning report requirements. *- Attached*
- \*29. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.3. of the City's building code.
- \*30. Glass and glazing shall meet the requirements of Chapter 24 of the building code.

- 31. \_\_\_\_\_
- 32. \_\_\_\_\_
- 33. \_\_\_\_\_

 Samuel H. Hennessey, Building Inspector

cc: Lt. McDougall, PFD  
Marge Schmuckal, Zoning Administrator



LAND USE - ZONING REPORT

ADDRESS: 75 Woodvale St DATE: 12/29/98

REASON FOR PERMIT: Construct garage with 2nd floor

BUILDING OWNER: Mark Deane C-B-L: 277A-A-20

PERMIT APPLICANT: R. Peter Doughty

APPROVED: with condotians DENIED: \_\_\_\_\_  
#5, #8, #9, #10

CONDITION(S) OF APPROVAL

1. During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be maintained.
2. The footprint of the existing \_\_\_\_\_ shall not be increased during maintenance reconstruction.
3. All the conditions placed on the original, previously approved, permit issued on \_\_\_\_\_ are still in effect for this amendment.
4. Your present structure is legally nonconforming as to rear and side setbacks. If you were to demolish the building on your own volition, you will **not** be able to maintain these same setbacks. Instead you would need to meet the zoning setbacks set forth in today's ordinances. In order to preserve these legally non-conforming setbacks, you may only rebuild the \_\_\_\_\_ in place and in phases.
5. This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.
6. Our records indicate that this property has a legal use of \_\_\_\_\_ units. Any change in this approved use shall require a separate permit application for review and approval.
7. Separate permits shall be required for any signage.
8. Separate permits shall be required for future decks, sheds, pool(s), and/or garage.
9. This is **not** an approval for an additional dwelling unit. You **shall not** add any additional kitchen equipment, such as stoves, microwaves, refrigerators, or kitchen sinks, etc.

10. Other requirements of condition your plot plan on the original house shows a 25' setback. Your new garage shall be setback 25' from your front property line - not the curb line, not the street line but your actual property line. 25' is also required from your rear property line.

Marge Schmuckal Marge Schmuckal, Zoning Administrator  
City of Portland

**THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED**

**Building or Use Permit Pre-Application  
Attached Single Family Dwellings/Two-Family Dwelling  
Multi-Family or Commercial Structures and Additions Thereto**

In the interest of processing your application in the quickest possible manner, please complete the information below for a Building or Use Permit.

**NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction (include Portion of Building): <b>75 WOODVALE STREET PORTLAND ME.</b>			
Total Square Footage of Proposed Structure <b>1536</b>		Square Footage of Lot <b>15000 SQ FT ±</b>	
Tax Assessor's Chart, Block & Lot Number Chart# <b>277</b> Block# <b>A-A</b> Lot# <b>020</b>	Owner: <b>Deane MARK DEANE</b>	Telephone#: <b>772-8033-WORK</b>	
Owner's Address: <b>75 WOODVALE ST. PORT. ME</b>	Lessee/Buyer's Name (If Applicable)	Cost Of Work: <b>\$59000</b>	Fee <b>\$250</b>
Proposed Project Description: (Please be as specific as possible) <b>3 ROOM ADDITION TO HOUSE WITH GARAGE UNDER (24X24)</b> <b>GENERAL CONTRACTING SERVICES</b>			
Contractor's Name, Address & Telephone <b>R. Peter Doughty 799-1891 04106 64 WASHINGTON AVE So Portland ME</b>			Rec'd By <b>UB</b>
Current Use: <b>RESIDENTIAL HOME 1 FAM</b>		Proposed Use: <b>Same</b>	

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1991 B.O.C.A. Mechanical Code SECTION CITY OF PORTLAND, ME

You must include the following with your application:

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

**4) Building Plans**

**Unless exempted by State Law, construction documents must be designed by a registered design professional.**

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

**Certification**


I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.


Signature of applicant: <i>R. Peter Doughty</i>	Date: <i>12/22/98</i>
--	--------------------------

Building Permit Fee: \$25.00 for the 1st \$1000.00 cost plus \$5.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum

mail to: *R. Peter Doughty*  
*831 9104*





COMMERCIAL • RESIDENTIAL

Residence  
8 MICHAEL ROAD  
POCASSET, MA 02659  
(617) 563-6636

**Brockway-Smith Company**

Serving Greater Northeast Architects since

**Gary Restaino**


ARCHITECTURAL REPRESENTATIVE

1-800-225-7912 (from outside MA)  
1-800-892-0548 (from within MA)

Office and Exhibit Area:  
146 DASCOMB ROAD  
(Route 93 - Exit 42)  
ANDOVER, MASS. 01810


DATE

JOB



EXISTING BASEMENT

Foundation to be extended  
For Garage with rooms  
over Garage.



DEAN  
(R-3 Zone) 25' rear req. - 25' + shown  
25' front req. - 25' exactly is shown  
2 story - 14' side yd req.

**FOUNDATION:**

1. 8 inch Concrete walls ON Footings (18" x 8")
2. Garage Floor 4 inches Below Breezeway

Available to serve you with Budget Prices, Window Detailing and Spec Writing



**ENTRY DOOR SYSTEM**  
Wood and Steel  
Hinged French Patio Doors

**Andersen "Rain Sensitized"**  
Automatic Closing  
**ROOF WINDOWS**



ESTIMATE

ESTIMATE

ESTIMATE

ESTIMATE

For: MARK DEAN  
75 Woodvale St.  
Portland, Maine

Job: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

	1st Floor	2nd Floor	Garage
Square Feet	768 sq FT with breezeway	N/A	24x24
Linear Ft. O/S Wall			
Linear Ft. I/S Wall			

Page

1	Framing: First Floor <del>2x6x8</del> 2x6x8 FT walls		
2	Framing: First Floor <del>2x6x8</del> FLOOR TRUSSES BY WOOD STRUCTURES <del>SHEATHING 2x6x8 JOISTS</del>		
3	Second Floor Deck & Wall N/A		
4	Roof <del>2x6x8</del> TRUSSES - 5/12 PITCH		
5	Shingles & Vents ASPHALT SHINGLES + RIDGEVENT		
6, 7, 8	Interior Doors, Trim, Treated & Ext. Trim		
9, 10, 11	Locksets, Bath Access., Deck & Specialty Int. Trim		
12	Insulation (D. W. Assessories) Firecode Sheetrock [Garage wall and Ceiling]		
13	Special Order, misc. & allowances		

Contract \_\_\_\_\_

Accepted \_\_\_\_\_

Pending \_\_\_\_\_


Sub - Total		
Cabinets & Tops		
Sub - Total		
5% Sales Tax		
Total		

Estimate: Please examine carefully. We agree to furnish only such items appearing above. This estimate is based on today's current prices. All estimates subject to credit approval, price changes and availability without notice or liability. Please check all items for extension, multiplication, and addition.

# FOR MORTGAGE LENDER USE ONLY

GENERAL NOTES: (1)DISTANCES SHOWN ARE TAKEN FROM PROVIDED TITLE REFERENCES SHOWN BELOW. (2)THIS INSPECTION EXAMINES DWELLING AND ASSESSORY STRUCTURE COMPLIANCE WITH RESPECT TO MUNICIPAL ZONING SETBACK REQUIREMENTS ONLY AT THE TIME OF CONSTRUCTION. (3)A STANDARD BOUNDARY SURVEY SHOULD BE PERFORMED TO RENDER A PROFESSIONAL OPINION AS TO PROPERTY LINE LOCATIONS WITH RESPECT TO DWELLINGS. (4)THIS INSPECTION DEPICTS ALL VISIBLE STRUCTURAL ENCROACHMENTS WITH RESPECT TO APPARENT PROPERTY LINES AND RECOGNIZES ONLY THOSE EASEMENTS & RIGHT OF WAYS STATED OR SHOWN IN THE PROVIDED TITLE REFERENCES SHOWN BELOW. THIS INSPECTION MAY NOT REVEAL ANY CONFLICTS WITH ABUTTING DEEDS. (5)FLOOD HAZARD DETERMINATION IS MADE BY SCALING DISTANCES ON BELOW REFERENCED FEMA MAP. (6)THIS INSPECTION IS TO BE USED ONLY BY THE BELOW LISTED LENDER, TITLE COMPANY &/OR ATTORNEY AND ITS TITLE INSURER.

ADDRESS: 75 WOODVALE ST INSPECTION DATE: 10-16-96  
PORTLAND, ME SCALE: 1" = 30'



APPLICANT: BEAHE REQUESTING PARTY: LEETE & LEMIEUX  
 OWNER: HASSON ATTORNEY: JAMES R. LEMIEUX  
 LENDER: \_\_\_\_\_ FILE No. 963073

TITLE REFERENCES:  
 DEED BOOK: 709B PAGE: 332  
 PLAN BOOK: 71 PAGE: 4 LOT: 20  
 COUNTY: CUMBERLAND  
 MUNICIPAL REFERENCE:  
 MAP: 273A BLOCK: A LOT: 20

THE DWELLING DOES NOT FALL WITHIN A SPECIAL FLOOD HAZARD ZONE PER FEMA COMMUNITY MAP NO. 230051 PANEL: 0000B ZONE: 2 DATED: 07-15-92  
 THE DWELLING WAS  IN COMPLIANCE WITH MUNICIPAL ZONING SETBACK REQUIREMENTS AT THE TIME OF CONSTRUCTION.  
 COMMENTS: SEE TITLE REFS FOR APPURTENANCES

**NADEAU & LODGE**  
 PROFESSIONAL LAND SURVEYORS  
 844 STEVENS AVENUE  
 PORTLAND, ME 04103  
 TEL 878-7870  
 FAX 878-7871  
 RFD 2, BOX 219A  
 ALFRED, ME 04002  
 TEL 282-0351

*James R. Lemieux*

THIS IS NOT A BOUNDARY SURVEY NOT FOR RECORD