

Mass  
Di Pietro Const.

420-430 WARREN AVE

Mail to Tom Fox  
Fox LBR.

73/06/19. V- 7

N. T. Fox Co., Inc.  
24 Merrill Street  
Portland, Maine 04103

REQUEST NO. - LIST 36 6

20 SA 6.00/12 - 0.00/12 36- 0- 0 4 HEEL 18- 0 OVHL 18- 0  
 I R U S S  
 TYPE= LDC1 5-A  
 SPAN= 36- 0- 0  
 SPACING= 24 IN  
 LBR INCR.=15 PC  
 NAIL INCR.=15 PC  
 LS INCR.=15 PC  
 SLOPES- TOP- 6.00/12 BOTTOM- 0.00/12  
 LOAD ( P S F )  
 TOP CH. LL= 30.0  
 DL= 10.0  
 BJT CH. LL= 0.0  
 DL= 10.0  
 TOTAL LOAD= 50.0  
 GANG NAIL PLA  
 GN-20 (LBS/NAIL) (LBS/SQ)  
 ( 0-90 ) = 32 227  
 GN-40 (LBS/NAIL) (LBS/SQ)  
 ( 0-90 ) = 84 180

BEARING REQUIRED- JT- 1-2X 3 JT- 7-2X 3  
 ALLOWABLE DEFLECTION = L/240  
 CAMBER REQUIRED BETWEEN SUPPORTS = 0-1/8 INCHES  
 MAXIMUM PURLIN SPACING = 2.94 FT

JOINT	GN	LEN.	Y	X (MEMBER)	TYPE
1	20	4 X 6.8	.3		14
2	20	2 X 2.3			14
3	20	2 X 2.3			4
4	20	5 X 4.5	2.0		14
5	20	2 X 2.3			14
6	20	2 X 2.3			1
7	20	4 X 6.8	.3	2.0 ( 6- 8 )	17
8	20	4 X 7.9	2.0	2.0 ( 2- 9 )	17
9	20	4 X 7.9			

SPLICE

2- 3	20	3 X 4.5			19
5- 6	20	3 X 4.5			19
6- 9	20	4 X 4.5			19
8- 9	20	4 X 4.5			19

+++ PLATE REQUISITION +++

QTY GN-PLATES

80	GN20-4X 6.8
40	GN20-5X 4.5
80	GN20-4X 7.9
160	GN20-2X 2.3
80	GN20-3X 4.5
80	GN20-4X 4.5


73/06/19. V- 7

RECEIVED  
 DEC 13 1973  
 DEPT. OF BLDG. INSP.  
 CITY OF PORTLAND

REQUEST NO.- LIST 36 6

20 5A 6.00/12 - 0.00/12 36- 0- 0 4 HZEL 18- 0 OVHL 18- 0

NO. OF WEBS 6  
2- 9 3- 9 4- 9 4- 8 5- 8 6- 8



GROSS REACTIONS AT JT. 1 = 1800 AT JT. 7 = 1800

MEMBER	FORCE	MEMBER	FORCE	MEMBER	FORCE	MEMBER	FORCE	MEMBER	FO
1- 2	-3181	2- 3	-2662	3- 4	-2662	4- 5	-2662	5- 6	-2
6- 7	-3181	7- 8	2845	8- 9	1763	9- 1	2845	2- 9	-
3- 9	-464	4- 9	1140	4- 8	1140	5- 8	-464	6- 8	-

CHORDS SIZE LUMBER DESCRIPTION  
1- 4 2X 4 NO.2 MG KD SO.PINE  
4- 7 2X 4 NO.2 MG KD SJ.PINE  
7- 1 2X 6 NO.2 MG KD SO.PINE

ALL WEBS 2X 4 NO.3 KD SO.PINE

LEFT OVERHANG 18 IN. 0 SX.


RIGHT OVERHANG 18 IN. 0 SX.

DESIGN SPECS. FOR LIGHT METAL PLATE CONNECTED WOOD TRUSSES, TPI, 19

WOOD STRUCTURES INC. 14 ELM STREET  
73/06/19. V- 7

BIDDEFORD MAINE 04005

12" cat F+R





# APPLICATION FOR PERMIT

B.O.C.A. USE GROUP .....  
 B.O.C.A. TYPE OF CONSTRUCTION .....  
 ZONING LOCATION I-2 PORTLAND, MAINE, Dec. 10, 1973

**PERMIT ISSUED**  
 DEC 13 1973  
 CITY OF PORTLAND

To the DIRECTOR OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE  
 The undersigned hereby applies for a permit to erect, alter, repair, demolish, move or install the following building, structure, equipment or change use in accordance with the Laws of the State of Maine, the Portland B.O.C.A. Building Code and Zoning Ordinance of the City of Portland with plans and specifications, if any, submitted herewith and the following specifications:

LOCATION 420-430 Warren Avenue Fire District #1  #2   
 1. Owner's name and address Moses & Ella DiPietro, 420 Warren Avenue Telephone .....  
 2. Lessee's name and address ..... Telephone 797-5526  
 3. Contractor's name and address DiPietro & Sons, 420 Warren Avenue Telephone 797-3288  
 4. Architect ..... Specifications ..... Plans yes No. of sheets .....  
 Proposed use of building storage for own use No. families .....  
 Last use ..... No. families .....  
 Material concrete blockries Heat ..... Style of roof pitch Roofing .....  
 Other buildings on same lot dwelling Fee \$ 45  
 Estimated contractual cost \$ 15,000

FIELD INSPECTOR—Mr. Hoffus GENERAL DESCRIPTION

This application is for: @ 775-5451 Ext. 234  
 Dwelling ..... To construct 1 story masonry building,  
 Garage ..... 34' x 50' as per plans storage only  
 Masonry Bldg. .... (trust plans and details to follow) FOR CONTRACTING EQUIP.  
 Metal Bldg. .... Stamp of Special Conditions  
 Alterations .....  
 Demolitions .....  
 Change of Use .....  
 Other .....

NOTE TO APPLICANT: Separate permits are required by the installers and subcontractors of heating, plumbing, electrical and mechanicals.

PERMIT IS TO BE ISSUED TO 1  2  3  4   
 Other: .....

### DETAILS OF NEW WORK

Is any plumbing involved in this work? ..... Is any electrical work involved in this work? .....  
 Is connection to be made to public sewer? ..... If not, what is proposed for sewage? .....  
 Has septic tank notice been sent? ..... Form notice sent? .....  
 Height average grade to top of plate ..... Height average grade to highest point of roof .....  
 Size, front depth ..... No. stories ..... solid or filled land? ..... earth or rock? .....  
 Material of foundation ..... Thickness, top ..... bottom ..... cellar .....  
 Kind of roof ..... Rise per foot ..... Roof covering ..... Kind of heat ..... fuel .....  
 No. of chimneys ..... Material of chimneys ..... of lining ..... Sills .....  
 Framing Lumber—Kind ..... Dressed or full size? ..... Corner posts ..... Max. on centers .....  
 Size Girder ..... Columns under girders ..... Size .....  
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  
 Joists and rafters: 1st floor ..... 2nd ..... 3rd ..... roof .....  
 On centers: 1st floor ..... 2nd ..... 3rd ..... roof .....  
 Maximum span: 1st floor ..... 2nd ..... 3rd ..... roof ..... height? .....  
 If one story building with masonry walls, thickness of walls? ..... height? .....

### IF A GARAGE

No. cars now accommodated on same lot ....., to be accommodated ... number commercial cars to be accommodated ...  
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? .....

APPROVALS BY: \_\_\_\_\_ DATE \_\_\_\_\_  
 BUILDING INSPECTION—PLAN EXAMINER .....  
 ZONING: O.R. M.G.U. 12/13/73  
 BUILDING CODE: .....  
 Fire Dept.: .....  
 Health Dept.: .....  
 Others: .....

MISCELLANEOUS  
 Will work require disturbing of any tree on a public street? ...  
 Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of Applicant [Signature] Phone # .....  
 Type Name of above ..... 1  2  3  4   
 Other and Address .....

FIELD INSPECTOR'S COPY

Permit No. 73/1432 - SAM  
 Location 420-430 Waverline  
 Owner Di Pietro  
 Date of permit 12/13/73  
 Approved \_\_\_\_\_

NOTES

1-18-74 27 feet high  
 3-1-74 Same  
 3-15-74 Same  
 4-4-74 Placing father boards  
 4-12-74 Placing block  
 4-30-74 Sawl young slabs  
 6-6-74  
 6-19-74 Two (2) more  
 6-25-74 Same  
 8-9-74 Abn. crop  
 8-29-74 This job about  
 completed -  
 9-12-74 Same  
 10-23-74 completed

Vertical lines for notes on the right side of the page.

Vertical lines for notes on the bottom side of the page.

**CITY OF PORTLAND, MAINE**  
**Application for Permit to Install Wires**

Permit No. 508  
 Issued 6/1/73  
 Portland, Maine 6/1, 1973

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

*(This form must be completely filled out -- Minimum Fee, \$1.00)*

Owner's Name and Address Dr. P. PROKSON Tel. ....

Contractor's Name and Address A. NAUEN Tel. ....

Location 450 WARREN AVE Use of Building .....

Number of Families ..... Apartments ..... Stores ..... Number of Stories .....

Description of Wiring: New Work ..... Additions ..... Alterations .....

Pipe ..... Cable ..... Metal Molding ..... BX Cable ..... Plug Molding (No. of feet) .....

No. Light Outlets ..... Plugs ..... Light Circuits ..... Plug Circuits .....

FIXTURES: No. .... Fluor. or Strip Lighting (No. feet) .....

SERVICE: Pipe ..... Cable  Underground ..... No. of Wires 3 Size 100AMP

METERS: Relocated ..... Added ..... Total No. Meters .....

MOTORS: Number ..... Phase ..... H. P. .... Amps ..... Volts ..... Starter .....

HEATING UNITS: Domestic (Oil) ..... No. Motors ..... Phase ..... H.P. ....

Commercial (Oil) ..... No. Motors ..... Phase ..... H.P. ....

Electric Heat (No. of Rooms) .....

APPLIANCES: No. Ranges ..... Watts ..... Brand Feeds (Size and No.) .....

Elec. Heaters ..... Watts .....

Miscellaneous ..... Watts ..... Extra Cabinets or Panels .....

Transformers ..... Air Conditioners (No. Units) ..... Signs (No. Units) .....

Will commence 6/1/73 Ready to cover in 6/1 1973 Inspection 6/1 1973

Amount of Fee \$ 2.00

Signed [Signature]

DO NOT WRITE BELOW THIS LINE

SERVICE  METER ..... GROUND   
 VISITS: 1 ..... 2 ..... 3 ..... 4 ..... 5 ..... 6 .....  
 7 ..... 8 ..... 9 ..... 10 ..... 11 ..... 12 .....

REMARKS:


INSPECTED BY [Signature]  
 (OVER)

LOCATION Warren Av. 420  
 INSPECTION DATE 6/5/73  
 WORK COMPLETED 6/5/73  
 TOTAL NO. INSPECTIONS 1  
 REMARKS:

FEE FOR WIRING PERMITS EFFECTIVE JULY 31, 1963


<b>WIRING</b>	
1 to 30 Outlets .....	\$ 2.00
31 to 60 Outlets .....	3.00
Over 60 Outlets, each Outlet .....	.05
(Each twelve feet or fraction thereof of fluorescent lighting or any type of plug molding will be classed as one outlet).	
<b>SERVICES</b>	
Single Phase .....	2.00
Three Phase .....	4.00
<b>MOTORS</b>	
Not exceeding 50 H.P. ....	3.00
Over 50 H.P. ....	4.00
<b>HEATING UNITS</b>	
Domestic (Oil) .....	2.00
Commercial (Oil) .....	4.00
Electric Heat (Each Room) .....	.75
<b>APPLIANCES</b>	
Ranges, Cooking Tops, Ovens, Water Heaters, Disposals, Built-in Dishwashers, Dryers, and any permanent built-in appliance — each unit .....	1.50
<b>MISCELLANEOUS</b>	
Temporary Service, Single Phase .....	1.00
Temporary Service, Three Phase .....	2.00
Circuses, Carnivals, Fairs, etc. ....	10.00
Meters, relocate .....	1.00
Distribution Cabinet or Panel, per unit .....	1.00
Transformers, per unit .....	2.00
Air Conditioners, per unit .....	2.00
Signs, per unit .....	2.00
<b>ADDITIONS</b>	
5 Outlets, or less .....	1.00
Over 5 Outlets, Regular Wiring Rates .....	1.00

8' foot ceiling  
 3 conc. posts  
 asphalt shingles  
 Sills 4x6  
 Floor timbers 2x6 -  
 Rafters 2x4



350' +

15'



Open porch on  
 rear of house 7x13 1/2

$6.5 \times 8.5 \times 45 = 1024$   
 $1024 \times 6.5 \times 1.5 = 9984$   
 $\frac{9984}{1150} = 9.07 \text{ sq } 3$   
 $5 \text{ of } 4 \times 6 = 19.1$   
 $2 \times 4 - 16' \text{ o.c.} - 7' \text{ span}$   
 $7 \times 1.33 \times 45 = 420$   
 $2 \times 4 \text{ good for } 373$

350' +

WARREN

AVENUE

PETER PROFENNO  
 410 WARREN AVE.

Cost \$ 50

Memorandum from Department of Building Inspection, Portland, Maine

410 Warren Ave.---Owner, Peter Proferno--Contractor, Camillo Proferno Co. 7/24/40

To Builder:

The rafters ought to be either 2x6-24 inches on centers or may be 2x4 if  
14 inches on centers.

CC Peter Proferno, 410 Warren Ave.

(Signed) Warren McDonald  
Inspector of Buildings





(1) INDUSTRIAL ZONE  
APPLICATION FOR PERMIT

PERMIT ISSUED  
Permit No. 1-111-1-3

Class of Building or Type of Structure Third Class JUL 24 1940

Portland, Maine, July 25, 1940

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby apply for permit to erect alter install the following building structure equipment in accordance with the Laws of the State of Maine and the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 410 Farrar Within Fire Limits? no Dist. No. \_\_\_\_\_  
Owner's or Lessee's name & address Peter Profanno, 410 Farrar Avenue Telephone \_\_\_\_\_  
Contractor's name and address Carillo Profanno Co., 25 Farrar Street Telephone 3-0311  
Architect \_\_\_\_\_ Plans filed yes No. of sheets 1  
Proposed use of building dwelling house No. families 1  
Other buildings on same lot none  
Estimated cost \$ 100 Fee \$ 50

Description of Present Building to be Altered

Material wood No. stories 2 Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
Last use dwelling house No. families 1

General Description of New Work:

To build one story open rear porch 13'6" x 7'

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately and in the name of the heating contractor.

Details of New Work

Is any plumbing work involved in this work? \_\_\_\_\_  
Is any electrical work involved in this work? \_\_\_\_\_ Height average grade to top of plate \_\_\_\_\_  
Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories 1 Height average grade to highest point of roof 10'6"  
To be erected on solid or filled land? solid earth or rock? earth  
Material of foundation concrete piers Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_ cellar \_\_\_\_\_  
Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
Kind of Roof flat Rise per foot 2 1/2" Roof covering Asphalt roofing Class C Under Lumber  
No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_  
Kind of heat \_\_\_\_\_ Type of fuel \_\_\_\_\_ Is gas fitting involved? \_\_\_\_\_  
Framing Lumber—Kind knock Dressed or Full Size? dressed  
Corner posts 4x4 Sills 4x6 Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
Material columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  
Joists and rafters: 1st floor 2x6 2nd \_\_\_\_\_ 3rd \_\_\_\_\_ roof 2x4  
On centers: 1st floor 16" 2nd \_\_\_\_\_ 3rd \_\_\_\_\_ roof 16"  
Maximum span: 1st floor 7' 2nd \_\_\_\_\_ 3rd \_\_\_\_\_ roof 7'

If a Garage

No. cars now accommodated on same lot \_\_\_\_\_ to be accommodated \_\_\_\_\_  
Total number commercial cars to be accommodated \_\_\_\_\_  
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no  
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

INSTRUCTION COPY

Signature of owner Peter Profanno  
Carillo Profanno Co.  
Donato Profanno

NOTIFICATION REPAIRS EXISTING OR CLOSING IN IS THE RIGHT OF THE STATE OF MAINE. REQUIREMENT IS WAIVED

7-25-40

Permit No. 40/100.8

Local No. 410 Warren Ave  
Owner Peter P. Polesano  
Date of permit 7/24/40  
Notif. closing in  
Inspn. closing in  
Final Notif.  
Final Inspn. 8/15/40  
Cert. of Occupancy issued none


NOTES  
8/6/40 Shaming started  
008  
~~...~~

Table with multiple columns and rows, containing faint text and possibly a grid or ledger structure. The text is mostly illegible due to high contrast and noise.

21 21

RECEIVED  
MAY 16 1938  
DEPT. OF ~~WORK~~ <sup>WORK</sup> ~~DEPT.~~  
CITY OF PORTLAND

150  
=



420 Women's



INDUSTRIAL ZONE  
APPLICATION FOR PERMIT

Permit No. 06930

Class of Building or Type of Structure dwelling house

Portland, Maine, May 16, 1938 MAY 16 1938

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to alter install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 420 Warren Avenue Ward 8 Within Fire Limits? no Dist. No. \_\_\_\_\_  
Owner's or lessee's name and address Peter Profenko, 410 Warren Avenue Telephone no  
Contractor's name and address \_\_\_\_\_ Telephone \_\_\_\_\_  
Architect \_\_\_\_\_ Plans filed yes No. of sheets 1  
Proposed use of building dwelling house No. families 1  
Other buildings on same lot dwelling house  
Estimated cost \$ 55. Fee \$ .50

Description of Present Building to be Altered

Material wood No. stories 2 Heat \_\_\_\_\_ Style of roof pitch Roofing asphalt  
Last use dwelling house No. families 1

General Description of New Work

To build one story frame addition 8' x 8' on side of building for toilet, window at least three square feet in area for ventilation of same  
To cut in new door from house to this addition

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

CERTIFICATE OF OCCUPANCY  
REQUIREMENT IS WAIVED

Details of New Work  
spruce & second hand dressed

Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ Height average grade to top of plate \_\_\_\_\_  
Height average grade to highest point of roof 10'  
To be erected on solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
Material of foundation under panta Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_  
Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
Kind of Roof flat Rise per foot 5" Roof covering Asphalt roofing Class C U.S. Lab.  
No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_  
Kind of heat \_\_\_\_\_ Type of fuel \_\_\_\_\_ Is gas fitting involved? \_\_\_\_\_  
Corner posts 4x4 Sills 6x8 Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
Material columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  
Joists and rafters: 1st floor 2x8, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof 2x11  
On centers: 1st floor 16", 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof 28"  
Maximum span: 1st floor 8', 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof 8'

If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

If a Garage

No. cars now accommodated on same lot \_\_\_\_\_ to be accommodated \_\_\_\_\_  
Total number commercial cars to be accommodated \_\_\_\_\_  
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no  
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of owner Peter Profenko

INSPECTION COPY

Ward 9 Permit No. 387693

Location 420 Warren St

Owner Peter C. Goffman

Date of permit 5/16/38

Notif. closing-in

Inspn. closing-in

Fee

Final Inspn. 12/22/38

Cert. of Occupancy issued None

NOTES

~~5/20/38 - Work not started~~

~~5/28/38 - Hammer in~~

~~6/7/38 - A little framing~~

~~out done - OK~~

~~6/13/38 - Framing about~~

~~completed - OK~~

~~7/2/38 - Work well along~~

~~OK~~

~~8/16/38 - Work not com-~~

~~pleted - OK~~



# APPLICATION FOR PERMIT

PERMIT ISSUED

0348

MAR 29 1927

Class of Building or Type of Structure Third Class

Portland, Maine, March 22, 1927

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect alter install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 420 Warren Avenue Ward 9 Within Fire Limits? no Dist. No. \_\_\_\_\_  
 Owner's or Lessee's name and address Peter Profenna, 410 Warren Avenue Telephone no  
 Contractor's name and address Owner Telephone \_\_\_\_\_  
 Architect's name and address \_\_\_\_\_  
 Proposed use of building \_\_\_\_\_ No. families \_\_\_\_\_  
 Other buildings on same lot \_\_\_\_\_  
 Plans filed as part of this application? no No. of sheets \_\_\_\_\_  
 Estimated cost \$ \_\_\_\_\_ Fee \$ 50

### Description of Present Building to be Altered

Material wood No. stories 1 1/2 Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
 Last use stable No. families \_\_\_\_\_

### General Description of New Work

To demolish building 25' x 25'

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

### Details of New Work

Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ Height average grade to top of plate \_\_\_\_\_  
 Height average grade to highest point of roof \_\_\_\_\_  
 To be erected on solid or filled, and? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
 Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_  
 Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
 Kind of Roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Roof covering \_\_\_\_\_  
 No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_  
 Kind of heat \_\_\_\_\_ Type of fuel \_\_\_\_\_ Is gas fitting involved? \_\_\_\_\_  
 Corner posts \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
 Material columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
 Studs (outside walls and carrying partitions) 4-16" O. C. Girders 6x8 or larger: Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.

Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

### If a Garage

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_  
 Total number commercial cars to be accommodated \_\_\_\_\_  
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

### Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no  
 Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of owner Peter Profenna  
 By Amie Profenna

INSPECTION COPY

67-48

Ward 9 Permit No. 37/348

Location 420 Warren Ave

Owner Peter Piferino

Date of permit 3/29/37

Notif. closing-in

Inspn. closing-in


Final Notif.

Final Inspn: 8/20/37 *ada*

Cert. of Occupancy issued *None*

NOTES

*4/20/37 Mathias done. etc.  
8/20/37 Smith returned. etc.  
8/20/37 Almond. wall along  
etc.*





Permit No. 046

# APPLICATION FOR PERMIT **PERMIT ISSUED**

Class of Building or Type of Structure Third Class

Portland, Maine, APR 15 1935  
Supersedes application of 4/12/35

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect alter install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 420 Warren Avenue Ward 9 Within Fire Limits? no Dist. No. \_\_\_\_\_  
 Owner's or Lessee's name and address Peter Profanno, 410 Warren Ave. Telephone no  
 Contractor's name and address not let Telephone \_\_\_\_\_  
 Architect's name and address \_\_\_\_\_  
 Proposed use of building Dwelling house No. families 1  
 Other buildings on same lot Barn  
 Plans filed as part of this application? no No. of sheets \_\_\_\_\_  
 Estimated cost \$ 100. Fee \$ .50

### Description of Present Building to be Altered

Material wood No. stories 1 1/2 Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
 Last use dwelling house with barn attached No. families \_\_\_\_\_

### General Description of New Work

To Repair after Fire to former condition.  
 (Cause - ground chimney, 1st floor)  
 To put concrete piers under dwelling house in place of existing wood posts  
 To raise entire dwelling house 2' from present level, and to remove 3' from end of building thus separating it from the stable  
 To provide two 12" safety thimbles around smokepipe openings to chimney and also cleanout door.

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

### Details of New Work

Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ Height average grade to top of plate \_\_\_\_\_  
 Height average grade to highest point of roof \_\_\_\_\_  
 To be erected on solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
 Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_  
 Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
 Kind of Roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Roof covering \_\_\_\_\_  
 No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_  
 Kind of heat \_\_\_\_\_ Type of fuel \_\_\_\_\_ Is gas fitting involved? \_\_\_\_\_  
 Corner posts \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
 Material columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 8x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  
 Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

### If a Garage

No. cars now accommodated on same lot \_\_\_\_\_ to be accommodated \_\_\_\_\_  
 Total number commercial cars to be accommodated \_\_\_\_\_  
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

### Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? \_\_\_\_\_  
 Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? \_\_\_\_\_

Signature of owner \_\_\_\_\_

INSPECTION COPY

4/15/35





Permit No. \_\_\_\_\_

### APPLICATION FOR PERMIT TO REPAIR BUILDING

Third Class Building

Portland, Maine, April 12, 1955

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.  
The undersigned hereby applies for a permit to repair the following described building in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 420 Warren Avenue Ward 9 Within fire limits? no Dist. No. \_\_\_\_\_  
Owner's name and address Peter Profenno, 410 Warren Ave. Telephone no  
Contractor's name and address not let Telephone \_\_\_\_\_  
Use of building dwelling h use 1 family  
No. stories 1 1/2 Height \_\_\_\_\_ ft., Gross area \_\_\_\_\_ sq. ft. Style of roof \_\_\_\_\_  
Type of present roof covering \_\_\_\_\_

#### General Description of New Work

To Repair after Fire to former condition. No alterations.  
(Cause - around chimney, 1st floor)

(To put in one new concrete pier in place of wood post)

#### If Roof Covering is to be Repaired or Renewed

When last repaired? \_\_\_\_\_ Area then repaired \_\_\_\_\_ sq. ft.  
Are repairs or renewal due to damage by fire? yes If so, what area damaged? \_\_\_\_\_ sq. ft.  
Area of roof to be repaired now? \_\_\_\_\_ sq. ft.  
Type of roofing to be used Asphalt shingles No. plies \_\_\_\_\_  
Trade name and grade of roof covering to be used Class C Und. Lab.  
Estimated cost \$ 100. Fee \$ .50

Signature of owner Peter Profenno

INSPECTION COPY

CERTIFICATE OF OCCUPANCY  
REQUIREMENT IS WAIVED

4115B

Ward 9 Permit No. 35/467  
 Location 420 Waisen Ave  
 Owner Peter Profumo  
 Date of permit 4/15/35  
 Closing-in \_\_\_\_\_  
 Inspn: closing-in \_\_\_\_\_  
 Final Notif. \_\_\_\_\_  
 Final Inspn. 6/5/35  
 Cert. of Occupancy issued None

NOTES

4/13/35 - Four new sets of rafters provided, also two 12" safety collars around brick pipes, and a cleared door in bottom of chimney. One new timber in second floor, swelling portion of stand of building to be attached from barn by cutting off 5' of end of house, providing 4x6 corner posts running from sill to plate 4x4 studs 16" o.c. in wall. Other posts to be joined about 2' and

12"x12" concrete pier extending at least 4' below grade are to be put in to insure fastening. 4/20/35 - Give green tag to close in with notation that no wiring is to be covered until inspected and approved - A. J. C. 6/3/35 - Work about completed, dwelling occupied. A. J. C.

10

### APPLICATION FOR PERMIT

PERMIT ISSUED

B.O.C.A. USE GROUP ..... 760

JUN 16 1986

B.O.C.A. TYPE OF CONSTRUCTION .....

ZONING LOCATION ..... PORTLAND, MAINE ..... 5/27, 86..

City Of Portland

To the CHIEF OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect, alter, repair, demolish, move or install the following building, structure, equipment or change use in accordance with the Laws of the State of Maine, the Portland B.O.C.A. Building Code and Zoning Ordinance of the City of Portland with plans and specifications, if any, submitted herewith and the following specifications:

LOCATION ..... Fire District #1 , #2

1. Owner's name and address ..... Telephone .....

2. Lessee's name and address ..... Telephone .....

3. Contractor's name and address ..... Telephone .....

..... No. of sheets

Proposed use of building ..... demolish ..... No. families .....

Last use ..... single ..... No. families .....

Material ..... No. stories ..... Heat ..... Style of roof ..... Roofing .....

Other buildings on same lot ..... little shed .....

Estimated contractual cost \$.. 3000.00... Appeal Fees \$ .65.00

FIELD INSPECTOR—Mr. .... Base Fee .....

..... @ 775-5451 ..... Late Fee .....

TOTAL 65.00

Demolish house and shed  
 Address 345 Service Rd  
 Sent to 1100 Weymouth Ave  
 04104

Stamp of Special Conditions

NOTE TO APPLICANT: Separate permits are required by the installers and subcontractors of heating, plumbing, electrical and mechanicals.

#### DETAILS OF NEW WORK

Is any plumbing involved in this work? ..... Is any electrical work involved in this work? .....

Is connection to be made to public sewer? ..... If not, what is proposed for sewage? .....

Has septic tank notice been sent? ..... Form notice sent? .....

Height average grade to top of plate ..... Height average grade to highest point of roof .....

Size, front ..... depth ..... No. stories ..... solid or filled land? ..... earth or rock? .....

Material of foundation ..... Thickness, top ..... bottom ..... cellar .....

Kind of roof ..... Rise per foot ..... Roof covering .....

No. of chimneys ..... Material of chimneys ..... of lining ..... Kind of heat ..... fuel .....

Framing Lumber—Kind : ..... Dressed or full size? ..... Corner posts ..... Sills .....

Size Girder ..... Columns under girders ..... Size ..... Max. on centers .....

Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.

Joists and rafters: 1st floor ..... 2nd ..... 3rd ..... roof .....

On centers: 1st floor ..... 2nd ..... 3rd ..... roof .....

Maximum span: 1st floor ..... 2nd ..... 3rd ..... roof .....

If one story building with masonry walls, thickness of walls? ..... height? .....

#### IF A GARAGE

No. cars now accommodated on same lot ..... to be accommodated ..... number commercial cars to be accommodated .....

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? .....

APPROVALS BY: DATE

BUILDING INSPECTION—PLAN EXAMINER .....

ZONING: .....

BUILDING CODE: .....

Fire Dept.: .....

Health Dept.: .....

Others: .....

MISCELLANEOUS

Will work require disturbing of any tree on a public street? .....

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? .....

Signature of Applicant ..... Phone # 797-7927

Type Name of above Gerald Robinov for applicators ..... 1  2  3  4

Other ..... and Address .....

FIELD INSPECTOR'S COPY

APPLICANT'S COPY

OFFICE FILE COPY