

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 36 Four Winds Rd		Owner: Ralph & Mary Salamone		Phone:		Permit No 971100 PERMIT ISSUED Permit Issued: OCT 14 1997 CITY OF PORTLAND			
Owner Address: SAA Ptld, ME 04102		Lessee/Buyer's Name:		Phone: 773-3022			BusinessName:		
Contractor Name: David Dardano		Address: 38 West Lynne Ave Ptld, ME 04103		Phone:					
Past Use: 1-fam		Proposed Use: Same w/garage		COST OF WORK: \$ 10,000.00 FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied Signature:			PERMIT FEE: \$ 70.00 INSPECTION: Use Group: <u>U</u> Type: <u>5B</u> Signature: <u>Hoffman</u>		
Proposed Project Description: Construct Detached Garage (16 x 24)				PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/> Signature: _____ Date: _____				Zone: <u>R-3</u> CBL: 283-C-003 Zoning Approval: <u>OK</u> <u>10/9/97</u> Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
Permit Taken By: Mary Gresik		Date Applied For: 03 October 1997							

- This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
- Building permits do not include plumbing, septic or electrical work.
- Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Approved
 Approved with Conditions
 Denied

Date: 10/7/97
DA

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT Ralph Salamone ADDRESS: _____ DATE: 03 October 1997 PHONE: _____

Ralph Salamone
 RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE: _____

CEO DISTRICT 4
A. Powers

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 36 Four Winds Rd		Owner: Ralph & Mary Salamone		Phone:		Permit No: 771100	
Owner Address: SAA Pctld, ME 04102		Lessee/Buyer's Name:		Phone: 773-3022		BusinessName:	
Contractor Name: David Dardano		Address: 38 West Lynne Ave Pctld, ME 04103		Phone:		Permit Issued: OCT 14 1997 CITY OF PORTLAND	
Past Use: 1-fam		Proposed Use: Same w/garage		COST OF WORK: \$ 10,000.00		PERMIT FEE: \$ 70.00	
Proposed Project Description: Construct Detached Garage (16 x 24)		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: Type:		Zone: CBL: 283-C-003	
		Signature:		Signature:		Zoning Approval: 10/19/97	
		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied		Signature:		Date:	
Permit Taken By: Mary Gresik		Date Applied For: 03 October 1997					

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

03 October 1997

SIGNATURE OF APPLICANT <i>Ralph Salamone</i>	ADDRESS:	DATE:	PHONE:
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE			PHONE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Approved
 Approved with Conditions
 Denied

Date: 10/14/97

CEO DISTRICT 4

COMMENTS

12-9-97 Message to owner - never notified of inspection. Garage constructed. Owner ret'd call: "please call contractor"

12-10-97 Message to Contractor to set up inspection time.

Never rec'd return phonecall from Contractor.

9-23-98 Garage is all completed

Inspection Record

Type

Date

Foundation: _____

Framing: _____

Plumbing: _____

Final: _____

Other: _____

f

BUILDING PERMIT REPORT

DATE: 10 OCT, 97 ADDRESS: 36 Four Wind Rd.
REASON FOR PERMIT: To Construct a 16' x 24' Single Car garage
BUILDING OWNER: Ralph & Mary Salamone
CONTRACTOR: David Dardano
PERMIT APPLICANT: Salamone APPROVAL: *1*2 DENIED
USE GROUP U BOCA 1996 CONSTRUCTION TYPE 5B


CONDITION(S) OF APPROVAL

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. *Code Enforced?*
2. Before concrete for foundation is placed, approvals from the ~~Development Review Coordinator~~ and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
3. Precaution must be taken to protect concrete from freezing.
4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
8. Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
9. Headroom in habitable space is a minimum of 7'6".
10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread, 7" maximum rise.
11. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
14. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's.
15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 19. The Sprinkler System shall maintained to NFPA #13 Standard.
- 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. No construction or demolltion work shall begin until you have obtained permits for dumpsters or containers. A work Stop Order shall be issued if this requirement is not met.
- 22. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 23. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 24. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.
- 25. Ventilation shall meet the requirements of Chapter 12 Sections 1210. of the City's Building Code.
- 26. All electrical and plumbing permits must be obtained by a Master Licensed holders of their trade.
- 27. All requirements must be met before a final Certificate of Occupancy is issued.
- 28. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
- 29. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993).

- 30. _____
- 31. _____
- 32. _____
- 33. _____
- 34. _____


P. Samuel Hoffes, Code Enforcement


cc: Lt. McDougall, PFD
Marge Schmuckal

Ralph Salamone

36 Four Winds Rd

Portland, ME 04102

UNATTACHED GARAGE - 16' x 24'



Door Size - 9' x 7'

16' wide x 24' Deep
GARAGE

6" Reinforced Cement Slab

Applicant: Ralph Salamone

Date: 10/9/97

Address: 36 Four Winds Rd

C-B-L: 283-C-3

CHECK-LIST AGAINST ZONING ORDINANCE

Date - existing 1966

Zone Location - R-3

Interior or corner lot -

Proposed Use/Work - to construct detached 16' x 24' garage

Sewage Disposal - city

Lot Street Frontage -

Front Yard - 25' req - 25' + shown

Rear Yard - 25' req - 25' + shown

Side Yard - 8' req - 9' shown

Projections -

Width of Lot -

Height - 1 story

Lot Area -

8500^{sq}

Lot Coverage/ Impervious Surface - 25% MAX OR 2125^{sq} MAX

Area per Family -

Off-street Parking -

Loading Bays -

Site Plan -

Shoreland Zoning/ Stream Protection - N/A



Flood Plains -

24 x 42 = 1008^{sq}
 10 x 16 = 160
 new 16 x 24 = 384
 1552^{sq}

OK

HOUSE Lot 36 Four Winds Rd 04102


85




34 1/2

18 1/2

5




Proposed Garage



112

10



8 1/2

33

#14 AP



SUBMETER APPLICATION

(For Sewer User Charge Adjustments)

TO BE COMPLETED BY APPLICANT

Address where sub-meter is requested: 605 GORHAM STREET EAST

Property owner name: 1011 + 1011 Maine Spindler

Property owner address: (if different from submeter location) _____

Person to be contacted to schedule inspections: Shane Spindler telephone# 773 9006

Portland Water District Acct. No. (on bill) D-11044-1

Billing Name & Address (on bill) Urban Spindler

605 GORHAM STREET EAST PORTLAND ME 04102

Location and size of existing Portland Water District Service Meter remote is on

at back side of house - (when facing house) - meter in

Proposed location and size of sub-meter inside of house - basement

Will a remote reading register be utilized? No Yes (If yes, state location)

The volume of water to be submetered can be shown not to enter the sewerage system by virtue of its use for: watering lawn


filling up small aboveground pool

The undersigned hereby requests permission to install an additional water meter ("sub-meter") in accordance with Section 24-76 (c) of the "Code of Ordinances, the City of Portland, Maine". It is understood that all expenses related to the purchase, installation, and maintenance of the meter is to be borne by the applicant. I certify that above information is true and correct:

Signature Shane Spindler Date 7/10/97

A. TO BE COMPLETED BY APPLICANT

A sketch showing the location of the existing and proposed meters; the proposed plumbing changes; and the water flow through the submeter to the non-discharge equipment (or location).



B. TO BE COMPLETED BY INSPECTION SERVICES

- YES NO Automatic reading system to be installed
- A Watts #8 Back Flow Preventer, or equal, shall be installed on each outside faucet

Application Approved Denied

Date: 7-10-97 By: S. Spindler

Comments: _____

Inspection Fee: \$20.00
 Paid on: 7-10-97
 CK#: 6519
 Cash receipt# _____

C. TO BE COMPLETED BY THE PLUMBING INSPECTOR

An inspection of the completed submetering system installation shown on this application was conducted on:

By: _____

LPI for City of Portland, Maine

- The submetering System installed as approved
- No cross connections found
- All back flow preventers installed

Reading: _____

- Approved Disapproved the installation

D. TO BE COMPLETED BY THE WATER DISTRICT

Date submeter sold _____

Submeter account number _____

Submeter make and serial number _____

Submeter installation readings _____

Submeter account entered into computer _____

Submeter account entered into meter book _____