

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: *** 191 Pinecrest Drive 04102		Owner: *** Richard Ross ***		Phone: 775-7228	Permit No: 000809
Owner Address: SAA		Lessee/Buyer's Name:		Phone:	
Contractor Name: Shed's USA		Address:		Phone:	Zone: R-3 CBL: 278A-A-014 Zoning Approval: <i>[Signature]</i> 7/24/00 Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>
Past Use: single family	Proposed Use: same	COST OF WORK: \$ 1,447.95	PERMIT FEE: \$36.00	FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied	
Proposed Project Description: 8x10 Shed		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied Signature: _____ Date: _____	
Permit Taken By: K		Date Applied For: July 20 2000 K			

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Approved
 Approved with Conditions
 Denied

Date: *[Signature]*

CERTIFICATION

PERMIT ISSUED WITH REQUIREMENTS

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

July 20 2000

SIGNATURE OF APPLICANT _____ ADDRESS: _____ DATE: _____ PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____

PERMIT ISSUED WITH REQUIREMENTS 3

BUILDING PERMIT REPORT

DATE: 20 July 2000 ADDRESS: 191 Pinecrest Dr. CBL: 278A-A-014
 REASON FOR PERMIT: 8'x10' shed
 BUILDING OWNER: Richard Ross
 PERMIT APPLICANT: _____ (CONTRACTOR Shed's USA)
 USE GROUP: U CONSTRUCTION TYPE: 5B CONSTRUCTION COST: 1,447.95 PERMIT FEES: 9200

The City's Adopted Building Code (The BOCA National Building code/1999 with City Amendments)
 The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)


CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met: *1, *2, *27, *29

- *1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- *2. Before concrete for foundation is placed, approval from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) **"ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."**
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete from freezing. Section 1908.0
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36" and not more than 42". Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

Handwritten initials

19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
24. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- X 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
28. All requirements must be met before a final Certificate of Occupancy is issued.
- X 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements.
32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
33. Bridging shall comply with Section 2305.16.
34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).


 P. Samuel Hoopes, Building Inspector
 Cc: Lt. McDougall, PFD
 Marge Schmuckal, Zoning Administrator

PSH 1/26/00

****On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.**

*****THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.**

******CERTIFICATE OF OCCUPANCY FEE \$50.00**

****** ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL,(AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT.2000, OR EQUIVALENT.**

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

**Building or Use Permit Pre-Application
Additions/Alterations/Accessory Structures
To Detached Single Family Dwelling**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTEIf you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.**


Location/Address of Construction: #191 Pinecrest Drive 04102		
Tax Assessor's Chart, Block & Lot Number Chart# 278A Block# A Lot# 014	Owner: Richard A Ross	Telephone#: 775 7228
Owner's Address: 191 Pinecrest Rd.	Lessee/Buyer's Name (If Applicable) Richard Ross	Cost Of Work: \$1,447 ⁹⁵ / ₁₀₀ Fee \$6.00
Proposed Project Description:(Please be as specific as possible) Shed 8x10 - gambrel roof		
Contractor's Name, Address & Telephone Shed's USA		Rec'd By: (K)

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art II.
- HVAC(Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must include the following with you application:

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan (Sample Attached)



If there is expansion to the structure, a complete plot plan (Site Plan) must include:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and required zoning district setbacks

4) Building Plans (Sample Attached)

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: Richard A Ross	Date: 7/20/00
--	---------------

Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

2x4 construction ✓

Pine clad for siding ✓

Floor 16 in on center 2x8 ✓

Floor covering $\frac{3}{4}$ plywood ✓

Walls 24 inch on center ✓
with 56 inch door ✓

1# 2' x 2' window ✓

Tar shingals for roof
covering ✓

10' x 8' overall size ✓



Sheds USA

P.O. Box 6622

Portsmouth, NH 03802

Phone (603)431-8489 Fax (603)436-7320

Customer Ross, Richard
 Street Address 191 Pine Crest Rd
 Mailing Address _____
 City Portland State ME Zip 04102
 Home # 755-7228 (207) Work # 879-5880 (207)
 207-874-2695

Date 7/12/00
 Location Stamps-Portland
 P.O. # _____
 Salesperson Janice

Order Information

Item	Item #	Quantity	Price
Size: <u>8x10</u> Type: <u>Pine</u>			<u>1,329.00</u>
Roof style: <input type="checkbox"/> peak <input checked="" type="checkbox"/> gambrel <input type="checkbox"/> other			N/C
Shingle color: <input type="checkbox"/> black <input checked="" type="checkbox"/> brown <input type="checkbox"/> gray			N/C
Pressure treated (PT) floor joists		<u>1</u>	N/C
Louvered aluminum gable vents (pair)		<u>1</u>	N/C
Exchange 40" double door for <u>(54) 66/78" double door</u>		<u>1</u>	<u>50.00</u>
26" single door			
Extra door (indicate size)			
Extra window (inc. shutters & window box)			
4 foot long, pressure treated ramp (sized to door)			
Window screens			
Stain			
Miscellaneous			
Credit			

Subtotal	<u>1,379.00</u>
Tax	<u>68.95</u>
Total	<u>1,447.95</u>
Deposit	
Delivery Charge	
Balance Due	
Finance Amount	
C.O.D.	

Diagram top view of shed, noting position of doors and windows
 (Note: 8x8, 8x10 & 10x10 models include only ONE window).



Delivery notes:

Directions (from a major route):

Site requirements--please initial box.

- Level (within 6")
- Clearance (3' around, 12' above)
- Shed site is less than 150' from parking area for large tractor trailer. A \$50.00 fee is incurred if shed carry is between 150-300'.
- I understand that if my site is not prepared to the above specifications a \$150.00 re-delivery charge will be incurred.

Please note the following:

1. Balance is collected upon delivery.
2. Permits are the customer's responsibility.
3. Once delivery is scheduled, cancellation/postponement results in a \$150.00 fee.
4. All dimensions are approximate.
5. Shed drop-off and assembly dates may differ.
6. All cedar sheds may come w/either 6" or 8" cedar at the discretion of Sheds USA.
7. Cedar sheds should be stained/sealed and outside.

Signature X

White copy - Sheds USA

Yellow copy - Store/Salesperson

FREE delivery (to most areas) & built on your site!

Site Requirements

- Clearance** - Shed must be 150' (feet) or less from where a large tractor, trailer or truck can park. Shed must be 100' from back parking area. If your site is further than 150' from a large tractor, trailer or truck, a \$50.00 fee is payable to the delivery crew. If your site is further than 100' from a back parking area, a \$50.00 fee is payable to the delivery crew.
- Land Grade** - Shed must be built on a level area. If your site is not level, a \$50.00 fee is payable to the delivery crew.
- Access** - Shed must be delivered to a site with a driveway or road access. If your site does not have a driveway or road access, a \$50.00 fee is payable to the delivery crew.
- Land Quality** - Shed must be built on a site with good soil. If your site is not good soil, a \$50.00 fee is payable to the delivery crew.

Shed Construction

- Walls** - Shed walls are made of heavy-duty galvanized steel.
- Roof** - Shed roof is made of heavy-duty galvanized steel.
- Floors** - Shed floors are made of heavy-duty galvanized steel.
- Windows** - Shed windows are made of heavy-duty galvanized steel.
- Doors** - Shed doors are made of heavy-duty galvanized steel.

About Delivery

All sizes are approximate.


What sets Sheds USA apart from other storage shed companies?
UNSURPASSED CUSTOMER SERVICE!


Here's what our customers say:
 "I'm very pleased - our shed looks great. We will tell others about Sheds USA."
 - R.P. Trumbull, CT
 "Thank you again for your follow through and diligence."
 - R.P. Trumbull, CT

STORAGE SHEDS

**Factory direct to you!
 Delivered, Built, Guaranteed!**

P.O. Box 6622
 Portsmouth, NH 03802
(603) 868-1300





Cedar

- > Vertical exterior plywood siding
- > Durable
- > Same quality features as cedar and pine models
- > Most popular material
- > Withstands all types of weather
- > Classic tongue-and-groove construction
- > Affordably priced
- > Durable and weather-resistant
- > Pleasant aroma, naturally repels insects and resist rotting
- > Ages beautifully
- > Excellent for storing tools, lawn equipment, and other outdoor items
- > Over 100 styles to choose from, including various colors and finishes

You need a shed!

• You could be using your existing garage for storage.


• Passersby look at your lawn and ask if you're having a yard sale.

• Your basement's storage capacity is being used up.

• The condition of your workshop/craft room is affecting your earnings.

• You've been injured tripping over children's toys.

• Opening the garage door = avalanche!



It is one of our most popular layouts with a double door on the gable end and an optional 26" single door in front... easy access for riding lawnmower and shed owner!

Shed Uses

• Tool Cabinet, Garden, Kitchen, Child's Challenge, Art, Sewing, Studio, Guest "Cabin" or Tractor Garage

FREE! Custom placement of doors & windows! Choose your roof style & single color — FREE!

Standard Features

Choice of Natural, Horizontal or Vertical Siding
 Choice of roof styles! Pick Gambrel or Saddle — FREE!
 Kitchens, tool cabinets, garden, kitchen, child's challenge, art, sewing, studio, guest "cabin" or tractor garage.
 Two windows with flower boxes and shutters.
 Heavy duty 4" x 6" joists.
 All built with standard 2x4 framing and finished.
 Corral blocks, section 6 pin for foundation.
 100% Cedar and pine, steel & 100% vinyl.

OPTIONS

- Upgrade 40" double door to 54" double door . . . \$ 50.00
- Upgrade 40" double door to 66" double door . . . 95.00
- Upgrade 40" double door to 78" double door . . . 125.00
- 2" x 6" floor joists for 8" wide sheds . . . 92/sq. ft.
- (2" x 6" floor joists are standard on all 12' wide sheds)
- Pressure-treated plywood floor . . . \$120/sq. ft.
- 26" triple door . . . 70.00
- Extra window (each) . . . 30.00
- Vertical finish . . . 30.00
- Spears (each) . . . 15.00
- Extra 40" door . . . 90.00
- Extra 54" door . . . 115.00
- Extra 66" door . . . 145.00
- Extra 78" door . . . 155.00
- 4" pressure-treated ramp . . . 50.00
- Custom paint finish (each) . . . 75.00
- 4" storage bin for lawn tools . . . 65.00
- 4" storage bin for garden tools . . . 80.00

Pressure-Treated Floor Joists

8x8	\$30.00	10x10	\$55.00
8x10	\$30.00	10x12	\$60.00
8x12	\$40.00	10x14	\$70.00
8x14	\$40.00	10x16	\$75.00
8x16	\$50.00	10x18	\$100.00
10x20			\$125.00

2-4 Wks

1-800-441-8489

Shaws Supermarket & Sheds USA

8x10 Pine
Justice

SIZES	T-111	PINE	CEDAR
8X8	\$999.00	\$1,079.00	\$1,379.00
8X10	\$1,229.00	\$1,329.00	\$1,529.00
8X12	\$1,465.00	\$1,539.00	\$1,829.00
8X14	\$1,689.00	\$1,879.00	\$2,099.00
8X16	\$1,915.00	\$2,165.00	\$2,359.00
10X10	\$1,504.00	\$1,694.00	\$1,940.00
10X12	\$1,775.00	\$2,169.00	\$2,309.00
10X14	\$2,045.00	\$2,339.00	\$2,599.00
10X16	\$2,274.00	\$2,624.00	\$2,974.00
10X18	\$2,645.00	\$2,899.00	\$3,425.00
10X20	\$2,984.00	\$3,284.00	\$3,760.00
12x16	\$2,799.00	\$2,999.00	\$3,465.00
12x18	\$3,174.00	\$3,400.00	\$3,877.00
12x20	\$3,549.00	\$3,725.00	\$4,289.00

Standard Features

- **Custom placement of door(s) and window(s) at no charge
- **Choice of roof styles - peak, gambrel or saltbox-at no charge
- **Asphalt shingles w/20-year warranty in choice of three colors
- **Functional windows including window boxes and shutters
- **5/8" exterior plywood floor w/joists 16" on center
- **Free delivery and set-up to most areas
- **Sheds USA exclusive 10-year limited warranty

OPTIONS

Exchange 40" door for 54" double door	\$50
Exchange 40" door for 66" double door	\$95
Exchange 40" door for 78" double door	\$125
26" single door	\$70
Extra window (window box & shutters)	\$60
Vents (pair)	\$30
Screens (each)	\$15
4' pressure-treated ramp	\$50
Extra 40" double door	\$90
Extra 54" double door	\$115
Extra 66" double door	\$145
Extra 78" double door	\$155
Zar exterior stain (per gallon)	\$4.99
Pressure treated plywood floor	\$1.2/sq ft.
2"x6" Floor joists upgrade/8' wide units	\$.95/sq ft.

FREE VENTS INCLUDED

- 874-2695 -

RAMP
SCREEN

Window Left
Front
Door Right
Front

Sheds USA
P.O. Box 6622
Portsmouth, NH 03802
Phone (603)868-1300 Fax (603)868-3820

399 RT 4 Suite A Sheds USA
Barlington N.H. 03825
ATTN: Jessica Leavitt - 1/39

Customer _____
Street Address _____
Mailing Address _____
City _____ State _____ Zip _____
Home # _____ Work # _____

Date _____
Location _____
P.O. # _____
Salesperson _____

\$1447.95

Order Information

Item	Item #	Quantity	Price
Size: _____ Type: _____			
Roof style: <input type="checkbox"/> peak <input checked="" type="checkbox"/> gambrel <input type="checkbox"/> other			N/C
Shingle color: <input type="checkbox"/> black <input checked="" type="checkbox"/> brown <input type="checkbox"/> gray			N/C
P.T. joists <i>Pressure Treated</i>			
Vents (pair) <i>12"</i>			
Exchange 40" double door for 54/66/78" double door			
26" single door			
Extra door (indicate size)			
Extra window (inc. shutters & window box)			
Ramp			
Screens			
Stain			
Miscellaneous			
Credit			

Diagram top view of shed, noting position of doors and windows
(Note: 8x8, 8x10 & 10x10 models include only ONE window).



Subtotal	
Tax	
Total	
Deposit	
Delivery Charge	
Balance Due	
C.O.D.	

Delivery notes:

Directions (from a major route):

Site requirements--please initial box.

- Level (within 6")
- Clearance (3' around, 12' above)
- Shed site is less than 150' from parking area for large tractor trailer. A \$50.00 fee is incurred if shed carry is between 150-300'.
- I understand that if my site is not prepared to the above specifications a \$150.00 re-delivery charge will be incurred.

Please note the following:

1. Balance is collected upon delivery.
2. Permits are the customer's responsibility.
3. Once delivery is scheduled, cancellation/postponement results in a \$150.00 fee.
4. All dimensions are approximate.
5. Shed drop-off and assembly dates may differ.
6. All cedar sheds may come w/either 6" or 8" cedar at the discretion of Sheds USA.
7. Cedar sheds should be stained/sealed both inside and outside.

Signature: _____

