Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 03/10/14

4 A.3 AUDIO FITTING CABINETRY
SCALE: 1/2" = 1'-0"

3 A.3 EYEWASH & COFFEE STATION CABINETRY
SCALE: 1/2" = 1'-0"

2 A.3 EXAM ROOM CABINETRY
SCALE: 1/2" = 1'-0"

1 A.3 RECEPTION COUNTER ELEVATION
SCALE: 1/2" = 1'-0"

6 A.3 PARTIAL FURNITURE PLAN
SCALE: 1/4" = 1'-0"

5 A.3 TYPICAL WALL DETAIL
SCALE: 3" = 1'-0"

DOOR SCHEDULE

MARK	LOCATION	UNIT SIZE	TYPE	HARDWARE FUNCTION	NOTES/REMARKS
101	AUDIO FITTING	3'-0" x 6'-8"	A	PASSAGE	REUSE EXISTING AUDIO TESTING ROOM DOOR & FRAME
102	AUDIO TESTING	3'-0" x 6'-8"	A	PASSAGE	POCKET DOOR
103	AUDIOLOGY OFFICE	3'-0" x 6'-8"	A	OFFICE	REUSE EXISTING OFFICE MANAGER DOOR
104	AUDIO FITTING	3'-0" x 6'-8"	A	PASSAGE	
105	OFFICE MANAGER	3'-0" x 6'-8"	A	OFFICE	REUSE EXISTING AUDIOLOGY OFFICE DOOR
107	MA OFFICE	EXISTING		LOCKING	EXISTING POCKET DOOR TO BE RETROFITTED WITH DOOR LOCK
117	CT STATION	2'-8" x 6'-8"	A	PASSAGE	POCKET DOOR
128	EXAM 9	3'-0" x 6'-8"	A	PASSAGE	
134	RECEPTION HALL	3'-0" x 6'-8"	B	PUSH / PULL WITH CLOSER	TEMPERED GLASS VIEW PANEL

DOOR TYPES

HARDWARE NOTES

PROVIDE SILENCERS FOR ALL DOORS

DOOR STOPS TO BE WALL MOUNTED

OFFICE FUNCTION: PUSH BUTTON LOCKING. PUSH BUTTON LOCKS OUTSIDE LEVER UNTIL UNLOCKED W/ KEY FROM OUTSIDE OR TURNING INSIDE LEVER.

PRIVACY FUNCTION: PUSH BUTTON LOCKING FROM INSIDE. PUSH BUTTON LOCKS OUTSIDE LEVER UNTIL UNLOCKED BY TURNING LEVER OR CLOSING DOOR.

CLASSROOM FUNCTION: KEY LOCKING. KEY IN OUTSIDE LEVER LOCKS/UNLOCKS OUTSIDE LEVER. INSIDE LEVER ALWAYS UNLOCKED.

PASSAGE FUNCTION: LATCH BY EITHER LEVER

STOREROOM FUNCTION: DEADLOCKING LATCH. LATCH BY LEVER INSIDE OR KEY OUTSIDE. OUTSIDE LEVER RIGID AT ALL TIMES.

THIS DRAWING IS AN INSTRUMENT OF SERVICE AND SHALL REMAIN THE PROPERTY OF WHIPPLE CALLENDER ARCHITECTS. IT SHALL NOT BE USED FOR ANY OTHER PURPOSE THAT FOR WHICH IT IS SPECIFICALLY FURNISHED

MMP OTOLARYNGOLOGY

1250 FOREST AVENUE PORTLAND, MAINE

LICENSED ARCHITECT ANNE E. CALLENDER No. 1861 STATE OF MAINE

WHIPPLE — CALLENDER ARCHITECTS

136 PLEASANT AVE.
PORTLAND, ME 04103
P 207.775.2696
F 207.775.3631
www.whipplecallender.com

MARK	DATE	DESCRIPTION
	1-21-13	PERMIT SET
	1-30-13	REVISIONS TO PLAN
	1-21-14	REVISIONS TO PLAN UPDATE FOR PERMIT

DATE: 21 JAN 2013
CHECKED BY: AEC
DRAWN BY: AEC
JOB: 12-TFA
SHEET TITLE: INTERIOR ELEVATIONS SCHEDULES

A.3