

HARDWARE SETS-

EGRESS 1- SOLID CORE INTERIOR WD. DOOR, TRIPLE HINGE, KD FRAME, EXISTING CRASH BAR ON EGRESS SIDE, EXISTING PULL FROM STAIR SIDE, EQUIPPED WITH NEW 15 SECOND DELAY & CLOSER

EGRESS 2- EXT. MTL. DOOR, TRIPLE HINGE, EXST.
MTL. FRAME, EXISTING CRASH BAR ON EGRESS SIDE,
EXISTING PULL FROM OTHER SIDE, EQUIPPED WITH
EXISTING 15 SECOND DELAY & CLOSER

UTILITY- SOLID CORE 1 HR. INTERIOR MD. DOOR, TRIPLE HINGE, KD FRAME, LEVER HANDSET TO REMAIN, CLOSER, LOCKABLE OUTSIDE, ALMAYS UNLOCKED INSIDE.

OFFICE- SOLID CORE INTERIOR WD. DOOR, TRIPLE HINGE, KD FRAME, LEVER HANDSET TO REMAIN, LOCKABLE TO OUTSIDE, ALWAYS UNLOCKED INSIDE

BEDROOM- SOLID CORE INTERIOR WD. DOOR, TRIPLE HINGE, KD FRAME, LEVER HANDSET TO REMAIN, ALWAYS UNLOCKED.

PASSAGE- SOLID CORE INTERIOR MD. DOOR, TRIPLE HINGE, KD FRAME, LEVER HANDSET TO REMAIN, CLOSER, ALMAYS UNLOCKED.


PRIVACY- SOLID CORE INTERIOR WD. DOOR, TRIPLE HINGE, KD FRAME, LEVER HANDSET TO REMAIN, LOCKABLE TO OUTSIDE, CLOSER, ALWAYS UNLOCKED INSIDE. STAFF PROVIDED WITH KEY

DOOR GEN. NOTES


1. DOORS NOTED AS EXISTING WILL REMAIN IN EXISTING FRAMES.

2. DOORS NOTED AS "NEM" MAY BE REPURPOSED DOORS SALVAGED DURING DEMOLITION.

3. DOOR HARDWARE WILL BE REPLACED & RE-KEYED AT GROUND FLOOR



TYP. DOOR CLEARANCES



DOOR TYPES


DOOR SCHEDULE

NO.	ROOM	NEW/EXISTING	v -	SIZE		MATL		HARDWARE	DOOR TYPE	NOTES
			M	HT	THK		FUNCTION	MANUFACTURER NO.		
101	ENTRY	Existing	6'	6'-8" 6'-8"	O'- 1 ^{3/4} " O'- 1 ^{3/4} "		EGRESS	EXISTING TO REMAIN	E	EVICTING 15 MIN DELAY TO REMAI
102	ELEVATOR RM	Existing Existing	3'	6-8 6'-8"	O'-1 ^{3/4} "		EGRESS UTILITY	EXISTING TO REMAIN EXISTING TO REMAIN	A	EXISTING 15 MIN. DELAY TO REMAI
104	ELEC. RM.	Existing	3'	6'-8"	O'- 1 ^{3/4} "		UTILITY	EXISTING TO REMAIN	A	1 HR. RATED
105 A# B	OFFICE 1	Existing	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "	MD.	OFFICE	EXISTING TO REMAIN	A	
106	BEDROOM 11	Existing	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "	MD.	BEDROOM	EXISTING TO REMAIN	A	
107	BEDROOM 10	Existing	3'	6'-8"	<i>O</i> '-1 ^{3/4} "		BEDROOM	EXISTING TO REMAIN	A	
108	BEDROOM 9	Existing	3'	6'-8"	<i>O</i> '-1 ^{3/4} "		BEDROOM	EXISTING TO REMAIN	A	
109	BEDROOM 8	Existing	3'	6'-8"	O'- 1 ^{3/4} "		BEDROOM	EXISTING TO REMAIN	A	
110	BEDROOM 7 STOR.	Existing	3'	6'-8" 6'-8"	O'- 1 ^{3/4} " O'- 1 ^{3/4} "		BEDROOM	EXISTING TO REMAIN	A	1 UP PATED
111 112A	ENTRY STAIR	Existing Existing	3' 3'	6'-8"	0'-1 ^{3/4} "		UTILITY	EXISTING TO REMAIN EXISTING TO REMAIN	A	1 HR. RATED
112B	ENTRY STAIR	Existing	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "		EGRESS	EXISTING TO REMAIN	D	
1126	ENTRY STAIR	Existing	3'	6'-8"	O'- 1 ^{3/4} "		EGRESS	EXISTING TO REMAIN	A	EXISTING 15 MIN. DELAY TO REMAI
112D	ENTRY STAIR	Existing	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "	MD.	UTILITY	EXISTING TO REMAIN	A	BASEMENT ACCESS ONLY
113A	LIVING ROOM	New	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "	MD.	PASSAGE	MATCH EXISTING	F	
113B	LIVING ROOM	New	3'	6'-8"	<i>O</i> '-1 ^{3/4} "	MD.	PASSAGE	MATCH EXISTING	F	
114	STOR./LAUND.	New	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "		UTILITY	MATCH EXISTING	A	1 HR. RATED
115	MEN	New	3'	6'-8"	O'-1 ^{3/4} "		PRIVACY	MATCH EXISTING	A	
116	MOMEN	New	3'	6'-8"	O'- 1 ^{3/4} "		PRIVACY	MATCH EXISTING	A	
117	MEN WOMEN	New New	3' 3'	6'-8" 6'-8"	O'- 1 ^{3/4} " O'- 1 ^{3/4} "		PRIVACY	MATCH EXISTING MATCH EXISTING	A	
119	MEN	New	3'	6'-8"	O'- 1 ^{3/4} "		PRIVACY	MATCH EXISTING	A	
120	NURSE/ MED. OFFICE	New	3'	6'-8"	O'- 1 ^{3/4} "		OFFICE	MATCH EXISTING	A	
121	HOUSE STOR.	New	3'	6'-8"	O'- 1 ^{3/4} "		UTILITY	MATCH EXISTING	A	1 HR. RATED
122	STAFF BATHRM.	New	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "	MD.	PRIVACY	MATCH EXISTING	A	
123	CORRIDOR	New	3'	6'-8"	O'- 1 ^{3/4} "	MD.	PASSAGE	MATCH EXISTING	A	ELECTRIC HOLD OPEN
124B	TECH	Existing	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "	MD.	OFFICE	EXISTING TO REMAIN	C	RE-USE DUTCH DOOR IF POSSIBLE
125	BEDROOM 6	Existing	3'	6'-8"	<i>O</i> '-1 ^{3/4} "		BEDROOM	EXISTING TO REMAIN	A	
126	OFFICE 4	New	3'	6'-8"	O'- 1 ^{3/4} "		OFFICE	MATCH EXISTING	A	
127	BEDROOM 5	Existing	3' 3'	6'-8" 6'-8"	O'- 1 ^{3/4} " O'- 1 ^{3/4} "		BEDROOM	EXISTING TO REMAIN	A	4.10.0.77
128 129A	KITCHEN STORAGE KITCHEN	New New	3'	6-8 6'-8"	O'- 1 ^{3/4} "		OFFICE	MATCH EXISTING MATCH EXISTING	B	1 HR. RATED
129A 129B	KITCHEN	New	3'	6'-8"	O'- 1 ^{3/4} "		EXIT	MATCH EXISTING	A	
13 <i>0</i> A	DINING	New	3'	6'-8"	O'- 1 ^{3/4} "		OFFICE	MATCH EXISTING	F	
13 <i>0</i> B	DINING	Existing	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "	MD.	EXIT	EXISTING TO REMAIN	D	EXIST. EXT. DOOR
131	CORRIDOR	New	3'	6'-8"	<i>O</i> '-1 ^{3/4} "	MD.	PASSAGE	MATCH EXISTING	A	ELECTRIC HOLD OPEN
132	OFFICE 3	New	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "	MD.	OFFICE	MATCH EXISTING	A	
133	OFFICE 2	New	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "	MD.	OFFICE	MATCH EXISTING	A	
134	BEDROOM 4	New	3'	6'-8"	<i>O</i> '-1 ^{3/4} "		BEDROOM	MATCH EXISTING	A	
135	BEDROOM 3	Existing	3'	6'-8"	<i>O</i> '-1 ^{3/4} "		BEDROOM	EXISTING TO REMAIN	A	
136	BEDROOM 2	Existing	3'	6'-8"	O'- 1 ^{3/4} "		BEDROOM	EXISTING TO REMAIN	A	
137	BEDROOM 1 STORAGE	Existing New	3' 3'	6'-8" 6'-8"	O'- 1 ^{3/4} " O'- 1 ^{3/4} "		BEDROOM UTILITY	EXISTING TO REMAIN MATCH EXISTING	A	1 HR. RATED
139A	INTAKE	New	3'	6'-8"	O'- 1 ^{3/4} "		PASSAGE	MATCH EXISTING	A	I FIX. KATED
139B	LOBBY	Existing	3'	6'-8"	O'- 1 ^{3/4} "		OFFICE	EXISTING TO REMAIN	A	
1 <i>40</i> A	EGRESS STAIR	Existing	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "	MD.	EGRESS	EXISTING TO REMAIN	A	EXISTING 15 MIN. DELAY TO REMA
14 <i>0</i> B	EGRESS STAIR	Existing	3'	6'-8"	<i>O</i> '-1 ^{3/4} "	MD.	EGRESS	EXISTING TO REMAIN	A	
201	STAIR	Existing	3	6'-8"	<i>O</i> '-1 ^{3/4} "	MD.	EXIST. TO REM.	EXISTING TO REMAIN	A	
202	CORRIDOR	Existing	3'	6'-8"	<i>O</i> '-1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
203	MEN	Existing	3'	6'-8"	<i>O</i> '-1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
204	MOMEN	Existing	3'	6'-8"	O'- 1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
205	OFFICE OFFICE	Existing	3' 3'	6'-8" 6'-8"	O'- 1 ^{3/4} " O'- 1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN EXISTING TO REMAIN	A	
206	OFFICE	Existing Existing	3'	6'-8"	O'- 1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
208	OFFICE	Existing	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
209	OFFICE	Existing	3'	6'-8"	O'- 1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
210	OFFICE	Existing	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "	MD.	EXIST. TO REM.	EXISTING TO REMAIN	A	
211A	CORRIDOR	Existing	3'	6'-8"	O'-1 ^{3/4} "	MD.	EXIST. TO REM.	EXISTING TO REMAIN	A	
211D	CORRIDOR	Existing	6'	6'-8"	<i>O</i> '- 1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
212	BATH	Existing	3'	6'-8"	O'- 1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
213	EGRESS STAIR	Existing	3'	6'-8"	O'- 1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
214	STORAGE TOILET	Existing	3' 3'	6'-8" 6'-8"	O'- 1 ^{3/4} " O'- 1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN EXISTING TO REMAIN	A	
216	CLO.	Existing Existing	3'	6'-8"	O'- 1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
218A	STOR.	Existing	3'	6'-8"	O'- 1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
218B	STOR.	Existing	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	1 HR. RATED
219	STOR.	Existing	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "	MD.	EXIST. TO REM.	EXISTING TO REMAIN	A	1 HR. RATED
220	STOR.	Existing	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "	MD.	EXIST. TO REM.	EXISTING TO REMAIN	A	1 HR. RATED
221	STOR.	Existing	3'	6'-8"	O'-1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	1 HR. RATED
221B	CORRIDOR	New	3'	6'-8"	O'- 1 ^{3/4} "	<u> </u>	EXIST. TO REM.	EXISTING TO REMAIN	A	
2216	CORRIDOR	New	3'	6'-8"			EXIST. TO REM.		A	
222A	MEETING ROOM	Existing	3'	6'-8"	O'- 1 ^{3/4} " O'- 1 ^{3/4} "	NV.	EXIST. TO REM.	EXISTING TO REMAIN	A	
222B 223A	MEETING ROOM STOR.	Existing Existing	3' 3'	6'-8" 6'-8"	0'-1 ^{3/4} "	MD	EXIST. TO REM.	EXISTING TO REMAIN EXISTING TO REMAIN	A	
223A 223B	STOR.	Existing	3'	6-8 6'-8"	0'-1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
224	OFFICE	Existing	3'	6'-8"	O'- 1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
225	BATH	Existing	3'	6'-8"	O'- 1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
226	OFFICE	Existing	3'	6'-8"	O'- 1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
227	OFFICE	Existing	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "	MD.	EXIST. TO REM.	EXISTING TO REMAIN	A	
228	OFFICE	Existing	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "	MD.	EXIST. TO REM.	EXISTING TO REMAIN	A	
229	OFFICE	Existing	3'	6'-8"	O'-1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
230	OFFICE	Existing	3'	6'-8"	O'- 1 ^{3/4} "		EXIST. TO REM.	EXISTING TO REMAIN	A	
231A	OFFICE	Existing	3'	6'-8"	<i>O</i> '- 1 ^{3/4} "	MD.	EXIST. TO REM.	EXISTING TO REMAIN	A	


RECOVERY

PINETREE RE

PINET |



WHIPPLE CALLENDER ARCHITECTS



136 PLEASANT AVE.
PORTLAND, ME 04103
P 207.775.2696
F 207.775.3631
www.whipplecallender.com

MARK DATE DESCRIPTION

DATE:

8/31/17

CHECKED BY:

JAD

DRAWN BY:

JOB:
2017-BISHOP
SHEET TITLE:

SCHEDULES

A6.1